

Your (Half Yearly Compliance Report) has been Submitted with following details

Proposal No	SIA/GJ/IND2/18575/2017
Compliance ID	27581501
Compliance Number(For Tracking)	EC/M/COMPLIANCE/27581501/2026
Reporting Year	2026
Reporting Period	01 Jun(01 Oct - 31 Mar)
Submission Date	22-05-2026
RO/SRO Name	Shri Satya Prakash Negi
RO/SRO Email	jhk119@ifs.nic.in
State	GUJARAT
RO/SRO Office Address	Integrated Regional Offices, Gandhi Nagar

Note:- SMS and E-Mail has been sent to Shri Satya Prakash Negi, GUJARAT with Notification to Project Proponent.

Half Yearly Compliance Report**2026****01 Jun(01 Oct - 31 Mar)****Acknowledgement**

Proposal Name	Stand-alone Cement Grinding Unit of Adani Cement Limited at Village Tunda, Taluka Mundra, District Kutch (Gujarat)		
Name of Entity / Corporate Office	Adani Cementation Limited		
Village(s)	N/A		
District	KACHCHH		
Proposal No.	SIA/GJ/IND2/18575/2017	Category	Industrial Projects - 1
Plot / Survey / Khasra No.	N/A	Sub-District	N/A
State	GUJARAT	Entity's PAN	*****9850D
MoEF File No.	SEIAA/GUJ/EC/3(b)/469/2019	Entity name as per PAN	Adani Cementation Limited

Compliance Reporting Details**Reporting Year** 2026**Remarks (if any)****Reporting Period** 01 Jun(01 Oct - 31 Mar)**Details of Production and Project Area****Name of Entity / Corporate Office** Adani Cementation Limited

	Project Area as per EC Granted	Actual Project Area in Possession
Private	25.9	25.9
Revenue Land	0	0
Forest	0	0
Others	N/A	N/A
Total	25.9	25.9

Others Area

Sr. no	Other Name	Area Granted	Area Actual
--------	------------	--------------	-------------

Production Capacity

Sr. no	Product Name	units	Valid Upto	Capacity	Production last year	Capacity as per CTO
1	Cement (OPC/PPC/PSC/PCC)	Million Tons per Annum (MTPA)	N/A	2	Nil	

Conditions

Visit Remarks

Last Site Visit Report Date:

N/A

Additional Remarks:

Note: This acknowledgement is as per the details submitted by project proponent. In no way is this document to be considered as conclusion on any action on the compliance of the project. This is strictly for the project proponent's reference purpose.



Back

View Half Yearly Compliance Report at Project Proponent

Proposal Details

Proposal No	SIA/GJ/IND2/18575/2017	Category	Industrial Projects - 1		
Name of Project	Stand-alone Cement Grinding Unit of Adani Cement Limited at Village Tunda, Taluka Mundra, District Kutch (Gujarat)				
Plot / Survey/ Khasra No.		Village(s)		Sub-District(s)	
State	GUJARAT	District	KACHCHH		
MoEF File No	SEIAA/GUJ/EC/3(b)/469/2019	Name of the Entity/ Corporate Office	Adani Cementation Limited	Entity's PAN	*****9850D
Entity Name as per PAN	Adani Cementation Limited	Entity details mentioned above is correct ?	Agree		

Covering Letter

Covering Letter	NA
-----------------	----

Compliance Reporting Details

Reporting Year

2026

Reporting Period

01 Jun(01 Oct - 31 Mar)

Remark(if any)

Details of Production and Project Area

Date of Commencement of Project/Activity

Status of implementation of the project

Not operational

	Project Area as per EC Granted(ha.)	Actual Project Area in Possession(ha.)
Private	25.9	25.9
Revenue Land	0	0
Forest	0	0
Others		
Total	25.9	25.9

Others Table

Sr.No.	Others Name	Area Granted	Actual Area	Action
--------	-------------	--------------	-------------	--------

Land Documents

NA

Video

NA

Production Table

Sr.No.	Name of the Product	Units	As per EC Granted	As per CTO Granted	CTO ID	CTO Valid Up To	Last Financial Year w.r.t. Reporting Year	Production during last financial year w.r.t. Reporting Year	Last Financial Year w.r.t. Reporting Year	Production during the current financial year w.r.t. Reporting Year (01 April to 31-May)
1	Cement (OPC/PPC/PSC/PCC)	Million Tons per Annum (MTPA)	2			null	FY 2025-2026	Nil	FY 2026-2027	Nil

Conditions

Specific Conditions

Sr.No.	Condition Heading	Condition Details	Status of Compliance,Remarks / Reason and Supporting Documents	
1	Miscellaneous	Any new activity including construction of new conveyor belt shall not be carried out in CRZ area.	PPs Submission	Noted ACL assured that, construction of new conveyor belt will not be carried out in CRZ area Agreed to Comply 22-05-2026 Attachment:NA
2	Miscellaneous	Project proponent shall procure raw materials like Lime stone for the proposed project from the authorized Mining units/Mines having Environmental Clearance as per the EIA Notification 2006, CTE and CCA.	PPs Submission	Noted and Compliance Assured Clinker for grinding unit will be procured from Lakhpat Cement Works (LCW) of ACL or from any other authorized units having environment clearance. Project will be executed after Financial Closure. Agreed to Comply 22-05-2026 Attachment:NA
3	Miscellaneous	All the recommendations, mitigation measures,	PPs Submission	Noted and compliance assured Agreed to Comply

		environmental protection measures and safeguards proposed in the EIA report of the project prepared by Greencindia Consulting Private Limited, Ghaziabad was submitted by project proponent vide letter no. NIL dated 12/12/2018 and commitments made during presentation before SEAC and proposed in the EIA report shall be strictly adhered.		22-05-2026 Attachment:NA
4	Water Quality Monitoring And Preservation	Complete Zero Liquid Discharge (ZLD) status shall be maintained all the time and there shall be no drainage connection from the premises.	PPs Submission	Noted and compliance assured Agreed to Comply 22-05-2026 Attachment:NA
5	Corporate Environmental Responsibility	Unit shall comply provisions of MoEFCCs O.M. No. 22-65/2017-IA. III dated 01/05/2018 regarding Corporate Environment Responsibility (CER) fund allocation for corporate Environment responsibility (CER) shall be made as per the said OM dated 01/05/2018 for various activities therein. Itemwise details along with time bound action	PPs Submission	Noted and Compliance Assured Budget allocated for Corporate Environmental Responsibility (CER) in EIA report to be used in line with suggested activities. Detailed year wise action plan for implementation of CER is enclosed as Attachment 1 Monitoring report regarding compliance of CER will be submitted along with six monthly EC compliance report during execution of project. Agreed to Comply 22-05-2026 Attachment: Click to View

		plan shall be prepared and submitted to the concern authorities.		
6	Miscellaneous	Unit shall comply all the applicable standard conditions prescribed in Office Memorandum (OM) published by MoEFCC vide no F. No 22-34/2018-IA.III dated 09/08/2018 for Standalone Cement grinding units without Captive Power Plant as mentioned at Sr. no. xii.	PPs Submission	Noted and compliance assured along with execution of construction activities. Compliance to the conditions of applicable standard OM prescribed by MOEFCC is enclosed as Attachment 2 Agreed to Comply 22-05-2026 Attachment: Click to View
7	Air Quality Monitoring And Preservation	The project proponent shall install 24x7 continuous emission monitoring system at process stacks to monitor stack emission with respect to standers prescribed in Environment (Protection) Rules 1986 vide G.S.R. No. 612 (E) dated 25th August, 2014 (Cement) and subsequent amendment dated 9th May, 2016 (Cement) and connected to SPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognized under Environment	PPs Submission	Noted and compliance assured along with execution of construction activities. CEMS will be installed during commissioning phase and connected to server of GPCB and CPCB for real time emission data of operational plant. Agreed to Comply 22-05-2026 Attachment:NA

		(Protection) Act, 1986 or NABL accredited laboratories.		
8	Statutory Compliance	The project proponent must strictly adhere to the stipulations made by the Gujarat Pollution Control Board, State Government and/or any other statutory authority.	PPs Submission	Noted and compliance assured Agreed to Comply 22-05-2026 Attachment:NA
9	Air Quality Monitoring And Preservation	The National Ambient Air Quality Emission Standards issued by the Ministry vide G. S. R. No. 826 (E) dated 16th November, 2009 shall be complied with.	PPs Submission	Noted and compliance assured Agreed to Comply 22-05-2026 Attachment:NA
10	Miscellaneous	The project proponent shall prepare a Site Specific Conservation Plan and Wildlife Management Plan and approved by the Chief Wildlife Warden. The recommendations of the approved Site-Specific Conservation Plan and Wildlife Management Plan shall be implemented in consultation with the State Forest Department. The implementation report shall be furnished along with the six-monthly compliance report. (In case of the	PPs Submission	Site-Specific Wildlife Conservation Plan (WLCP) has been prepared and submitted for approval of Chief Wildlife Warden, Gandhinagar WLCP will be implemented with execution of project Agreed to Comply 22-05-2026 Attachment:NA

		presence of schedule I species in the study area).		
11	Air Quality Monitoring And Preservation	The project proponent shall monitor fugitive emissions in the plant premises at least once in every quarter through labs recognized under Environment (Protection) Act, 1986.	PPs Submission	Noted and compliance assured along with execution of construction activities. Agreed to Comply 22-05-2026 Attachment:NA
12	Corporate Environmental Responsibility	Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report.	PPs Submission	Noted and compliance assured along with execution of construction activities. Action Plan with responsibility matrix for implementation of EMP as per final EIA report has been prepared and will be approved from competent authority before execution of construction activities. Agreed to Comply 22-05-2026 Attachment:NA
13	Air Quality Monitoring And Preservation	The project proponent shall install 24x7 continuous emission monitoring system at process stacks to monitor	PPs Submission	Noted and compliance assured along with execution of construction activities. CEMS will be installed during commissioning phase and connected to server of GPCB and CPCB for real time emission data of operational plant.

		stack emission with respect to standards prescribed in Environment (Protection) Rules 1986 vide G.S.R. No. 612 (E) dated 25th August, 2014 (Cement) and subsequent amendment dated 9th May, 2016 (Cement) and connected to SPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.		Agreed to Comply 22-05-2026 Attachment:NA
14	Air Quality Monitoring And Preservation	The project proponent shall monitor fugitive emissions in the plant premises at least once in every quarter through labs recognized under Environment (Protection) Act. 1986.	PPs Submission	Noted and compliance assured Agreed to Comply 22-05-2026 Attachment:NA
15	Air Quality Monitoring And Preservation	Appropriate Air Pollution Control (APC) system shall be provided for all the dust generating points including fugitive dust from all vulnerable sources, so as to comply prescribed stack emission	PPs Submission	Noted and compliance assured along with execution of construction activities. Agreed to Comply 22-05-2026 Attachment:NA

		and fugitive emission standards.		
16	Air Quality Monitoring And Preservation	Ensure covered transportation and conveying of raw material to prevent spillage and dust generation; Use closed bulkers for carrying fly ash.	PPs Submission	Noted and compliance assured Agreed to Comply 22-05-2026 Attachment:NA
17	Air Quality Monitoring And Preservation	Transportation of coal, to the extent permitted by road, shall be carried out by covered trucks/conveyors. Effective control measures such as regular water/mist sprinkling/rain gun etc. shall be carried out in critical areas prone to air pollution (with higher values of PM 10/ PM 2.5) such as haul road loading /unlading and transfer points fugitive dust emission from all sources shall be controlled regularly. It shall be ensured that the Ambient Air Quality parameters conform to the norms prescribed by the Central/State Pollution Control Board.	PPs Submission	Noted and compliance assured Agreed to Comply 22-05-2026 Attachment:NA

18	Corporate Environmental Responsibility	Pollution control system in the cement plant shall be provided as per the CREP Guidelines of CPCB.	PPs Submission	Noted and compliance assured Agreed to Comply 22-05-2026 Attachment:NA
19	Public Hearing	All the issues raised in the public hearing shall be comprehensively addressed I complied with in a time bound manner.	PPs Submission	Noted and compliance assured. Time bound action plan of the issues raised during Public Hearing is enclosed as Attachment 3 Agreed to Comply 22-05-2026 Attachment: Click to View
20	Water Quality Monitoring And Preservation	Total water requirement for the project shall not exceed 320 KLD. Unit shall reuse 20 KLD of treated sewage for gardening and plantation within premises and hence, fresh water requirement shall not exceed 300 KLD and it shall be met through desalinated water of APSEZ. Necessary permission in this regard shall be obtained from the concern Authority.	PPs Submission	Noted and compliance assured. Necessary permission for utilization of desalinated water will be obtained from APSEZ during commissioning of plant. Agreed to Comply 22-05-2026 Attachment:NA
21	Water Quality Monitoring And Preservation	There shall be no industrial waste water generation and no discharge from the proposed activity.	PPs Submission	Noted and compliance assured. Agreed to Comply 22-05-2026 Attachment:NA

22	Water Quality Monitoring And Preservation	Domestic wastewater generation shall be 20 KLD and it shall be treated through adequate capacity STP and treated sewage shall be reused for gardening/plantation within premises.	PPs Submission	Noted and compliance assured. Agreed to Comply 22-05-2026 Attachment:NA
23	Water Quality Monitoring And Preservation	During monsoon season when treated sewage effluent may not be required for the plantation / Gardening / Green belt purpose, it shall be stored within premises. There shall be no discharge of waste water outside the premises in any case.	PPs Submission	Noted and compliance assured. Provision of Rain Water Harvesting Structure (RWHS) is proposed within plant premises. Agreed to Comply 22-05-2026 Attachment:NA
24	Water Quality Monitoring And Preservation	Unit shall provide buffer water storage tank of adequate capacity for storage of treated waste water during rainy days.	PPs Submission	Noted and proposed Agreed to Comply 22-05-2026 Attachment:NA
25	Water Quality Monitoring And Preservation	The company shall harvest rainwater from the rooftop of the building to recharge the ground water and to use the same water for the various activities of the project to conserve fresh water. Before recharging the surface run off, pre-treatment must be done	PPs Submission	Noted. Proposed RWHS will be constructed during execution phase. Agreed to Comply 22-05-2026 Attachment:NA

		to remove suspended matter.		
26	Air Quality Monitoring And Preservation	Unit shall not exceed fuel consumption for HAG set as mentioned below Sr. No Source of emission with Capacity Stack Height (meter) Type of Fuel Quantity of Fuel MT/Day Type of emission i.e. Air Pollutants Air Pollution Control Measures (APCM) 1 HAG (Hot Air Generator) No Stack Oil / Diesel 8000 LPD To Maintain mill outlet temperature around 90 deg C - 95 deg C to remove the feed moisture. It will be used during mill startup purposed.	PPs Submission	Noted and compliance assured. Agreed to Comply 22-05-2026 Attachment:NA
27	Air Quality Monitoring And Preservation	Unit shall provide adequate APCM with flue gas generation sources as mentioned above:	PPs Submission	Noted and compliance assured. Agreed to Comply 22-05-2026 Attachment:NA
28	Air Quality Monitoring And Preservation	Unit shall provide adequate APCM with process gas generation sources as mentioned below: Sr. no. Specific Source of emission (Name of the Product and Process) Type of emission Stack/Vent Height (meter)	PPs Submission	Noted and compliance assured. Agreed to Comply 22-05-2026 Attachment:NA

		Air Pollution Control Measures (APCM) 1 Cement Mill (Cement) PM 30 Bag Filter 2 Clinker Hopper PM 30 Bag Filter 3 Coal Crusher PM 30 Bag Filter 4 Fly Ash Silo PM 30 Bag Filter 5 Clinker Silo PM 30 Bag Filter 6 Packing Units PM 30 Bag Filter 7 Transfer Points PM 30 Bag Filler		
29	Air Quality Monitoring And Preservation	The above mentioned measures are indicative and the unit may explore the possibilities of other latest devices also to achieve the better results and better compliance of the air pollution control norm prescribed by the Gujarat Pollution Control Board (GPCB)	PPs Submission	Noted and compliance assured. ACL will explore the possibility of better result while implementing APCM Agreed to Comply 22-05-2026 Attachment:NA
30	Air Quality Monitoring And Preservation	The Reverse Pulse Jet Type Bag Filters shall be provided with proper metallic casing, adequate stack height and stack monitoring requirement facility.	PPs Submission	Noted and compliance assured. Agreed to Comply 22-05-2026 Attachment:NA
31	Air Quality Monitoring And Preservation	The design the air pollution control equipments (APCE) shall be validated by the reputed institutes and APCEs shall be fabricated, erected and	PPs Submission	Noted and compliance assured. Agreed to Comply 22-05-2026 Attachment:NA

		commissioned under guidance and supervision of the said institute.		
32	Air Quality Monitoring And Preservation	The APCM shall be operated efficiently and effectively to achieve the norms prescribed by the GPCB at stack outlet.	PPs Submission	Noted and compliance assured. Agreed to Comply 22-05-2026 Attachment:NA
33	Air Quality Monitoring And Preservation	Stack/Vents of adequate height shall be provided as per the prevailing norms for flue gas emission/Process gas emission.	PPs Submission	Noted and compliance assured. Agreed to Comply 22-05-2026 Attachment:NA
34	Air Quality Monitoring And Preservation	Interlocking facility of the pollution control equipment and the equipment(s) to which it is attached should be provided in such a manner that in the event of pollution control equipment(s) not working, the respective unit(s) is shut down automatically	PPs Submission	Noted and compliance assured. Agreed to Comply 22-05-2026 Attachment:NA
35	Air Quality Monitoring And Preservation	Regular periodic preventive maintenance of the air pollution control systems shall be carried out during the operation phase.	PPs Submission	Noted and compliance assured. Agreed to Comply 22-05-2026 Attachment:NA

36	Air Quality Monitoring And Preservation	The applicant shall carry out yearly performance evaluation of the air pollution control equipments through any reputed institute and furnish the reports in this regard to the Gujarat Pollution Control Board every year.	PPs Submission	Noted and compliance assured that the ACL will engage reputed institute for yearly performance evaluation of Air Pollution Control Equipment Agreed to Comply 22-05-2026 Attachment:NA
37	Air Quality Monitoring And Preservation	The fugitive emission in the work zone environment and ambient air quality shall be monitored. The emission shall confirm to the standards prescribed by the concerned authorities including Director of Industrial Health and Safety as well as Gujarat Pollution Control Board from time to time. Following indicative guidelines shall be followed to reduce the fugitive emission a) a) Enclosure shall be provided at all loading and unloading operations. b) b) Water shall be sprayed on all raw materials stock pile periodically to retain some moisture in top layer except wet gypsum to reduce the fugitive emission. c) All transfer	PPs Submission	Noted and compliance assured to install dust collection and extraction system at each dust emitting sources during both construction and operation stage. Agreed to Comply 22-05-2026 Attachment:NA

		points shall be fully enclosed. d) Accumulated dust on the ground and other surfaces shall be removed I swept regularly and water the area after sweeping. e) Internal roads shall be either asphalted or paved properly to reduce the fugitive emission during vehicular movement. f) The company shall install adequate dust collection and extraction system to control fugitive dust emissions at various material handling areas. (eg. raw material loading, unloading, conveying, transporting, stacking, bagging and packing etc.) Guidelines I Code of Practice issued by the CPCB for prevention and control of the fugitive emission shall be followed.		
38	Air Quality Monitoring And Preservation	Regular monitoring of ground level concentration of PM10, PM2.5, S02 and NOx shall be carried out in the impact zone and its records shall be maintained. Ambient air quality levels shall not exceed the standards stipulated by the GPCB. If	PPs Submission	Noted and compliance assured make provision for regular monitoring of AAQ in impact zone and results will be reported to GPCB periodically Agreed to Comply 22-05-2026 Attachment:NA

		at any stage these levels are found to exceed the prescribed limits, necessary additional control measures shall be taken immediately. The location of the stations and frequency of monitoring shall be decided in consultation with the GPCB.		
39	Waste Management	The company shall strictly comply with the rules and regulations with regards to handling and disposal of Hazardous waste in accordance with the Hazardous and Other Waste (Management and Transboundary Movement) Rules 2016, as may be amended from time to time. Authorization from the GPCB must be obtained for collection / treatment / storage / disposal of hazardous wastes.	PPs Submission	Noted and compliance assured Agreed to Comply 22-05-2026 Attachment:NA
40	Waste Management	The Contaminated cotton rags or other cleaning materials shall be disposed of at nearby TSDF site.	PPs Submission	Generated contaminated cotton rags will be disposed through registered CHWIF/TSDF Agreed to Comply 22-05-2026 Attachment:NA

41	Waste Management	The cement dust collected from the different Air Pollution Control Equipments and other collection systems shall be reutilized in the plant itself.	PPs Submission	100 percent Cement dust will be collected and reused in the process Agreed to Comply 22-05-2026 Attachment:NA
42	Risk Mitigation And Disaster Management	Proper ventilation shall be provided in the work area.	PPs Submission	Noted and compliance assured Agreed to Comply 22-05-2026 Attachment:NA
43	Risk Mitigation And Disaster Management	Personal Protective Equipments shall be provided to workers and its usage shall be ensured and supervised.	PPs Submission	Noted and compliance assured Agreed to Comply 22-05-2026 Attachment:NA
44	Risk Mitigation And Disaster Management	First Aid Box shall be made readily available in adequate quantity in the unit.	PPs Submission	Noted and compliance assured Agreed to Comply 22-05-2026 Attachment:NA
45	Risk Mitigation And Disaster Management	Regular periodic work zone ambient air monitoring shall be carried out for measuring concentrations of cement dust, silica dust etc. through qualified industrial hygienist and its records shall be maintained.	PPs Submission	Noted and compliance assured Agreed to Comply 22-05-2026 Attachment:NA

46	Risk Mitigation And Disaster Management	Occupational health surveillance of the workers shall be done and its records shall be maintained. Pre-employment and periodical medical examination for all the workers shall be undertaken on regular basis as per Factories Act and Rules.	PPs Submission	Noted and compliance assured Agreed to Comply 22-05-2026 Attachment:NA
47	Risk Mitigation And Disaster Management	All necessary safety measures shall be taken to avoid any kind of accident.	PPs Submission	Noted and compliance assured Agreed to Comply 22-05-2026 Attachment:NA
48	Risk Mitigation And Disaster Management	Training shall be imparted to all the workers on safety and health aspects.	PPs Submission	Noted and compliance assured Agreed to Comply 22-05-2026 Attachment:NA
49	Noise Monitoring & Prevention	The overall noise level in and around the plant area shall be kept well within the prescribed standards by providing noise control measures including acoustic insulation, hoods, silencers, enclosures vibration dampers etc. on all sources of noise generation. The ambient	PPs Submission	Noted and compliance assured Agreed to Comply 22-05-2026 Attachment:NA

		noise levels shall conform to the standards prescribed under the Environment (Protection) Act and Rules. Workplace noise levels for workers shall be as per the Factories Act and Rules.		
50	Waste Management	The unit shall undertake the Cleaner Production Assessment study through a reputed institute / organization and shall form a CP team in the company. The recommendations thereof along with the compliance shall be furnished to the GPCB.	PPs Submission	Noted and compliance assured Agreed to Comply 22-05-2026 Attachment:NA
51	Waste Management	Efforts shall be made to use more fly ash in cement manufacturing without compromising the quality of the cement.	PPs Submission	Noted and compliance assured Agreed to Comply 22-05-2026 Attachment:NA
52	Greenbelt	Green belt shall be developed in an area equal to 33 percent of the plant area with a native tree species in accordance with CPCB guidelines. The greenbelt shall inter alia cover the entire periphery of the plant.	PPs Submission	Noted and compliance assured Agreed to Comply 22-05-2026 Attachment:NA

53	Greenbelt	The project proponent shall prepare GHG emissions inventory for the plant and shall submit the programme for reduction of the same including carbon sequestration including plantation.	PPs Submission	Noted and compliance assured Agreed to Comply 22-05-2026 Attachment:NA
54	Greenbelt	The unit shall develop green belt within the factory premises as per the CPCB guidelines, consisting of at least three rows of trees of local species on periphery. However, if the adequate land is not available within the premises, the unit shall take up adequate plantation at suitable open land on road sides and other open areas in nearby locality or schools in consultation with the Gram Panchayat / GPCB and submit an action plan of plantation for next three years to the GPCB.	PPs Submission	Noted and compliance assured Agreed to Comply 22-05-2026 Attachment:NA

General Conditions

Sr.No.	Condition Heading	Condition Details	Status of Compliance,Remarks / Reason and Supporting Documents
--------	-------------------	-------------------	--

1	Miscellaneous	Unit shall comply all the applicable standard conditions prescribed in Office Memorandum (OM) published by MoEFCC vide no. F. No. 22-34/2018-IA.III dated 09/08/2018.	PPs Submission	Noted. Compliance to the applicable standard conditions are enclosed as Attachment 2 Agreed to Comply 22-05-2026 Attachment: Click to View
2	Miscellaneous	In case of use of spray dryer, the unit shall provide the adequate and efficient APCMs with spray dryer so that there should not be any adverse impact on human health and environment. Unit shall carry out third party monitoring of the proposed Spray dryer and its APCM through the credible institutes and study report for impacts on Environment and Human Health shall be submitted to GPCB every year along with half yearly compliance report.	PPs Submission	Noted and compliance assured Agreed to Comply 22-05-2026 Attachment:NA
3	Corporate Environmental Responsibility	The project proponent shall allocate the separate fund for Corporate Environment Responsibility (CER) in accordance to the MoEFCC's Office Memorandum No. F.No.22-6512017-IA.III dated 01/05/2018 to	PPs Submission	Budget allocated for Corporate Environmental Responsibility (CER) in EIA report to be used in line with suggested activities simultaneously with construction activities. Detailed year wise action plan for implementation of CER is enclosed as Attachment 1 Agreed to Comply 22-05-2026 Attachment: Click to View

		carry out the activities under CER in affected area around the project. The entire activities proposed under CER shall be monitored and the monitoring report shall be submitted to the regional office of MoEFCC as a part of half-yearly compliance report and to district collector. The monitoring report shall be posted on the website of the project proponent.		
4	Air Quality Monitoring And Preservation	In the event of failure of any pollution control system adopted by the unit, the unit shall be safely closed down and shall not be restarted until the desired efficiency of the control equipment has been achieved.	PPs Submission	Noted and compliance assured Agreed to Comply 22-05-2026 Attachment:NA
5	Miscellaneous	The project proponent shall obtain raw materials like lime and other minerals from the quarries having valid Consolidated Consent and Authorization of the Gujarat Pollution Control Board.	PPs Submission	Noted and compliance assured Agreed to Comply 22-05-2026 Attachment:NA
6	Corporate Environmental Responsibility	All the recommendations of the Corporate Responsibility of	PPs Submission	Noted and compliance assured Agreed to Comply

		Environment Protection (CREP) shall be strictly followed.		22-05-2026 Attachment:NA
7	Corporate Environmental Responsibility	All the recommendations made in the EIA / EMP report of the project submitted by the project proponent shall be implemented effectively	PPs Submission	Noted and compliance assured Agreed to Comply 22-05-2026 Attachment:NA
8	Corporate Environmental Responsibility	The project proponent shall also comply with any additional condition that may be imposed by the SEAC or the SEIA or any other competent authority for the purpose of the environmental protection and management.	PPs Submission	Noted and compliance assured Agreed to Comply 22-05-2026 Attachment:NA
9	Miscellaneous	No further expansion or modifications in the plant likely to cause environmental impacts shall be carried out without obtaining prior Environment Clearance from the concerned authority.	PPs Submission	Noted Agreed to Comply 22-05-2026 Attachment:NA
10	Miscellaneous	The above conditions will be enforced, inter-alia under the provisions of the Water (Prevention and Control of Pollution) Act,1974, the Air (Prevention and Control	PPs Submission	Noted Agreed to Comply 22-05-2026 Attachment:NA

		of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and the Hazardous Wastes (Management, and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and rules.		
11	Miscellaneous	The granting of Environment Clearance to the project by the SEIAA does not restrain or dilute any legal action to be initiated against the project proponent by any authority including the GPCB, for commencing the construction work and production without obtaining prior Environment Clearance.	PPs Submission	Noted Agreed to Comply 22-05-2026 Attachment:NA
12	Corporate Environmental Responsibility	The project proponent shall comply all the conditions mentioned in "The Companies (Corporate Social Responsibility Policy) Rules, 2014" and its amendments from time to time in a letter and spirit	PPs Submission	Noted Compliance Assured Agreed to Comply 22-05-2026 Attachment:NA
13	Risk Mitigation And Disaster Management	The project management shall ensure that unit complies with all the	PPs Submission	Noted Compliance Assured Agreed to Comply

		environment protection measures, risk mitigation measures and safeguards recommended in the EMP report and Risk Assessment study report as well as proposed by project proponent.		22-05-2026 Attachment:NA
14	Statutory Compliance	The project authorities shall earmark adequate funds to implement the conditions stipulated by SEIAA as well as GPCB along with the implementation schedule for all the conditions stipulated herein. The funds so provided shall not be diverted for any other purpose.	PPs Submission	Budget estimated for Environmental Pollution Control Measures (EPCM) including CER and CSR in EIA report to be used for implementation of stipulated conditions simultaneously with construction activities Agreed to Comply 22-05-2026 Attachment:NA
15	Miscellaneous	The applicant shall inform the public that the project has been accorded environmental clearance by the SEIAA and that the copies of the clearance letter are available with the GPCB and may also be seen at the Website of SEIAA/ SEAC/ GPCB. This shall be advertised within seven days from the date of the clearance letter, in at least two local newspapers that are widely circulated in the region, one of which shall be in the Gujarati	PPs Submission	Complied Information to the public regarding EC issued by the SEIAA for this project is published on 31st March 2019 both in INDIAN EXPRESS (English) and KUTCH MITRA (Gujarati) Copy of advertisement is enclosed as Attachment 4 Complied 22-05-2026 Attachment: Click to View

		language and the other in English. A copy each of the same shall be forwarded to the concerned Regional Office of the Ministry.		
16	Miscellaneous	The project proponent shall also comply with any additional condition that may be imposed by the SEAC or the SEIAA or any other competent authority for the purpose of the environmental protection and management.	PPs Submission	Noted Agreed to Comply 22-05-2026 Attachment:NA
17	Miscellaneous	It shall be mandatory for the project management to submit half-yearly compliance report in respect of the stipulated prior environmental clearance terms and conditions in hard and soft copies to the regulatory authority concerned, on 1st June and 1st December of each calendar year.	PPs Submission	Noted and Complied (This compliance report is for period of October 2025 to March 2026 being submitted by ACL for Mundra Cement Grinding Unit) Agreed to Comply 22-05-2026 Attachment:NA
18	Miscellaneous	Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract	PPs Submission	Noted Agreed to Comply 22-05-2026 Attachment:NA

		action under the provisions of Environment (Protection) Act, 1986.		
19	Miscellaneous	The project authorities shall also adhere to the stipulations made by the Gujarat Pollution Control Board.	PPs Submission	Noted Agreed to Comply 22-05-2026 Attachment:NA
20	Miscellaneous	The SEIAA may revoke or suspend the clearance, if implementation of any of the above conditions is not found satisfactory.	PPs Submission	Noted Agreed to Comply 22-05-2026 Attachment:NA
21	Miscellaneous	The company in a time bound manner shall implement these conditions. The SEIAA reserves the right to stipulate additional conditions, if the same is found necessary.	PPs Submission	Noted Agreed to Comply 22-05-2026 Attachment:NA
22	Miscellaneous	The project authorities shall inform the GPCB, Regional Office of MoEF and SEIAA about the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project	PPs Submission	Financial closure and Consent to Establish of project is awaited. It will be informed to RO GPCB, Kutch (East) and SEIAA once approval is in place. Agreed to Comply 22-05-2026 Attachment:NA
23	Miscellaneous	This environmental clearance is valid for	PPs Submission	Noted Agreed to Comply

		seven years from the date of issue.		22-05-2026 Attachment:NA
24	Miscellaneous	Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.	PPs Submission	Noted Agreed to Comply 22-05-2026 Attachment:NA
25	Miscellaneous	Submission of any false or misleading information or data which is material to screening or scoping or appraisal or decision on the application makes this environment clearance cancelled.	PPs Submission	Noted Agreed to Comply 22-05-2026 Attachment:NA

Document uploaded by the PP

Last Site Visit Report (if available) NA

Last Site Visit Report Date (if available)

Additional Attachment (if any) NA

**Additional Remarks
(if any)**

- ☒ I 'Adani Cementation Limited' hereby give undertaking that the data and information given in the filed compliance and enclosures are true to be best of my knowledge and belief and I am aware that if any part of the data and information found to be false or misleading at any stage, the clearance given to the project will be revoked at our risk and cost. In addition to above, I hereby give undertaking that no activity such as change in project layout, construction, expansion, etc. has been taken up without due approval.

Cover Letter From RO/SRO

**Cover Letter From
RO/SRO**

[Back](#)