

Your (Half Yearly Compliance Report) has been Submitted with following details

| | |
|---|---|
| Proposal No | IA/GJ/IND/292762/2022 |
| Compliance ID | 127652950 |
| Compliance Number(For Tracking) | EC/M/COMPLIANCE/127652950/2025 |
| Reporting Year | 2025 |
| Reporting Period | 01 Dec(01 Apr - 30 Sep) |
| Submission Date | 27-11-2025 |
| RO/SRO Name | Dr G Trinadh Kumar |
| RO/SRO Email | agmu174.ifs@nic.in |
| State | GUJARAT |
| RO/SRO Office Address | Integrated Regional Offices, Gandhi Nagar |
| Note:- SMS and E-Mail has been sent to Dr G Trinadh Kumar, GUJARAT with Notification to Project Proponent. | |

To,

Shri Trinadh Kumar Goripati, IFS (Addl. Charge)
Inspector General of Forests (C),
Ministry of Environment, Forest and Climate Change,
Regional Office, Gandhinagar,
"Karmayogi Bhawan", Block-3, F-2 Wing, 5th Floor, Near CH-3 Circle,
Sector-10A, Gandhinagar – 382 010
E-mail : iro.gandhingr-mefcc@gov.in

Subject: Six monthly compliance report (April 2025 to September 2025) of Environment Clearance (EC) for the project activities "Semi Coke–2030 KTPA, Calcium Carbide–2900 KTPA, Cement–6 MTPA; Clinker–4 MTPA near village Vandh & Tunda, Taluka Mundra, District Kachchh, Gujarat by M/s Mundra Petrochem Limited.

Reference : 1). EC Identification no EC22A009GJ154137, File no. IA-J-11011/423/2021-IA-II(IND-I) Dated- 26/09/2022.
2). F.No.IA-J-11011/423/2021 – IA – II(Ind-I) Dated- 23/12/2022.
3). Compliance ID: 112005701, Compliance No. EC/M/COMPLIANCE/112005701/2025, Submission Date: 22/05/2025 for the reporting period Oct, 2024 – March,2025.

Respected Sir,

With reference to above subject, MoEF&CC vide above refer letter dated 26/09/2022 has granted environment clearance for the project activities "Semi Coke–2030 KTPA, Calcium Carbide–2900 KTPA, Cement–6 MTPA; Clinker–4 MTPA near village Vandh & Tunda, Taluka Mundra, District Kachchh, Gujarat by M/s Adani Enterprises Limited". Followed by MoEF&CC vide above refer letter dated 23/12/2022 has transferred the Environment Clearance on the name of M/s Mundra Petrochem Limited from M/s Adani Enterprises Limited.

The proposed PVC project is currently in the final design, detailed engineering, and procurement stages with construction activities are ongoing at the site. We are submitting a soft copy of the six-monthly EC compliance report for the period April to September 2025 for your ready reference and record please.

We hope you will find the above in order.

Thanking you,
Yours faithfully,


Vinay Kumar Singh
CSO & BU Environment Head



Copy to : 1. Regional Directorates, CPCB, Vadodara : arvindjha.cpcb@gov.in
2. Member Secretary, GPCB : ms-gpcb@gujarat.gov.in
3. Regional Office, GPCB (Kutch East): ro-gpcb-kute@gujarat.gov.in

Mundra Petrochem Limited
"Adani Corporate House",
Shantigram, Near Vaishno Devi Circle,
S. G. Highway, Khodiyar
Ahmedabad 382 421
Gujarat, India
CIN: U23209GJ2021PLC122112

Tel. + 91 79 2656 5555
Fax + 91 79 2555 5500
info@adani.com
www.adani.com

MUNDRA PETROCHEM LIMITED

Six Monthly EC Compliance Report

April, 2025 – September, 2025

ENVIRONMENTAL CLEARANCE

FOR

The project activities "Semi Coke–2030 KTPA,
Calcium Carbide–2900 KTPA, Cement–6 MTPA;
Clinker–4 MTPA at Mundra, Kutch
Gujarat

EC IDENTIFICATION NO. EC22A009GJ154137 DATED 26/09/2022



Mundra Petrochem Limited
Adani Corporate House, Shantigram, Near
Vaishnodevi Circle, S G Highway, Ahmedabad-
382421, Gujarat

Mundra Petrochem Limited

Introduction:

Mundra Petrochem Limited (MPL), wholly owned stepdown subsidiary of Adani Enterprises Limited (AEL) intends to setup a PVC Project at Mundra, Kachchh, Gujarat. The overall PVC Production capacity of the proposed project is 2000 KTPA (Kilo Tons Per Annum). PVC grades such as Suspension PVC (Resin), Chlorinated PVC (C-PVC), Mass PVC (bulk), Emulsion PVC (paste) etc. would be produced at the proposed PVC Project.

For the implementation of this project, several units are proposed to be established, including a Semi-Coke Plant, Calcium Carbide Plant, Acetylene Plant, Caustic Soda (Chlor-Alkali process) Plant, VCM Plant, PVC Plant, Ethylene Glycol Plant, and Clinker & Cement Plant.

PVC produced from the facility will serve the domestic market, thereby reducing reliance on imports. The products and by-products from the plant will be marketed domestically or internationally based on prevailing market conditions.

Ministry of Environment Forest and Climate Change has granted Environment Clearance for proposed project " Poly-Vinyl Chloride (PVC) comprising of IND-I projects i.e. Semi Coke– 2030 KTPA, Cement– 6 MTPA; Clinker–4 MTPA, IND-II projects i.e. VCM– 2002 KTPA, PVC– 2000 KTPA, Ethylene Glycol– 400 KTPA and IND-III projects i.e. Acetylene–860 KTPA & Caustic Soda–1310 KTPA) & Calcium Carbide–2900 KTPA (Not Specified in EIA Notification)) in land notified as Industrial area of APSEZ, Ta-Mundra, Dist-Kachchh, Gujarat." vide –

Industry – I activity: EC identification no. EC22A009GJ154137 and file no. IA-J-11011/423/2021-IA-II(IND-I) dated 26/09/2022.

Industry – II activity: EC Identification No. - EC22A020GJ133762, File No. - IA-J-11011/149/2021-IA-II(I) dated 31/08/2022.

Industry – III activity: EC Identification No. - EC22A013GJ127411, File No. - IA-J-11011/149/2021-IA-II(I) dated 31/08/2022.

As part of the company's long-term business strategy, the proposed project activities have been transferred from M/s Adani Enterprises Limited (AEL) to M/s Mundra Petrochem Limited (MPL). MPL, a wholly owned subsidiary of AEL, was incorporated under the provisions of the Company Act, 2013 to undertake various business activities related to Semi-Coke, Calcium Carbide, Cement & Clinker,

VCM, PVC, Ethylene Glycol, Chlor-alkali, acetylene plants, and associated products in a phased manner. Further above granted Environment Clearances have been transferred in the name of M/s Mundra Petrochem Limited (MPL) by Ministry of Environment Forest and Climate Change (MOEFCC) vide their letter no.

1. Industry – I activity: - File no. IA-J-11011/423/2021-IA-II(IND-I) Dated 23/12/2022.
2. Industry – II activity: - File no. J-11011/149/2021-IA-II(I) Dated 27/12/2022.
3. Industry – III activity: - File no. IA-J-11011/149/2021-IA-II(I) Dated 28/11/2022.

Further, the Consent to Establish (CTE) is granted by the Gujarat Pollution Control Board (GPCB) vide order CTE-59301 dated 13/12/2022 and same was transferred in the name of Mundra Petrochem Limited on dated 12/04/2023.

The PVC project currently is in the final design, detailed engineering and procurement stage with construction activities ongoing at the site. The Latest progress status of site construction activities is attached as an **Annexure – I**.

Point wise compliance status of Environmental Clearance for Industrial activity-I- Proposed Semi Coke–2030 KTPA, Calcium Carbide–2900 KTPA, Cement–6 MTPA; Clinker–4 MTPA vide EC Identification No: EC22A009GJ154137, File No: IA-J-11011/423/2021-IA-II(IND-I) Date: 26/09/2022 & subsequent EC Transfer vide File no. IA-J-11011/423/2021-IA-II(IND-I) Dated 23/12/2022.

| S. No | Conditions | Status |
|----------|---|---|
| A | Specific Conditions | |
| (i) | <p>This Environmental clearance is granted subject to final outcome of Hon'ble Supreme Court of India, Hon'ble High Court, Hon'ble NGT and any other Court of Law, if any, as may be applicable to this project. Project proponent shall abide by all the orders and judicial pronouncements, made from time to time, passed by Hon'ble High Court of Gujarat in PIL No. 36 of 2022.</p> | <p>Noted & agreed with requirement.</p> <p>PIL No. 36 of 2022 was last scheduled for hearing on November 21st, 2025. Currently, the matter remains pending for listing/hearing. A copy of the latest status as per the Hon'ble High Court of Gujarat is attached as Annexure – II.</p> <p>In the first hearing held on 26th April 2022, the Hon'ble court waived notice against AEL due to compliance with all the provisions of the EIA Notification and applicable office memorandums of MoEF&CC.</p> |
| (ii) | <p>The Environment Clearance (EC) granted to the project/ activity is strictly under the provisions of the EIA Notification, 2006 and its amendments issued from time to time. It does not tantamount/ construe to approvals/ consent/ permissions etc., required to be obtained or standards/conditions to be followed under any other Acts/Rules/Subordinate legislations, etc., as may be applicable to the project.</p> | <p>Noted & being complied with requirement.</p> <p>Consent to Establish (CTE) was granted by the Gujarat Pollution Control Board (GPCB) vide order CTE-59301 dated 13/12/2022 and transferred to Mundra Petrochem Limited on 12/04/2023.</p> |
| (iii) | <p>The project proponent shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, and risk mitigation measures relating to the project shall be implemented.</p> | <p>Noted and being complied with.</p> <p>Remarks: The project currently is in the final design, detailed engineering and procurement stage with construction activities ongoing at the site.</p> <p>The project site has implemented several environmental protection measures and safeguards in line with the EMP, fulfilling relevant regulatory requirements and using the best available technologies. These measures include water sprinkling on roads to reduce dust, enforcing speed limits to control airborne particulate matter, and transporting</p> |

| S. No | Conditions | Status |
|-------|--|---|
| | | materials either in bulkers or covered with tarpaulin sheets. |
| (iv) | The project proponent shall utilize modern technologies for capturing of carbon emitted and shall also develop carbon sink/carbon sequestration resources capable of capturing more than emitted. The implementation report shall be submitted to the IRO, MoEF&CC in this regard. | <p>Noted and shall be complied with.</p> <p>Remarks- The project currently is in the final design, detailed engineering and procurement stage with construction activities ongoing at the site.</p> <p>The best available technologies are being adopted as part of process design aiming for carbon emission reductions. Additionally, community plantation activities are being conducted in nearby villages with the goal of developing carbon sequestration resources. For more information on these plantation activities, please refer to Annexure – III.</p> <p>Furthermore, the implementation report on various carbon abatement initiatives being considered in project design and engineering shall be submitted to the IRO, MoEF&CC following the successful commissioning of the project.</p> |
| (v) | The activities and the action plan proposed by the project proponent to address the issues raised during public hearing and socio-economic issues in the study area shall be completed as per the schedule presented before the Committee and as described in the EIA report in letter and spirit. | <p>Noted and being complied with the requirements.</p> <p>Remarks – The project currently is in the final design, detailed engineering and procurement stage with construction activities ongoing at the site.</p> <p>An action plan proposed to address the issues raised during the public hearing and the socio-economic concerns in the study area. MPL has initiated CER activities across all villages within the project area. During the reporting period, total CER expenditure on various community welfare and eco-development initiatives amounted to INR 232.713 lakhs. Cumulative CER spending up to the end of the reporting period stands at approximately INR 1533.713 lakhs, reflecting in line with progress of the project.</p> |

| S. No | Conditions | Status |
|--------|--|--|
| | | The details of CER activities along with expenditures are summarized in the CER report enclosed as Annexure – IV . |
| (vi) | There are many water bodies including Jarpara Lake, Khari River, Nagavanti River, Dhanesri River, Phot River, Gulf of Kuchchh, Baradi Mata Creek, Kotdi Creek, Modhva Coast exists within the project site. A robust Drainage Conservation scheme to protect the natural drainage and its flow parameters; along with Soil conservation scheme and multiple Erosion control measures shall be implemented. | <p>Noted and being complied with.</p> <p>Remarks – The water bodies such as Jarpara Lake, Khari River, Nagavanti River, Dhanesri River, Phot River, Gulf of Kuchchh, Baradi Mata Creek, Kotdi Creek, and Modhva Coast are situated outside the project site. The PVC project is being established on notified industrial land of APSEZ, and there is no river or creek traversing the allocated industrial land for the PVC project.</p> <p>APSEZ developed the industrial land (SEZ) without altering river courses. Rivers within the SEZ are managed with proper drainage, so no impact on natural flow or soil erosion is expected from the project.</p> |
| (vii) | As all the natural drainage including the micro drainage flows into the Gulf of Kutch, a drainage conservation plan shall be implemented. An adequate robust Erosion control and Soil Conservation Program (like Storm water diversion; Storm water drains with catch pits to trap run off material; Garland drains; Retention walls; Settling Ponds; Wheel washing arrangement; Silt removal from settling ponds and utilization; Greening & Paving; Excavated soil preservation for landscaping) shall be implemented. | <p>Noted and being complied with.</p> <p>Remarks – The proposed PVC project is being developed on notified industrial (SEZ) land of APSEZ. There are no natural watercourses, such as rivers or creeks, passing through the allocated industrial land for the PVC project.</p> <p>A robust stormwater drainage system with settling arrangements is being designed for soil and water conservation.</p> |
| (viii) | The Efforts shall be made to achieve power consumption of 70 units/tonne of Portland Pozzolona cement (PPC) and 95 units/tonne of cement for Ordinary Portland Cement and thermal energy consumption of 670 kcal/Kg of Clinker. | <p>Noted and shall be complied with.</p> <p>Same will be complied with during operational phase.</p> <p>The project currently is in the final design, detailed engineering and procurement stage with construction activities ongoing at the site.</p> |
| (ix) | Most of the transportation of raw material is by road, the distance of which is within 10 km. Project Proponent shall use overhead belt conveyor wherever | <p>Noted and shall be complied with.</p> <p>The project currently is in the final design, detailed engineering and procurement stage</p> |

| S. No | Conditions | Status |
|-------|---|---|
| | <p>possible. Action plan shall be prepared and implemented in a time bound manner from the date of issue of Environment Clearance after obtaining requisite statutory permissions from the concerned competent authority.</p> | <p>with construction activities ongoing at the site. Adequate conveying systems, such as overhead belt conveyors and pipeline conveying systems, will be considered wherever feasible. The implementation of these conveying systems, where applicable, will be included as part of the project's establishment.</p> |
| (x) | <p>The project proponent shall develop Greenbelt over an area at least 107.14 ha by planting 2,67,600 number of trees in 5 years from the grant of EC. The saplings selected for the plantation should be of sufficient height, preferably 6-ft. In addition to this as committed by the PP, Industry shall deploy a uniform greenbelt of equal width all-round the plant boundary, it will reduce the width of the green belt by 15 to 25 meters on seaward side of the project and will increase the width of the greenbelt on landward side of the project maintaining the total 33% of the greenbelt. The budget earmarked for the plantation shall be ₹75 crore and shall be kept in a separate account and should be audited annually. The PP should annually submit the audited statement along with proof of activities viz. photographs (before & after with geolocation date & time), details of expert agency engaged, details of species planted, number of species planted, survival rate, density of plantation etc. to the Regional Office of MoEF&CC before 1st July of every year for the activities carried out during previous year.</p> | <p>Noted and shall be complied with the requirements.</p> <p>Remark: The project currently is in the final design, detailed engineering and procurement stage with construction activities ongoing at the site.</p> <p>A greenbelt of adequate width will be established in phases, primarily along the plant perimeter, in the direction of prevailing winds, and alongside roads. The selection of plant species will be carried out in consultation with the State Forest Department. The adequate area is already allocated for developing & maintaining greenbelt as per the prevailing statutory/regulatory requirements.</p> <p>Tree plantation activities in nearby community villages, including roadside plantations, are being carried out in consultation with the local forest department. A copy of the implementation report is enclosed as Annexure - III with photographs of the plantation activity.</p> |
| (xi) | <p>The total water requirement for Coal to PVC project will be 222.875 MLD. This will be met by internal recycling of 62 MLD and makeup water of 160.053 MLD from APSEZL Seawater Desalination plant. No groundwater extraction is permitted</p> | <p>Noted and being complied with the requirements.</p> <p>Remarks: Water needed for construction is currently supplied by the Seawater Desalination Plant, and this source will continue to be used throughout the operations phase. There is no groundwater extraction taking place, nor are there any plans for it in the future.</p> |

| S. No | Conditions | Status |
|--------|--|--|
| (xii) | All stockyards shall be having impervious flooring and shall be equipped with water spray system for dust suppression. Stock yards shall also have garland drains to trap the runoff material. | <p>Noted and shall be complied with the requirements.</p> <p>Remarks: The project currently is in the final design, detailed engineering and procurement stage with construction activities ongoing at the site.</p> <p>Adequate dust control measures will be implemented to suppress airborne dust particles and prevent their generation in the stockyard area. In addition, garland drains will be provided to capture runoff materials at the stockyards.</p> |
| (xiii) | Slip roads shall be provided at the gates and along crossings on main roads. All internal and connecting road to the Highway shall be black topped/ concreted with suitable load in term of Million Standard Axle (MSA) as per IRC guidelines. | <p>Noted and shall be complied with the requirements.</p> <p>Remarks: The project currently is in the final design, detailed engineering and procurement stage with construction activities ongoing at the site.</p> <p>Furthermore, the internal roads and connecting road to the highway for the proposed project will be black topped or constructed with cement concrete (CC), designed to accommodate suitable loads in terms of Million Standard Axle (MSA) according to IRC guidelines.</p> |
| (xiv) | Performance monitoring of pollution control equipment shall be taken up yearly and compliance status in this regard shall be reported to the concerned Regional Office of the MoEF&CC. | <p>Noted and shall be complied with the requirements.</p> <p>During the operational phase, performance monitoring of pollution control equipment will be conducted at specified intervals, and compliance status shall be reported to the concerned Regional Office of the MoEF&CC.</p> |
| (xv) | Project Proponent shall implement the recommendations of CSIR-CIMFR on the Report which was conducted on validation of technology proposed for Semi-Coke Unit to evaluate all the environmental concerns arising out of the project activities and their conformity to the Indian Standards issued vide G.S.R. 277 (E) dated 31 March 2012 pertaining to Coke -Oven Plant. | <p>Noted and shall be complied with the requirements.</p> <p>Remarks: The project currently is in the final design, detailed engineering and procurement stage with construction activities ongoing at the site.</p> <p>The CSIR-CIMFR recommendation for the semi coke plant will be implemented during</p> |

| S. No | Conditions | Status |
|---------|--|---|
| | | the execution and commissioning of the semi coke unit to comply with the requirements outlined in G.S.R. 277 (E) dated 31 st March 2012 related to the Coke-Oven Plant. |
| (xvi) | Coke Oven Gas shall be desulfurized. | Noted and shall be complied with the requirements during execution/ commissioning of the unit. |
| (xvii) | Coke oven plant shall be equipped with modified wet quenching system. | Noted and shall be complied with the requirements during execution/ commissioning of the unit. |
| (xviii) | Dioxin and furans shall be monitored twice a year during co-processing of hazardous waste and report shall be submitted to the Regional Office of the MoEF&CC. | Noted and shall be complied with the requirements after commencement of the operations. Remarks: The project currently is in the final design, detailed engineering and procurement stage with construction activities ongoing at the site. However, the Dioxin and furans will be monitored twice a year during the coprocessing of hazardous waste (if any), and the report will be submitted to the Regional Office of the MoEF&CC. |
| (xix) | Project proponent shall develop separate drainage system for storm water and industrial wastewater and effectively prevent the pollution of natural waterbody. | Noted and shall be complied with the requirements. Remarks: The project currently is in the final design, detailed engineering and procurement stage with construction activities ongoing at the site. An adequate drainage system is being designed under the "Zero Liquid Discharge" concept to ensure that there is no impact on natural water bodies from industrial wastewater. In addition, separate drainage systems for stormwater and industrial wastewater are also being developed and maintained. |
| (xx) | Particulate matter emissions from cement mill stacks shall be less than 20 mg/Nm ³ . | Noted and shall be complied with the requirements. Remarks: The project currently is in the final design, detailed engineering and procurement stage with construction activities ongoing at the site. Adequate APC |

| S. No | Conditions | Status |
|--------|---|---|
| | | equipment will be installed to comply with the prescribed emission standards. |
| (xxi) | Entire wastewater shall be treated and reused for plantation and dust suppression within the premises. Also, STP water shall be reused in plantation with a view to conserve fresh water. | <p>Noted and being complied with the requirements.</p> <p>Remarks: The project currently is in the final design, detailed engineering and procurement stage with construction activities ongoing at the site.</p> <p>The proposed project focuses on the "Zero Liquid Discharge" (ZLD) concept, where treated water will be reused for gardening / plantation, dust suppression, cooling water make-up, and other industrial activities to conserve freshwater resources. Additionally, treated water from the sewage treatment plant (STP) will be utilized for horticulture and greenbelt development.</p> |
| (xxii) | As committed by the project proponent to adopt the 15 villages, where habitation exists within the study area of the project site, namely Vandh, Tunda, Kandagara, Shiracha, Navinal, Jarpara, Mota Bhadiya, Tragadi, Nana Bhadiya, Nani Khakar, Moti Khakhar, Deshalpar, Moti Bhujpur, Nani Bhujpur and Modhva, Project Proponent shall adopt these villages and prepare and implement a robust plan to develop them into model villages in next 10 years. | <p>Noted and being complied with the requirements.</p> <p>To understand the current social status and needs of the local community, a "Detailed Baseline & Need Assessment Study" was conducted by a third-party professional agency involving various stakeholders such as local villagers and administration. The recommendations from the study are incorporated into the CER plan for phased implementation.</p> <p>MPL has initiated CER activities across all villages within the project area. During the reporting period, total CER expenditure on various community welfare and eco-development initiatives amounted to INR 232.713 lakhs. Cumulative CER spending up to the end of the reporting period stands at approximately INR 1533.713 lakhs, reflecting in line with progress of the project.</p> <p>The details of CER activities with expenditures are summarized in CER report enclosed as Annexure – IV.</p> |

| S. No | Conditions | Status |
|---------|--|--|
| (xxiii) | Hot air dryer shall not be installed. Flue gases of preheater shall be used to dry the slag/bottom ash. | <p>Noted and shall be complied with the requirements.</p> <p>Remarks: The project currently is in the final design, detailed engineering and procurement stage with construction activities ongoing at the site.</p> <p>Provisions for utilizing off-gases and/or flue-gases for heating and drying purposes wherever feasible have also been considered in the design and engineering of the project.</p> |
| (xxiv) | DeSOx system shall be provided dry type. NOx level shall be maintained below 600 mg/Nm ³ by using best available technology. | <p>Noted and shall be complied with the requirements.</p> <p>Remarks: The project is currently in the final design, detailed engineering, and procurement stages. with construction activities are ongoing at the site with consideration of adequate APCM to control the pollutants within the stipulated emission norms.</p> |
| (xxv) | Petcoke dosing shall be controlled automatically to control SO ₂ emission from chimney within the prescribed limits. | <p>Noted and shall be complied with the requirements.</p> <p>Remarks: The project is currently in the final design, detailed engineering, and procurement stages. with construction activities are ongoing at the site with consideration of adequate APCM to control the pollutants within the stipulated emission norms.</p> |
| (xxvi) | The PP shall develop a control strategy and mitigation plan that incorporates pollution control measures. The Clean Air practices shall be adopted like mechanical collectors, wet scrubbers, fabric filters (baghouses), electrostatic precipitators, combustion systems (thermal oxidizers), condensers, absorbers, adsorbers, and biological degradation. | <p>Noted and shall be complied with the requirements.</p> <p>Remarks: The project is currently in the final design, detailed engineering, and procurement stages with construction activities are ongoing at the site with consideration of adequate APCM to control the pollutants within the stipulated emission norms.</p> |
| (xxvii) | Sufficient numbers of additional truck mounted Fog/Mist water cannons shall be operated regularly inside the project premises and also in the surrounding villages to arrest suspended dust in the atmosphere. The PP to this effect shall | <p>Noted and being complied with the requirements.</p> <p>Remarks: The project currently is in the final design, detailed engineering and procurement stage with construction</p> |

| S. No | Conditions | Status |
|----------|--|--|
| | implement a time bound Action Plan, and the compliance shall be submitted to IRO, MoEFCC. | <p>activities ongoing at the site. Measures such as water sprinkling on roads for dust control, enforcing speed limits to minimize airborne dust particle generation, and transporting materials in bulkers or covered with tarpaulin sheets are in place.</p> <p>Report with Photographs of the same is enclosed as Annexure - V. Air Quality Monitoring (AAQM) is also being conducted regularly in both the project site and the surrounding community area.</p> |
| (xxviii) | A proper action plan must be implemented to dispose of the electronic waste generated in the industry | <p>Noted and shall be complied with the requirements.</p> <p>The project currently is in the final design, detailed engineering and procurement stage with construction activities ongoing at the site. All electronic waste (as & when generated) shall be handled as per applicable E-Waste (Management) Rules, 2022 and amendment thereafter.</p> |
| (xxix) | The total quantity of particulate matter generated (kg/month) and the percentage of this captured by pollution control units, must be reported every six months. | <p>Noted and shall be complied with the requirements.</p> <p>Remarks: The project currently is in the final design, detailed engineering and procurement stage with construction activities ongoing at the site.</p> <p>During the operation stage, a biannual report detailing the total generation of particulate matter and the captured quantity will be submitted to the concerned authority.</p> |
| (xxx) | The project proponent shall take utmost importance in protecting, conserving, and enhancing the wildlife fauna in areas falling under their operational activities, especially the aquatic/ marine/ estuarine ecosystems. The recommendations of the approved Site-Specific Wildlife Management Plan shall be implemented in consultation with the State Forest Department. The implementation report shall be furnished along with the six-monthly compliance report to the | <p>Noted and being complied with the requirements.</p> <p>Remark: The project currently is in the final design, detailed engineering and procurement stage with construction activities ongoing at the site.</p> <p>Further, activities for the wildlife conservation plan have been completed. The review and maintenance of the plan are being conducted in consultation with the Forest Department, Kachchh, Bhuj. Details of</p> |

| S. No | Conditions | Status |
|----------|--|---|
| | concerned Regional Office of the MoEF&CC. | activities performed according to the approved site-specific wildlife conservation/management plan are attached as Annexure – VI . A copy of the report is being furnished to the Regional Office of the MoEF&CC along with the six-monthly compliance report. |
| (xxxii) | The project proponent shall not disturb the nearby Mangrove Forest and shall take necessary steps to protect, conserve and enhance them. | <p>Noted and being complied with the requirements.</p> <p>Remarks: The project currently is in the final design, detailed engineering and procurement stage with construction activities ongoing at the site.</p> <p>The highest priority is being given to the conservation and protection of the nearby mangrove forest. Moreover, this degree of priority will continue to be maintained throughout the operational stage.</p> |
| (xxxiii) | The project proponent shall implement the Disaster/ Risk Management SOPs and protocols, as the Kutch area is prone to periodic cyclone storms. All the recommendations made in the risk assessment report shall be implemented and compliance status in this regard shall be furnished to the Regional Office of the MoEF&CC along with the six-monthly compliance report. | <p>Noted and shall be complied with the requirements.</p> <p>Remarks: The project currently is in the final design, detailed engineering and procurement stage with construction activities ongoing at the site.</p> <p>Detailed HAZOP reviews are conducted for all process units in the PVC complex to identify potential hazards, operability issues, associated risks, safeguards, and risk reduction measures using guide words in a structured approach.</p> <p>In addition, a comprehensive Risk Assessment study covering the entire complex has been completed by a reputable agency. Recommendations for mitigation measures from various risk assessments are being incorporated into project design, engineering, and construction for on-site implementation. Accordingly, an Emergency Preparedness Plan and Disaster Management Plan are currently being developed for future execution. The compliance status of these plans will be submitted to the Regional Office</p> |

| S. No | Conditions | Status |
|-----------|--|--|
| | | of the MoEF&CC along with the six-monthly compliance report. |
| (xxxiii) | The project proponent shall comply with all the mitigation measures suggested by other divisions of MoEF&CC including Industry-II, Industry-III, Infra-I and also state departments like SPCB in the instant inter-linked Coal to PVC project. | Noted and shall be complied with the requirements. The project currently is in the final design, detailed engineering and procurement stage with construction activities ongoing at the site. Mitigation measures recommended by various divisions of MoEF&CC, including Industry-II, Industry-III, Infra-I, and GPCB, have been incorporated into project design & engineering for implementation. |
| (xxxiv) | The Plastic Waste Management Rules 2016, inter-alia, mandated banning of identified Single Use Plastic (SUP) items with effect from 01/07/2022. In this regard, CPCB has issued a direction to all the State Pollution Control Boards (SPCBs)/Pollution Control Committees (PCCs) on 30/06/2022 to ensure the compliance of Notification published by Ministry on 12/08/2021. The technical guidelines issued by the CPCB in this regard is available at https://cpcb.nic.in/technical-guidelines-3/ . All the project proponents are hereby requested to sensitize and create awareness among people working within the Project area as well as its surrounding area on the ban of SUP in order to ensure the compliance of Notification published by this Ministry on 12/08/2021. A report, along with photographs, on the measures taken shall also be included in the six-monthly compliance report being submitted by the project proponents. | Noted and being complied with the requirements. Remarks: Regular awareness programs are being conducted in nearby community areas to promote the ban on single-use plastics along with other important environmental conservation issues. A copy of this information is enclosed as Annexure - VII . |
| B | General Conditions | |
| I. | Statutory compliance: | |

| S. No | Conditions | Status |
|------------|---|--|
| (i) | The Environment Clearance (EC) granted to the project/ activity is strictly under the provisions of the EIA Notification, 2006 and its amendments issued from time to time. It does not tantamount/ construe to approvals/ consent/ permissions etc., required to be obtained or standards/conditions to be followed under any other Acts/Rules/Subordinate legislations, etc., as may be applicable to the project. | Noted & agreed with requirements |
| II. | Air quality monitoring and preservation | |
| (i) | The project proponent shall install 24x7 continuous effluent monitoring system with respect to standards prescribed in Environment (Protection) Rules 1986 vide G.S.R. No. 612 (E) dated 25 th August, 2014 (Cement) and subsequent amendment dated 9 th May, 2016 (Cement) and 10 th May, 2016 (in case of Co-processing Cement) as amended from time to time; S.O. 3305 (E) dated 7 th December 2015 (Thermal Power Plants), as amended from time to time), G.S.R 277 (E) dated 31 st March 2012 (Coke Oven Plants) and connected to SPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories. | <p>Noted and shall be complied with the requirements.</p> <p>Remarks: The project currently is in the final design, detailed engineering and procurement stage with construction activities ongoing at the site.</p> <p>Necessary OCEMS/CEMS will be installed for applicable parameters as prescribed in CPCB guidelines. These systems will be connected to SPCB and CPCB servers to enable real-time data transfer 24/7 during the operation phase.</p> |
| (ii) | The project proponent shall monitor fugitive emissions in the plant premises at least once in every quarter through labs recognized under Environment (Protection) Act, 1986. | <p>Noted and shall be complied with the requirements during operation phase.</p> <p>Remarks: The project currently is in the final design, detailed engineering and procurement stage with construction activities ongoing at the site.</p> |

| S. No | Conditions | Status |
|-------|---|---|
| | | <p>Furthermore, ambient air quality monitoring (AAQM) is being carried out at selected locations within the project site and surrounding villages by a third-party NABL accredited laboratory. The results of AAQM are found to be well within the NAAQM standards. The Environment Monitoring Report is enclosed as Annexure – VIII.</p> |
| (iii) | <p>The project proponent shall install system to carryout Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g. PM10 and PM2.5 in reference to PM emission, and SO2 and NOx in reference to SO2 and NOx emissions) within and outside the plant area at least at four locations (one within and three outside the plant area at an angle of 120°each), covering upwind and downwind directions.</p> | <p>Noted and shall be complied with the requirements.</p> <p>Remarks: The project currently is in the final design, detailed engineering and procurement stage with construction activities ongoing at the site.</p> <p>Moreover, in the construction phase, ambient air quality monitoring is conducted through an NABL accredited laboratory at appropriate locations. The results of the AAQM are found to be well within NAAQM standards. The environmental monitoring report is attached as Annexure - VIII.</p> |
| (iv) | <p>The project proponent shall submit monthly summary report of continuous stack emission and air quality monitoring and results of manual stack monitoring and manual monitoring of air quality / fugitive emissions to Regional Office of MoEF&CC, Zonal office of CPCB and Regional Office of SPCB along with six-monthly monitoring report.</p> | <p>Noted and shall be complied with the requirements during operational phase.</p> <p>Remarks: The project currently is in the final design, detailed engineering and procurement stage with construction activities ongoing at the site.</p> <p>Continuous and manual monitoring results of stack emissions and air quality, including fugitive emissions, shall be submitted during the operational phase.</p> <p>Moreover, Ambient air quality monitoring is conducted through an NABL accredited laboratory at appropriate locations. The results of the AAQM are found to be well within NAAQM standards. The environmental monitoring report is attached as Annexure - VIII.</p> |

| S. No | Conditions | Status |
|-------|---|---|
| (v) | Appropriate Air Pollution Control (APC) system shall be provided for all the dust generating points including fugitive dust from all vulnerable sources, so as to comply prescribed stack emission and fugitive emission standards. | <p>Noted and shall be complied with the requirements during operational phase.</p> <p>Remarks: The project currently is in the final design, detailed engineering and procurement stage with construction activities ongoing at the site.</p> <p>The appropriate APC system has already been included in design and engineering for stack and fugitive emissions.</p> <p>In addition, steps like sprinkling water on roads to control dust, enforcing speed limits to minimize the release of airborne particles, and transporting materials in bulk containers or covering them with tarpaulin sheets are put into practice. A report with photographs is enclosed as Annexure - V.</p> |
| (vi) | The project proponent shall provide leakage detection and mechanized bag cleaning facilities for better maintenance of bags. | <p>Noted and shall be complied with the requirements during operational phase.</p> <p>Remarks: The project currently is in the final design, detailed engineering and procurement stage with construction activities ongoing at the site.</p> <p>Control measures are being considered in detailed engineering for leakage detection and mechanized bag cleaning facilities to improve maintenance of bags during operations.</p> |
| (vii) | Pollution control system in the cement plant shall be provided as per the CREP Guidelines of CPCB. | <p>Noted and shall be complied with the requirements during operational phase.</p> <p>Remarks: The project currently is in the final design, detailed engineering and procurement stage with construction activities ongoing at the site.</p> <p>The design and engineering of the cement plant include an adequate pollution control system that meets the CREP guidelines established by the CPCB.</p> |

| S. No | Conditions | Status |
|--------|--|--|
| (viii) | Sufficient number of mobile or stationery vacuum cleaners shall be provided to clean plant roads, shop floors, roofs, regularly. | <p>Noted and shall be complied with the requirements during operational phase.</p> <p>Remarks: The project currently is in the final design, detailed engineering and procurement stage with construction activities ongoing at the site.</p> |
| (ix) | Ensure covered transportation and conveying of raw material to prevent spillage and dust generation; Use closed bulkers for carrying fly ash | <p>Noted and shall be complied with the requirements during operational phase.</p> <p>Remarks: The project is in the final design, detailed engineering, and procurement stages. Construction is ongoing with measures to control dust and prevent raw material spillages during transportation. Details of APCM is enclosed as Annexure - V.</p> |
| (x) | Provide wind shelter fence and chemical spraying on the raw material stockpiles | <p>Noted and shall be complied with the requirements during operational phase.</p> <p>Remarks: The project currently is in the final design, detailed engineering and procurement stage with construction activities ongoing at the site.</p> <p>Comprehensive control measures are being considered in the detailed engineering phase for subsequent implementation at the site upon commencement of operations.</p> |
| (xi) | Provide Low NOx burners as primary measures and SCR / NSCR technologies as secondary measure to control NOx emissions. | <p>Noted and shall be complied with the requirements during operational phase.</p> |
| (xii) | Have separate truck parking area and monitor vehicular emissions at regular interval. | <p>Noted and shall be complied with the requirements.</p> <p>Remark: The project currently is in the final design, detailed engineering and procurement stage with construction activities ongoing at the site.</p> <p>A separate truck parking area is provided, and only vehicles with a valid PUC certificate are permitted to enter the premises. Additionally, air quality monitoring (AAQM) is conducted at regular intervals to check the air quality levels in designated areas.</p> |

| S. No | Conditions | Status |
|--------|---|---|
| (xiii) | Efforts shall be made to reduce impact of the transport of the raw materials and end products on the surrounding environment including agricultural land by the use of covered conveyor belts / railways as a mode of transport | <p>Noted and shall be complied with the requirements during operational phase.</p> <p>Remarks: The project currently is in the final design, detailed engineering and procurement stage with construction activities ongoing at the site.</p> <p>Measures are in place to reduce the adverse impact on the surrounding environment due to the transportation of construction materials.</p> <p>The design and consideration of essential conveyor systems are underway for further implementation at the site to minimize road transportation during the operational phase.</p> |
| (xiv) | Ventilation system shall be designed for adequate air changes as per ACGIH document for all tunnels, motor houses, cement bagging plants. | Noted and shall be complied with the requirements during operational phase. |
| (xv) | Facilities for spillage collection shall be provided for coal and coke on wharf of coke oven batteries (Chain conveyors, land based industrial vacuum cleaning facility). | <p>Noted and shall be complied with the requirements during operational phase.</p> <p>Remarks: The project currently is in the final design, detailed engineering and procurement stage with construction activities ongoing at the site.</p> <p>Comprehensive spill control and collection strategies are being evaluated/considered throughout the detailed engineering phase to ensure their effective implementation once site operations begin.</p> |
| (xvi) | Land-based APC system shall be installed to control coke pushing emissions. | <p>Noted and shall be complied with the requirements during operational phase.</p> <p>Remarks: The project currently is in the final design, detailed engineering and procurement stage with construction activities ongoing at the site. All required control measures are being thoroughly considered during the detailed engineering of project for subsequent implementation at the site upon commencement of operations.</p> |

| S. No | Conditions | Status |
|-------------|---|--|
| (xvii) | Monitor CO, HC and O2 in flue gases of the coke oven battery to detect combustion efficiency and cross leakages in the combustion chamber. | Noted and shall be complied with the requirements during operational phase. |
| (xviii) | Vapor absorption system shall be provided in place of vapour compression system for cooling of coke oven gas in case of recovery type coke ovens. | Noted and shall be complied with the requirements during operational phase. |
| III. | Water quality monitoring and preservation | |
| (i) | The project proponent shall install 24x7 continuous effluent monitoring system with respect to standards prescribed in Environment (Protection) Rules 1986 vide G.S.R. No. 612 (E) dated 25 th August, 2014 (Cement) and subsequent amendment dated 9th May, 2016 (Cement) and 10th May, 2016 (in case of Co-processing Cement) as amended from time to time; S.O. 3305 (E) dated 7th December 2015 (Thermal Power Plants), as amended from time to time), G.S.R 277 (E) dated 31st March 2012 (Coke Oven Plants) and connected to SPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories. | <p>Noted and shall be complied with the requirements.</p> <p>Remarks: The project currently is in the final design, detailed engineering and procurement stage with construction activities ongoing at the site.</p> <p>Required OCEMS/CEMS will be installed for the applicable parameters as prescribed by CPCB guidelines. These systems will be linked to SPCB and CPCB servers to ensure continuous real-time data transfer during the operational phase.</p> |
| (ii) | The project proponent shall regularly monitor ground water quality at least twice a year (pre and post-monsoon) at sufficient numbers of piezometers/sampling wells in the plant and adjacent areas through labs recognized under Environment (Protection) Act, 1986 and NABL accredited laboratories | <p>Noted and shall be complied with the requirements during operational phase.</p> <p>Remark: The project currently is in the final design, detailed engineering and procurement stage with construction activities ongoing at the site.</p> <p>The quality of groundwater in the surrounding area has been monitored at designated locations during the pre & post monsoon seasons by NABL accredited laboratories. The</p> |

| S. No | Conditions | Status |
|-------|--|--|
| | | <p>report for this monitoring is enclosed as Annexure – VIII.</p> <p>Furthermore, at the time of plant operations, groundwater quality in the plant area will be monitored at least twice a year (pre and post-monsoon) at multiple piezometers and sampling wells within the plant and adjacent areas. This monitoring will be conducted through laboratories recognized under the Environment (Protection) Act, 1986, and NABL accredited laboratories.</p> |
| (iii) | <p>Sewage Treatment Plant shall be provided for treatment of domestic wastewater to meet the prescribed standards.</p> | <p>Noted & being complied with.</p> <p>At present, a Modular STP with sufficient capacity has been set up for the construction phase, and the latest Environmental Monitoring report can be found in Annexure – VIII.</p> <p>Sewage Treatment Plants (STPs) for treating domestic effluent during the operational phase will be designed and commissioned at the site before the project's full operations begin.</p> |
| (iv) | <p>Garland drains and collection pits shall be provided for each stock pile to arrest the run-off in the event of heavy rains and to check the water pollution due to surface run off</p> | <p>Noted and shall be complied with the requirements during operational phase.</p> <p>Remark: The project currently is in the final design, detailed engineering and procurement stage with construction activities ongoing at the site.</p> <p>An adequate stormwater drainage system is being designed to capture runoff during heavy rains and prevent the contamination of surface water.</p> |
| (v) | <p>Water meters shall be provided at the inlet to all unit processes in the cement plant.</p> | <p>Noted and shall be complied with the requirements during operational phase.</p> |
| (vi) | <p>The project proponent shall make efforts to minimize water consumption in the cement plant complex by segregation of used water, practicing cascade use and by recycling treated water.</p> | <p>Noted and shall be complied with the requirements during operational phase.</p> |

| S. No | Conditions | Status |
|------------|--|--|
| (vii) | The project proponent shall provide the ETP for coke oven and by-product to meet the standards prescribed in G.S.R 277 (E) dated 31st March 2012 (Integrated iron & Steel); G.S.R 414 (E) dated 30th May 2008 (Sponge Iron) as amended from time to time; S.O. 3305 (E) dated 7th December 2015 (Thermal Power Plants) as amended from time to time. | Noted and shall be complied with the requirements during operational phase. |
| IV. | Noise monitoring and prevention | |
| (i) | Noise quality shall be monitored as per the prescribed Noise Pollution (Regulation and Control) Rules, 2000 and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report. | <p>Noted and being complied with.</p> <p>Remark: The project currently is in the final design, detailed engineering and procurement stage with construction activities ongoing at the site.</p> <p>Additionally, ambient noise quality monitoring (ANQM) is being conducted at designated locations within the project site and surrounding villages by an independent NABL accredited laboratory. The results of the ANQM adhere to the standards specified under the E(P)A Rules, 1986. The Environment Monitoring report is attached as Annexure - VIII.</p> |
| (ii) | The ambient noise levels should conform to the standards prescribed under E(P)A Rules, 1986 viz. 75 dB(A) during day time and 70 dB(A) during night time. | <p>Noted and being complied with.</p> <p>Remark: The project currently is in the final design, detailed engineering and procurement stage with construction activities ongoing at the site.</p> <p>Additionally, ambient noise quality monitoring (ANQM) is being conducted at designated locations within the project site and surrounding villages by an independent NABL accredited laboratory. The results of the ANQM adhere to the standards specified under the E(P)A Rules, 1986. The Environment Monitoring report is attached as Annexure - VIII.</p> |
| V. | Energy Conservation measures | |

| S. No | Conditions | Status |
|------------|--|--|
| (i) | Waste heat recovery system shall be provided for kiln and cooler. | <p>Noted and shall be complied with the requirements during operational phase.</p> <p>Remarks: The project currently is in the final design, detailed engineering and procurement stage with construction activities ongoing at the site.</p> |
| (ii) | The project proponent makes efforts to achieve power consumption less than 65 units/ton for Portland Pozzolona Cement (PPC) and 85 units/ton for Ordinary Portland Cement (OPC) production and thermal energy consumption of 670 Kcal/Kg of clinker. | <p>Noted and shall be complied with the requirements during operational phase.</p> <p>Remarks: The project currently is in the final design, detailed engineering and procurement stage with construction activities ongoing at the site.</p> |
| (iii) | Provide solar power generation on roof tops of buildings, for solar light system for all common areas, streetlights, parking around project area and maintain the same regularly | <p>Noted and shall be complied with the requirements.</p> <p>Remarks: The project currently is in the final design, detailed engineering and procurement stage with construction activities ongoing at the site.</p> <p>Additionally, options are being evaluated to increase the use of renewable energy, including the installation of solar panels on building rooftops, and solar lighting systems for common areas, streetlights, and parking areas during the project execution phase wherever feasible.</p> |
| (iv) | Provide the project proponent for LED lights in their offices and residential areas. | <p>Noted and being complied with the requirements.</p> <p>Remarks: Energy efficiency measures are being integrated into the project design and engineering. High-quality LED lighting equipment will be installed in offices and residential areas.</p> |
| VI. | Waste management | |
| (i) | Used refractories shall be recycled as far as possible. | <p>Noted and shall be complied with the requirements during operational phase.</p> <p>Remarks: The project currently is in the final design, detailed engineering and procurement stage with construction activities ongoing at the site.</p> |

| S. No | Conditions | Status |
|-------|---|--|
| | | Used refractories will be recycled to the greatest extent possible during the operational phase. |
| VII. | Green Belt | |
| (i) | The project proponent shall prepare GHG emissions inventory for the plant and shall submit the program for reduction of the same including carbon sequestration by trees in the plant premises. | <p>Noted and shall be complied with the requirements.</p> <p>Remarks: The project currently is in the final design, detailed engineering and procurement stage with construction activities ongoing at the site.</p> <p>GHG emissions inventory shall be maintained for the Coal to PVC complex after commencement of operations and a plan of reduction of GHG emissions will be prepared and monitored for its effectiveness.</p> <p>The project has already planned to utilize more than 10% of electricity from renewable sources such as solar and wind, which will help in reductions in GHG emissions during operation phase.</p> <p>Further, reduction strategy that incorporates a carbon sequestration scheme through a plantation program after the project's commissioning will also be implemented.</p> <p>In addition,, comprehensive tree plantation activities in nearby community villages, including roadside plantations, are being carried out in consultation with the local forest department. A copy of the implementation report is enclosed as Annexure - III with photographs of the plantation activity.</p> |

| S. No | Conditions | Status |
|--------------|---|--|
| (ii) | <p>Project proponent shall submit a study report within six months on De-carbonization program, which would essentially consist of company's carbon emissions, carbon budgeting/ balancing, carbon sequestration activities and carbon offsetting strategies. Further, the report shall also contain time bound action plan to reduce its carbon intensity of its operations and supply chains, energy transition pathway from fossil fuels to Renewable energy etc. All these activities/ assessments should be measurable and monitorable with defined time frames.</p> | <p>Noted and shall be complied with the requirements.</p> <p>Remarks: The project currently is in the final design, detailed engineering and procurement stage with construction activities ongoing at the site. The best available technologies are being adopted as part of process design aiming for carbon emission reductions.</p> <p>A comprehensive decarbonization plan will be developed following the completion of final engineering for various processes.</p> <p>An action plan for the same will be prepared, implemented, monitored and the same shall be submitted.</p> |
| VIII. | Public hearing and Human health issues | |
| (i) | <p>Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.</p> | <p>Noted and being complied with the requirements.</p> <p>Remarks: The project currently is in the final design, detailed engineering and procurement stage with construction activities ongoing at the site.</p> <p>Detailed HAZOP reviews are conducted for all process units in the PVC complex to identify potential hazards, operability issues, associated risks, safeguards, and risk reduction measures using guide words in a structured approach.</p> <p>In addition, a comprehensive Risk Assessment study covering the entire complex has been completed by a reputable agency. Recommendations for mitigation measures from various risk assessments are being incorporated into project design, engineering, and construction for on-site implementation. Accordingly, an Emergency Preparedness Plan and Disaster Management Plan are currently being developed for future execution/implementation. Copy of the 3D</p> |

| S. No | Conditions | Status |
|------------|---|--|
| | | Consequence Analysis is enclosed as Annexure – IX. |
| (ii) | The project proponent shall carry out heat stress analysis for the workmen who work in high temperature work zone and provide Personal Protection Equipment (PPE) as per the norms. | <p>Noted and shall be complied with the requirements.</p> <p>Remarks: The project currently is in the final design, detailed engineering and procurement stage with construction activities ongoing at the site.</p> <p>Further, necessary measures being taken to avoid heat stress on the workmen at high ambient temperature conditions during summer season.</p> <p>In addition, during the operational phase, heat stress monitoring & analysis for workers in high-temperature work zones will be conducted. Appropriate personal protective equipment (PPE) will be provided in accordance with relevant standards.</p> |
| (iii) | Occupational health surveillance of the workers shall be done on a regular basis and records maintained. | <p>Noted and shall be complied with the requirements.</p> <p>Remarks: The project currently is in the final design, detailed engineering and procurement stage with construction activities ongoing at the site.</p> <p>Regular health check-ups are being done and fitness reports of workers / employees during construction phase are maintained.</p> <p>Furthermore, once operations commence, routine occupational health monitoring of employees will be implemented, with all records maintained in accordance with established protocols.</p> |
| IX. | Environment Management | |
| (i) | The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.III dated 30/09/2020. As part of Corporate Environment Responsibility (CER) | <p>Noted and is being complied with the requirements.</p> <p>A range of eco-development initiatives, as well as community welfare programs, are being carried out in stages to improve the</p> |

| S. No | Conditions | Status |
|-------|--|--|
| | <p>activity, company shall adopt villages based on the socio-economic survey and undertake community developmental activities in consultation with the village Panchayat and the District Administration as committed</p> | <p>socio-economic status of the region. These efforts fall under Corporate Environmental Responsibility (CER) and involve collaboration with local villages and authorities.</p> <p>To understand the current social status and needs of the local community, a "Baseline & Need Assessment Study" was conducted by a third-party professional agency, involving various stakeholders such as local villagers and administration. The recommendations from this study have been incorporated into the CER plan for phased implementation.</p> <p>MPL has initiated CER activities across all villages within the project area. During the reporting period, total CER expenditure on various community welfare and eco-development initiatives amounted to INR 232.713 lakhs. Cumulative CER spending up to the end of the reporting period stands at approximately INR 1533.713 lakhs, reflecting in line with progress of the project.</p> <p>The details of CER activities implemented during the reporting period along with expenditures are summarized in CER report enclosed as Annexure – IV.</p> |
| (ii) | <p>The company shall have a well laid down environmental policy duly approve by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest / wildlife norms / conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be</p> | <p>Mundra Petrochem Limited (MPL) adheres to the environmental policy established at the group level. The organization's group-level "Environmental Policy" is attached as "Annexure – X."</p> |

| S. No | Conditions | Status |
|-----------|---|--|
| | submitted to the MoEF&CC as a part of six-monthly report. | |
| (iii) | A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly to the head of the organization. | <p>The project currently is in the final design, detailed engineering and procurement stage with construction activities ongoing at the site.</p> <p>A separate Environmental Management Cell, staffed with qualified individuals specializing in Environmental Science and Engineering, has been established. The head of the EMC i.e CSO & BU Environment Head reports directly to the CEO according to the company's hierarchy.</p> |
| X. | Miscellaneous | |
| (i) | The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and safeguards at their cost by prominently advertising it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days and in addition this shall also be displayed in the project proponent's website permanently. | <p>The advertisement stating the project has been accorded environmental clearance by MoEF&CC and also displayed on company website was published on following news papers on 30th September, 2022. (i.e within 7 days of grant of Environmental Clearance).</p> <ol style="list-style-type: none"> 1. Kutch Mitra (Gujarati Language) 2. Gujarat Samachar (Gujarati Language) 3. The Times of India (English Language). <p>Copies of the same have already been submitted to concerned authorities through vide our letter no. AEL/MPL/ENV/MoEF&CC/2022 - September/11 dated 30/09/2022. Copy enclosed as Annexure - XI."</p> |
| (ii) | The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt. | <p>Copies of the Environmental Clearance letter from our following letter numbers have been submitted to the concerned panchayats (all 15 villages), the Taluka Development Officer (Rural Local Body), the District Development Officer, the District Industries Center, and the local NGO/trust that provided suggestions/representations during the public hearing.</p> <ol style="list-style-type: none"> 1. AEL/MPL/ENV/MoEF&CC/2022-September/08 Dated 28/09/2022. 2. AEL/MPL/ENV/MoEF&CC/2022-September/09 Dated 28/09/2022. 3. AEL/MPL/ENV/MoEF&CC/2022-September/11 Dated 30/09/2022." |

| S. No | Conditions | Status |
|-------|---|---|
| | | Copies of the same is enclosed as Annexure – XII. |
| (iii) | The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis. | Six monthly compliance reports of stipulated environment clearance conditions including results of monitored data being uploaded on company's website i.e https://www.adanienterprises.com . A soft copy of the same is also being submitted to concerned authorities. Last six-monthly compliance report for the reporting period October, 2024 – March, 2025 was submitted to concerned authorities on 22 nd May, 2025. |
| (iv) | The project proponent shall monitor the criteria pollutants level namely, PM ₁₀ , SO ₂ , NOx (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the projects and display the same at a convenient location for disclosure to the public and put on the website of the company | Environmental monitoring, including ambient air quality checks, is conducted through a NABL-approved laboratory during the project construction phase. The results are submitted as part of the EC compliance report. A comprehensive environmental monitoring plan, including stack monitoring and sectoral parameters, will be developed during the operational phase. Monitoring results will be displayed at a convenient location and on the company website for public disclosure. |
| (v) | The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal. | Six monthly compliance report on stipulated environmental conditions being uploaded on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal. A soft copy of the same is also being submitted to concerned authorities. Last six-monthly compliance was submitted to concerned authorities on 22 nd May, 2025. |
| (vi) | The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company. | The project currently is in the final design, detailed engineering and procurement stage with construction activities ongoing at the site. Moreover, Environmental Statement for the year 2024 – 2025 have been submitted to Gujarat Pollution Control Board through vide our letter no. MPL/ENV/GPCB – Form – V/ 2025 – May/02 dated 12/05/2025 well within stipulated time period and same is also available on Company Website i.e |

| S. No | Conditions | Status |
|--------|---|---|
| | | https://www.adanienterprises.com . Copy of the submission is enclosed as Annexure – XIII . |
| (vii) | <p>The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.</p> | <p>Noted and complied. The requisite information is being submitted to authorities as part of six-monthly EC compliance report.</p> <p>Remarks: The project currently is in the final design, detailed engineering and procurement stage with construction activities ongoing at the site.</p> <p>The date of financial closure is 25th April 2024 when MPL signed the financing documents with the lead banks. The commencement of land development including earth work preparation, piling for foundation/construction activities have been initiated after award of consent of establishment (CTE) from the state pollution control board i.e. 13th Dec. 2022 after obtaining necessary environmental clearance from the MoEF&CC.</p> <p>As per schedule, the production/commercial operation of all the proposed units is expected by 1st October 2027.</p> |
| (viii) | <p>The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.</p> | <p>Noted and being complied with the requirements.</p> <p>Remarks: The project currently is in the final design, detailed engineering and procurement stage with construction activities ongoing at the site. Best available technologies and EPCM are being considered in the project design for further implementation.</p> <p>MPL has systematically initiated Corporate Environmental Responsibility (CER) activities in all villages surrounding the project area, ensuring alignment with project milestones and fulfilling commitments and recommendations specified in the EIA/EMP report, as well as those made during the Public Hearing and subsequent presentations. During the reporting period, a</p> |

| S. No | Conditions | Status |
|-------|---|--|
| | | <p>total CER expenditure of INR 232.713 Lakhs incurred to various community welfare and eco-development initiatives, achieving the cumulative CER expenditure to approximately INR 1533.713 Lakhs by the end of the reporting period.</p> <p>The details of CER activities with expenditures are summarized in CER report enclosed as Annexure – IV.</p> |
| (ix) | <p>The PP shall put all the environment related expenditure, expenditure related to Action Plan on the PH issues, and other commitments made in the EIA/EMP Report etc. in the company web site for the information to public/public domain. The PP shall also put the information on the leftover funds allocated to EMP and PH as committed in the earlier ECs and shall be carried out and spent in next three years, in the company web site for the information to public/public domain.</p> | <p>Noted and being complied with the requirements.</p> <p>Remarks - The project currently is in the final design, detailed engineering and procurement stage with construction activities ongoing at the site.</p> <p>The action plan addressing issues identified during the public hearing, as well as socio-economic concerns within the study area, is being executed concurrently with ongoing project activities at the site. MPL has commenced Corporate Environmental Responsibility (CER) initiatives in all villages adjacent to the project area. During the reporting period, CER expenditures for a range of community welfare and eco-development projects amounted to INR 232.713 lakhs, with cumulative CER expenditure to approximately INR 1533.713 lakhs by the end of the reporting period.</p> <p>Additionally, the capital cost and annual recurring cost for environmental protection measures will be allocated. Expenditures related to these measures will be separately tracked and reported as part of EC compliance. This information will be made available on the company's website as part of EC compliance reporting.</p> <p>The details of CER activities with expenditures are summarized in CER report enclosed as Annexure – IV.</p> |
| (x) | <p>No further expansion or modifications in the plant shall be carried out without</p> | <p>Agreed with requirement.</p> |

| S. No | Conditions | Status |
|-------|--|--|
| | <p>prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).</p> | <p>An application under Para 7 (ii) (c) of the EIA notification vide reference SW/265935/2025 dated 19/11/2025 has been submitted at PARIVESH portal for change in plant configuration during execution of the project as outcome of detailed engineering and process design, without change in production capacity and no increase in pollution load (NIPL) in line with the MoEF&CC notification vide reference S.O. 980(E) 2nd March 2021.</p> <p>A certificate of “no increase in the pollution load (NIPL)” for the proposed changes is obtained from the reputed State-Owned Public-Sector agency i.e. M/s Gujarat Industrial and Technical Consultancy Organization Ltd. (GITCO), also a recognized Schedule-I Environmental Auditor by the GPCB.</p> <p>The Acknowledgement copy from the PARIVESH Portal in respect of No change in production capacity and No increase in pollution load for the project proposal NIPL for Coal to Poly - vinyl Chloride (PVC) complex under the provisions of para 7(ii) c of EIA Notification and its subsequent amendment S.O.980-(E), dated 2nd March 2021 is attached as Annexure-XIV.</p> |
| (xi) | <p>The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.</p> | <p>Agreed with requirement.</p> |

Annexures

| Annexure No. | Name |
|--------------|---|
| I | Progress Status (Photographs) of Site construction activities. |
| II | Status of PIL no 36/2022 |
| III | Tree Plantation Activities. |
| IV | CER Activities. |
| V | Photographs of Water Sprinkling and APC measures. |
| VI | Activities as per approved "Wildlife Conservation Plan". |
| VII | Awareness Program on "Ban on Single use Plastic". |
| VIII | Environment Monitoring Report. |
| IX | Consequence analysis Report |
| X | Environment Policy. |
| XI | Letter for submission of News paper and EC copy to concern authorities. |
| XII | Letter for Submission of EC copy to Concern Local Authorities. |
| XIII | e-mail copy of submission of Environment Statement – Form – V. |
| XIV | Ack. Copy for NIPL Application. |

Annexure – I

Construction activities for the PVC Project at Vill: Vandh & Tunda, Ta: Mundra
Dist: Kutch.



PVC Unit



Os&Us Area – Non Metallic Tank Erection



Os&Us Area – PVC Bagging Warehouse



PVC Plant – Stripping Column



VCM Plant



VCM Plant Train - 2



Acetylene Plant




Acetylene Plant Gas Holder



CaC2 Plant Furnace#6 Workshop



CaC2 Plant - Semi Coke Dryer




CaC2 Plant Furnace #5 Workshop



Chlor Alkali Plant - Rectifier Substation



Chlor - Alkali Plant - HCl Desorption Train #2



Chlor - Alkali Plant - Waste Gas Treatment

Annexure – II

Status of PIL No. 36/2022

This PIL NO. 36/2022 was filed by the petitioner (the Kheti Vikas Seva Trust) against Union of India (along with 6 respondents where AEL is one of the party) in Hon'ble Gujarat High Court with a prayer to stay the public hearing for the interlinked project of M/s Adani Enterprises Ltd. (Now transferred to Mundra Petrochem Limited) scheduled for 30th April 2022. In the first hearing on the matter held on 26th April 2022, the Hon'ble court waived notice against AEL and did not order any stay to conduct the public hearing on the scheduled date.

The public hearing was successfully completed by the Gujarat Pollution Control Board (GPCB) on 30th April 2022 with respect to all the provisions of EIA Notification and applicable office memorandums of MoEF&CC. Subsequently, the project was appraised by MoEF&CC and accorded Environmental Clearance (EC) for the above referred PVC project (interlinked project).

The PIL matter was last posted for hearing on 21st November, 2025. Presently the matter is still pending for hearing. A copy of the latest update (as on 25th Nov, 2025) is attached herewith as **Annexure-IIA**.

Moreover, all processes related to EIA studies & public hearing for grant of Environment clearance complied with all the provisions of EIA Notification and applicable office memorandums of MoEF&CC.

Status : PENDING

Next Listing Date: 16/01/2026

Coram
• HONOURABLE THE CHIEF JUSTICE MRS. JUSTICE SUNITA AGARWAL and HONOURABLE MR.JUSTICE D.N.RAY

S.NO. Petitioner Name

1 KHETI VIKAS SEVA TRUST THROUGH PRESIDENT NARAN BHARU SEDA GADHVI

Advocate On Record

MR SIRAJ R GORI(2298) for: Applicant(s) → 1

S.NO. Respondent Name

1 UNION OF INDIA
2 STATE OF GUJARAT
3 CENTRAL POLLUTION CONTROL BOARD
4 GUJARAT POLLUTION CONTROL BOARD
5 DISTRICT COLLECTOR
6 REGIONAL OFFICER (GUJARAT)
7 ADANI ENTERPRISES LTD.

Advocate On Record

MR ANKIT SHAH(6371) for :Opponent(s) → 1
GOVERNMENT PLEADER(1) for :Opponent(s) → 2,5
NOTICE NOT RECD BACK(3) for :Opponent(s) → 3,6
CHINTAN H DAVE(7193) for :Opponent(s) → 4
SINGHI & CO(2725) for :Opponent(s) → 7

Presented On

: 18/04/2022

Registered On

: 21/04/2022

Bench Category

: DIVISION

District

: KACHCHH

Case Originated From

:

Purpose of Listing

: 192-NOTICE & ADJOURNED MATTERS

Classification

• 876-DB - PIL - PIL - ANY OTHER / MISCELLANEOUS MATTERS

Act

• CONSTITUTION OF INDIA

Office Objections

NO DATA FOR OFFICE OBJECTIONS

Court Proceedings

| S. No. | Notified Date | CourtCode | Board Sr. No. | Stage | Action | Coram |
|--------|---------------|-----------|---------------|--------------------------------|-------------|---|
| 1 | 26/04/2022 | 1 | 24 | 192-NOTICE & ADJOURNED MATTERS | 1-NEXT DATE | <ul style="list-style-type: none"> HONOURABLE THE CHIEF JUSTICE MR. JUSTICE ARAVIND KUMAR HONOURABLE MR. JUSTICE ASHUTOSH SHASTRI |
| 2 | 20/06/2022 | 1 | 59 | 192-NOTICE & ADJOURNED MATTERS | 1-NEXT DATE | <ul style="list-style-type: none"> HONOURABLE THE CHIEF JUSTICE MR. JUSTICE ARAVIND KUMAR HONOURABLE MR. JUSTICE ASHUTOSH SHASTRI |
| 3 | 05/07/2022 | 1 | 45 | 192-NOTICE & ADJOURNED MATTERS | 1-NEXT DATE | <ul style="list-style-type: none"> HONOURABLE THE CHIEF JUSTICE MR. JUSTICE ARAVIND KUMAR HONOURABLE MR. JUSTICE ASHUTOSH SHASTRI |
| 4 | 25/07/2022 | 1 | 47 | 192-NOTICE & ADJOURNED MATTERS | 1-NEXT DATE | <ul style="list-style-type: none"> HONOURABLE THE CHIEF JUSTICE MR. JUSTICE ARAVIND KUMAR HONOURABLE MR. JUSTICE ASHUTOSH SHASTRI |
| 5 | 25/08/2022 | 1 | 84 | 192-NOTICE & ADJOURNED MATTERS | 1-NEXT DATE | <ul style="list-style-type: none"> HONOURABLE THE CHIEF JUSTICE MR. JUSTICE ARAVIND KUMAR HONOURABLE MR. JUSTICE ASHUTOSH SHASTRI |
| 6 | 15/09/2022 | 1 | 65 | 192-NOTICE & ADJOURNED MATTERS | 1-NEXT DATE | <ul style="list-style-type: none"> HONOURABLE THE CHIEF JUSTICE MR. JUSTICE ARAVIND KUMAR HONOURABLE MR. JUSTICE ASHUTOSH SHASTRI |
| 7 | 13/10/2022 | 1 | 59 | 192-NOTICE & ADJOURNED MATTERS | 1-NEXT DATE | <ul style="list-style-type: none"> HONOURABLE THE CHIEF JUSTICE MR. JUSTICE ARAVIND KUMAR HONOURABLE MR. JUSTICE ASHUTOSH SHASTRI |
| 8 | 24/11/2022 | 1 | 52 | 192-NOTICE & ADJOURNED MATTERS | 1-NEXT DATE | <ul style="list-style-type: none"> HONOURABLE THE CHIEF JUSTICE MR. JUSTICE ARAVIND KUMAR HONOURABLE MR. JUSTICE ASHUTOSH SHASTRI |
| 9 | 22/12/2022 | 1 | 20 | 192-NOTICE & ADJOURNED MATTERS | 1-NEXT DATE | <ul style="list-style-type: none"> HONOURABLE THE CHIEF JUSTICE MR. JUSTICE ARAVIND KUMAR HONOURABLE MR. JUSTICE ASHUTOSH SHASTRI |
| 10 | 12/09/2025 | 1 | 49 | 192-NOTICE & ADJOURNED MATTERS | 1-NEXT DATE | <ul style="list-style-type: none"> HONOURABLE THE CHIEF JUSTICE MRS. JUSTICE SUNITA AGARWAL HONOURABLE MR.JUSTICE D.N.RAY |
| 11 | 21/11/2025 | 1 | 38 | 192-NOTICE & ADJOURNED MATTERS | 1-NEXT DATE | <ul style="list-style-type: none"> HONOURABLE THE CHIEF JUSTICE MRS. JUSTICE SUNITA AGARWAL HONOURABLE MR.JUSTICE D.N.RAY |

Available Orders

| S. No. | Case Details | Judge Name | Order Date | CAV | Judgement | Questions | Transferred | Download |
|--------|--------------|---|------------|-----|-----------|-----------|-------------|----------|
| 1 | WPIL/36/2022 | <ul style="list-style-type: none"> HONOURABLE THE CHIEF JUSTICE MR. JUSTICE ARAVIND KUMAR HONOURABLE MR. JUSTICE ASHUTOSH SHASTRI | 26/04/2022 | N | ORDER | - | Y | Download |
| 2 | WPIL/36/2022 | <ul style="list-style-type: none"> HONOURABLE THE CHIEF JUSTICE MR. JUSTICE ARAVIND KUMAR HONOURABLE MR. JUSTICE ASHUTOSH SHASTRI | 22/12/2022 | N | ORDER | - | Y | Download |

Connected Matters

NO DATA FOR CONNECTED MATTERS

Application / Appeal Matters

NO DATA FOR APPLICATION / APPEAL MATTERS

IA Details

Office Details

| S. No. | Filing Date | Document Name | Advocate Name | Court Fee on Document | Document Details |
|--------|-------------|------------------------------|---|-----------------------|---|
| 1 | 21/04/2022 | MEMO OF PETITION/APPEAL/SUIT | MR SIRAJ R GORI(2298) for PETITIONER(s) → | 100 | -KHETI VIKAS SEVA TRUST THROUGH PRESIDENT NARAN BHARU SEDA GADHVI |
| 2 | 21/04/2022 | VAKALATNAMA | MR SIRAJ R GORI(2298) for PETITIONER(s) → | 5 | -KHETI VIKAS SEVA TRUST THROUGH PRESIDENT NARAN BHARU SEDA GADHVI |
| 3 | 09/06/2022 | VAKALATNAMA | SINGHI & CO(2725) for RESPONDENT(s) → | 5 | -ADANI ENTERPRISES LTD. |
| 4 | 20/06/2022 | APPEARANCE NOTE | MR. PARTH H BHATT(6381) for RESPONDENT(s) → | 0 | -UNION OF INDIA |
| 5 | 04/07/2022 | VAKALATNAMA | CHINTAN H DAVE(7193) for RESPONDENT(s) → | 0 | -GUJARAT POLLUTION CONTROL BOARD |

| S. No. | Filing Date | Document Name | Advocate Name | Court Fee on Document | Document Details |
|---------------------------------|-------------|-----------------|--|-----------------------|------------------|
| 6 | 31/07/2023 | APPEARANCE NOTE | MR ANKIT SHAH(6371) for RESPONDENT(s) → | 0 | -UNION OF INDIA |
| Certified Copy | | | | | |
| NO DATA FOR CERTIFIED COPY | | | | | |
| Lower Court Detail | | | | | |
| NO DATA FOR LOWERCOURT DETAIL | | | | | |
| FIR Details | | | | | |
| NO DATA FOR FIR DETAILS | | | | | |
| Translated Orders/Judgments | | | | | |
| NO DATA FOR TRANSLATION DETAILS | | | | | |

Annexure – III

Tree Plantation Activities

Tree plantation plays a pivotal role in enhancing community well – being and addressing global environmental challenges. As urbanization accelerates and climate change becomes increasingly urgent, the act of planting trees offers both immediate and long – term advantages. Further, tree plantation is essential not only for fostering healthier, more resilient communities but also for combating climate change through carbon sequestration. By participating in carbon sequestration, communities can turn environmental action into economic opportunity, creating a cycle of sustainability that benefits people and the planet.

These tree plantations will accelerate:

- a) Environmental Improvement and balancing life cycles.
- b) Improving air quality through absorbing carbon dioxide, filtering air pollutants and producing oxygen.
- c) Enhancing Public Health and economic advantages.
- d) Controlling soil erosion, maintaining water cycles and providing habitats for wildlife.
- e) Reduced surface heat, lower temperature and offer shades through which minimizing heat related illness.





Tree Plantation have been done with 2500+, 5000+ and 5000+ numbers of native species at villages Deshalpar, Nani Khakhar and Zarpara respectively by expert i.e M/s Yash Green with 2 year maintenance time period.



Total **12500+** trees have been planted (April – September, 2025) at nearby villages to combat climate change and enhance biodiversity. Further, **101036+** numbers of cumulative trees have been planted at nearby villages for the period up to September, 2025.



Miyawaki tree plantation & **Drip irrigation** methods were used.



M/s Manvseva Charitable Trust and M/s Yash Green are the Expert to maintain the trees to get survival rate more than 98%.



Survival rate of trees are **98% +**



16.5 for the reporting period and **103+** acre (cumulative) land were used for tree plantation

CO₂ Sequestration

2424.864+ tCO₂e will Seq. (Cumulative)

Tree Plantation Details

| Sr. No. | Details of Expert Agency | Scientific Name | Quantity | Survival Rate |
|---------|---|--|----------|---------------|
| 1 | M/s Yash Green (Planting + 2year Maintenance) Village - Deshalpar (No. of Trees 2500) | Cordia gharaf (Forsk.) E.&A. | 75 | 98 - 100 % |
| 2 | | Pithecellobium dulce (Roxb.) Benth. | 180 | |
| 3 | | Moringa oleifera Lam. | 75 | |
| 4 | | Derris indica (Lam.) Bennet | 50 | |
| 5 | | Azadirachta indica A. Juss. | 200 | |
| 6 | | Morus alba L. | 40 | |
| 7 | | Tecomella undulata (Sw.) Seem. | 40 | |
| 8 | | Commiphora wightii (Arn.) Bhandari | 100 | |
| 9 | | Dalbergia sissoo Roxb. | 40 | |
| 10 | | Zizyphus mauritiana Lam. | 40 | |
| 11 | | Albizia lebbeck (L.) Bth. | 25 | |
| 12 | | Terminalia arjuna (Roxb.) W. & A. | 50 | |
| 13 | | Grewia tiliaefolia Vahl var. tiliaefolia | 50 | |
| 14 | | Aegle marmelos (L.) Corr. | 87 | |
| 15 | | Cassia fistula L. | 100 | |
| 16 | | Cordia dichotoma Forst. | 80 | |
| 17 | | Holoptelia integrifolia | 50 | |
| 18 | | Murraya koenigii (L.) Spr. | 10 | |
| 19 | | Psidium guajava L. | 83 | |
| 20 | | Syzygium cumini | 150 | |
| 21 | | Tamarindus indica L. | 125 | |
| 22 | | Butea monosperma (Lam.) Taub. | 50 | |
| 23 | | Manilkara zapota (L.) van Royen | 75 | |
| 24 | | Mimusops elengi L. | 50 | |
| 25 | | Plumeria rubra L. | 10 | |
| 26 | | Ficus benghalensis L. | 180 | |
| 27 | | Ficus religiosa L. | 180 | |
| 28 | | Gmelina arborea L. | 20 | |
| 29 | | Bauhinia racemosa Lam. | 10 | |
| 30 | | Ficus racemosa | 40 | |
| 31 | | Peltoform | 60 | |
| 32 | | Phoenix Sylvestris & Phoenix dactylifera | 25 | |
| 33 | | Coconut/ Cocos Nucifera | 15 | |
| 34 | | Delonix Regia | 50 | |
| 35 | | Mangifera Indica | 35 | |
| 36 | | Millingtonia Hortensis | 25 | |
| 37 | | Cassia Siamea | 25 | |

| Sr. No. | Details of Expert Agency | Scientific Name | Quantity | Survival Rate |
|---------|--|--|----------|---------------|
| 1 | M/s Yash Green (Planting + 2year Maintenance) Zarpara (No. of Trees: 5000) | Cordia gharaf (Forsk.) E.&A. | 150 | 98 – 100% |
| 2 | | Pithecellobium dulce (Roxb.) Benth. | 150 | |
| 3 | | Moringa oleifera Lam. | 75 | |
| 4 | | Derris indica (Lam.) Bennet | 100 | |
| 5 | | Azadirachta indica A. Juss. | 500 | |
| 6 | | Morus alba L. | 150 | |
| 7 | | Tecomella undulata (Sw.) Seem. | 50 | |
| 8 | | Commiphora wightii (Arn.) Bhandari | 100 | |
| 9 | | Dalbergia sissoo Roxb. | 50 | |
| 10 | | Zizyphus mauritiana Lam. | 50 | |
| 11 | | Albizia lebeck (L.) Bth. | 50 | |
| 12 | | Terminalia arjuna (Roxb.) W. & A. | 75 | |
| 13 | | Grewia tiliaefolia Vahl var. tiliaefolia | 50 | |
| 14 | | Aegle marmelos (L.) Corr. | 150 | |
| 15 | | Cassia fistula L. | 100 | |
| 16 | | Cordia dichotoma Forst. | 130 | |
| 17 | | Holoptelia integrifolia | 50 | |
| 18 | | Murraya koenigii (L.) Spr. | 20 | |
| 19 | | Psidium guajava L. | 150 | |
| 20 | | Syzygium cumini | 175 | |
| 21 | | Tamarindus indica L. | 175 | |
| 22 | | Butea monosperma (Lam.) Taub. | 100 | |
| 23 | | Manilkara zapota (L.) van Royen | 150 | |
| 24 | | Mimusops elengi L. | 100 | |
| 25 | | Plumeria rubra L. | 75 | |
| 26 | | Ficus benghalensis L. | 400 | |
| 27 | | Ficus religiosa L. | 400 | |
| 28 | | Gmelina arborea L. | 50 | |
| 29 | | Bauhinia racemosa Lam. | 25 | |
| 30 | | Ficus racemosa | 400 | |
| 31 | | Peltoform | 250 | |
| 32 | | Phoenix Sylvestris & Phoenix dactylifera | 100 | |
| 33 | | Coconut/ Cocos Nucifera | 50 | |
| 34 | | Delonix Regia | 75 | |
| 35 | | Mangifera Indica | 75 | |
| 36 | | Millingtonia Hortensis | 50 | |
| 37 | | Cassia Siamea | 150 | |
| 38 | | Adhatoda zeylanica Medic | 50 | |

| Sr. No. | Details of Expert Agency | Scientific Name | Quantity | Survival Rate |
|--------------|--|---|--------------|---------------|
| 1 | M/s Yash Green (Planting + 2year Maintenance) Village : Nani Khakhar (No. of Trees - 5000) | Cordia gharaf (Forsk.) E.&.A. | 100 | 98 -100% |
| 2 | | Pithecellobium dulce (Roxb.) Benth. | 150 | |
| 3 | | Moringa oleifera Lam. | 75 | |
| 4 | | Derris indica (Lam.) Bennet | 125 | |
| 5 | | Azadirachta indica A. Juss. | 500 | |
| 6 | | Morus alba L. | 200 | |
| 7 | | Tecomella undulata (Sw.) Seem. | 50 | |
| 8 | | Commiphora wightii (Arn.) Bhandari | 150 | |
| 9 | | Dalbergia sissoo Roxb. | 25 | |
| 10 | | Zizyphus mauritiana Lam. | 50 | |
| 11 | | Albizia lebbeck (L.) Bth. | 37 | |
| 12 | | Terminalia arjuna (Roxb.) W. & A. | 50 | |
| 13 | | Grewia tiliaefolia Vahl var. tiliaefolia | 38 | |
| 14 | | Aegle marmelos (L.) Corr. | 150 | |
| 15 | | Cassia fistula L. | 100 | |
| 16 | | Cordia dichotoma Forst. | 75 | |
| 17 | | Holoptelia integrifolia | 37 | |
| 18 | | Murraya koenigii (L.) Spr. | 38 | |
| 19 | | Psidium guajava L. | 125 | |
| 20 | | Syzygium cumini | 150 | |
| 21 | | Tamarindus indica L. | 200 | |
| 22 | | Butea monosperma (Lam.) Taub. | 125 | |
| 23 | | Manilkara zapota (L.) van Royen | 125 | |
| 24 | | Mimusops elengi L. | 75 | |
| 25 | | Plumeria rubra L. | 75 | |
| 26 | | Ficus benghalensis L. | 500 | |
| 27 | | Ficus religiosa L. | 500 | |
| 28 | | Gmelina arborea L. | 50 | |
| 29 | | Bauhinia racemosa Lam. | 50 | |
| 30 | | Ficus racemosa | 400 | |
| 31 | | Peltoform | 100 | |
| 32 | | Phoenix Sylvestris & Phoenix dactylifera | 75 | |
| 33 | | Coconut/ Cocos Nucifera | 75 | |
| 34 | | Delonix Regia | 125 | |
| 35 | | Mangifera Indica | 75 | |
| 36 | | Millingtonia Hortensis | 50 | |
| 37 | | Cassia Siamea | 150 | |
| 38 | | Adhatoda zeylanica Medic | 25 | |
| Total | | | 12500 | |

Annexure - IV

MUNDRA PETROCHEM LIMITED

Corporate Environmental Responsibility

April to September, 2025



Table of Contents

| | |
|---|----|
| 1. EXECUTIVE SUMMERY | 3 |
| 2. ABOUT MUNDRA PETROCHEM LTD | 5 |
| 3. SECTOR IDENTIFICATION BASED ON THE "CER" MANDATE..... | 6 |
| 4. CER INITIATIVES & INTERLINKAGE WITH SDGs..... | 7 |
| 5. ABOUT REGION | 9 |
| 5.1 GENDER RATIO | 10 |
| 6. EDUCATION PROMOTIONAL INITIATIVE..... | 11 |
| 6.1 KEY INTERVENTIONS..... | 11 |
| 6.2 RESULT AND OUTCOMES OF THE "UTTHAN" INITIATIVE..... | 12 |
| 6.2.1 EXTENDED SUPPORT THROUGH EDUCATIONAL KIT - BOOKS & STATIONERY | 12 |
| 6.2.2 EXTENDED SUPPORT THROUGH BOOKS FOR LIBRARY AT MOTI BHUJPUR..... | 13 |
| 6.2.3 HIGHER EDUCATIONAL OPPORTUNITIES FOR MARGINALIZED COMMUNITIES..... | 14 |
| 6.2.4 CAREER DEVELOPMENT AND AWARENESS PROGRAMM..... | 14 |
| 6.2.5 SCHOOL INFRASTRUCTURE | 16 |
| 6.2.6 EDUCATIONAL AWARENESS PROGRAM | 17 |
| 6.2.7 AGRICULTURAL FAIR FOR AWARENESS AMONG THE FARMERS..... | 18 |
| 6.2.8 LINKAGE WITH SUSTAINABLE DEVELOPMENT GOALS | 19 |
| 7. COMMUNITY HEALTH INITIATIVES | 20 |
| 7.1 KEY INTERVENTIONS..... | 20 |
| 7.2 RESULT AND OUTCOMES OF THE "COMMUNITY HEALTH" INITIATIVE..... | 21 |
| 7.2.1 MEDICAL CAMP FOR COMMUNITY | 21 |
| 7.2.2 HEALTHY FOOD AND MENSTRUAL HEALTH AWARENESS..... | 22 |
| 7.2.3 COMMUNITY HEALTH - CLEAN WATER FACILITIES..... | 22 |
| 7.2.4 AMBULANCE SUPPORT FOR COMMUNITY HEALTH | 23 |
| 7.3 LINKAGE WITH SUSTAINABLE DEVELOPMENT GOALS | 24 |
| 8. SUSTAINABILITY LIVELIHOOD AND WOMEN EMPOWERMENT | 25 |
| 8.1 KEY INTERVENTIONS..... | 25 |
| 8.2 WOMEN EMPOWERMENT | 26 |
| 8.3 HEALTH AND NUTRITION CAMP FOR WOMAN | 27 |
| 8.4 SUSTAINABLE INFRASTRUCTURE | 28 |
| 8.5 CLIMATE ACTION..... | 31 |
| 8.5.1 TREE PLANTATION..... | 31 |
| 8.5.2 ECO - CLUB: AN INITIATIVE TOWARDS GREEN FUTURE | 36 |
| 8.5.3 MANGROVE CONSERVATION AND AWARENESS | 36 |

8.5.4 AWARENESS ON "ALTERNATIVE OF SINGLE USE PLASTIC"37

8.6 AWARENESS DRIVE ON CONSERVE WATER, PROTECT EARTH AND ENVIRONMENT.....38

8.7 LINKAGE WITH SUSTAINABLE DEVELOPMENT GOALS.39

9. COMMUNITY RURAL INFRASTRUCTURE DEVELOPMENT40

9.1 KEY INTERVENTION40

9.2 ROAD REPAIRING / CONSTRUCTION ACTIVITIES.41

9.3 CLEANING OF "GAUCHAR AREA" (CATTLE FIELD AREA)42

9.4 CONSTRUCTION OF SHEDS42

9.5 SUSTAINABLE INFRASTRUCTURE43

9.6 LINKAGE WITH SUSTAINABLE DEVELOPMENT GOALS45

10. STAKEHOLDERS' APPRECIATION / FEEDBACK46

11. NEWS HIGHLIGHTS46

1. EXECUTIVE SUMMERY

This report highlights the significant accomplishments of Mundra Petrochem Limited (MPL)'s Corporate Environmental Responsibility (CER) initiatives for the period April to September, 2025. MPL remains dedicated to effecting positive change within the communities adjacent to its project activities, with an emphasis on environmental sustainability, community empowerment, and promoting a healthier society.

Educational Initiatives.

Addressing the Sustainable Development Goal of providing quality education, MPL's education initiative focuses on developing infrastructure, providing necessary resources to students, and promoting girl child education through awareness campaigns. There are several gaps in the educational system in the region that need to be addressed, and through systematic planning and execution, MPL's team is enhancing the quality of education in the area.

As part of this initiative, over 1057 numbers of syllabus books and more than 1200 numbers of stationery items have been handed over to students come from fisherfolk community from surrounding villages. More than 86 students were provided with transportation for pick-up and drop-off to attend school. Additionally, over 75 students received educational kits. Educational awareness programs have been conducted by field experts, emphasizing the importance of environmental sustainability in daily life. Career development / awareness programs have been conducted for the students studying in standard 9th to 12th. Approximate 465 students have been participated from 8 schools of nearby villages.

In context of above, mora than 421 number of Books for users of library at Moti Bhujpur have been provided for preparation of competitive exams. School infrastructure improvements include a Saline Water Reverse Osmosis (SWRO) unit to provide safe drinking water. Efforts also include strengthening sanitation and hygiene within school premises.

In addition to this, Agricultural fair has been organized for farmers. More than 2,00,000 numbers of farmers participated and enhanced their ideas, knowledge, and best farming practices.

Community Health Initiatives.

MPL's primary assessment identified the local fishing community as one of the most vulnerable. The goal of this initiative is to support the fishing community, including by providing essential medical assistance and health education. The project aims to reach over 60,000 people in 16 villages through disease prevention awareness drives, family planning workshops, menstrual hygiene and nutrition workshops, and general health sessions.

Under this initiative, an Ambulance has been provided to "KARVAN – E – MUSTAFA" medical & Educational Trust to serve the service at nearby area i.e fisherman community residence at coastal villages like Dhrab, Zarpara, Navinal, etc.

Additionally, a menstrual health awareness session was organized for girls and women. Clean and safe drinking water was made available to students through the installation of SWRO units at the primary school villages Moti Khakhar.

Sustainable Livelihood and women Empowerment.

MPL has organized programs to empower women, foster sustainable livelihoods, and cultivate environmental awareness within the community.

In coastal communities, women play a vital role in the fishing industry. They have been educated on hygiene and best practices for the fishing business. Additionally, menstrual health awareness initiatives have engaged

over girls and women. Financial empowerment programs have supported over 55 marginalized women from village Moti Bhujpur, Nani Bhujpur and Zarpara. More than 40 earning equipment like sewing machine, kitchen utensils, freezers, Milk storage cans etc. have been provided to the women.

Sustainable infrastructure projects included check dam restoration, percolation well cleaning, river and stream cleaning, culvert construction. Renovation of the check dam benefitted over 170 farmers by storing more than 2,45,000 cubic meters of water. Additionally, river/stream cleaning and pond deepening efforts have been carried out. Culvert construction has supported irrigation system and preventing the fam soil erosions.

Community tree plantations covered an area of 16.5 acres, resulting in the planting of over 12,500+ trees in reporting time period i.e April – September, 2025. Additionally, more than 2,00,000 farmers have been aware for new technology and best available farming practices through Agri Fair, 2025. An Eco Club was established for the community, involving 70 schools and over 6,000 students in environmental and sustainability awareness initiatives. A mangrove conservation, alternatives to single-use plastic (SUP) and wild life conservation sessions were engaged for students.

Community Rural Infrastructure Development.

The Community Rural Infrastructure Development program by MPL encompasses a wide range of initiatives aimed at enhancing the living standards in rural areas. It focuses on water conservation through measures such as check dam restoration, de-siltation, and bore well recharge structures.

Pond deepening work at village Zarpara with increasing water storage capacity about 22,000 Cu.M and Check Dam strengthening work at Moti Bhujpur with increasing water storage capacity about 2,45,000 Cu. M have been carried out.

Road repair work was carried out in nearby villages and fisherfolk community areas. Paver blocks pathway has been constructed for fisher folk community.

Further, about 100 acres of "Gauchar" area have been clean, fertilizes and planted with native grass at village Zarpara. In addition to this, extending support through providing Sheds for "Gaushala" at village Deshalpar and Zarpara which benefited more than 2350 cows.

Total 5 SWRO units, with capacities of 3,000 liters per hour, 50 liters per hour, and 150 liters per hour, were provided for clean water in Tunda, Zarpara and Moti Khakhar villages, benefiting villagers and students. School furniture and other infrastructure were also constructed in nearby villages.

An overview of CER Expenditure by MPL for the period April – September, 2025:-

| <i>Sr. No.</i> | Sector | CER Expenditure (INR) |
|----------------|---|------------------------------|
| 1 | Educational Initiatives. | 3129484.07 |
| 2 | Community Health Initiatives. | 4842033.86 |
| 3 | Sustainable Livelihood and women Empowerment. | 8464417.3 |
| 4 | Community Rural Infrastructure Development. | 6114949.14 |
| 5 | Monitoring & Reporting | 720415 |
| | Total | 23271299.37 |

i.e. Approximate INR 232.713 Lakhs

Total CER expenditure incurred in various community welfare & eco – development activities was approximate INR 1533.713 Lakhs cumulative till September, 2025 including expenditure occurred INR 232.713 Lakhs for the period April – September, 2025.

2. ABOUT MUNDRA PETROCHEM LTD

Mundra Petrochem Limited (MPL), a step-down subsidiary of Adani Enterprises Limited, is an emerging company with a substantial vision. MPL aims to become a significant player in India's petrochemical sector. The company's primary focus is on developing a greenfield PVC complex strategically located within SEZ notified land of Adani Ports and Special Economic Zone (APSEZ) at Mundra, Gujarat.

MPL's mission extends beyond production; it is dedicated to pioneering sustainable practices within the industrial sector, in alignment with the Adani Group's commitment to national development. The state-of-the-art facility is currently under engineering design, incorporating advanced technologies to minimize environmental impact. This commitment is further demonstrated through MPL's focus on community development via various Corporate Environmental Responsibility (CER) initiatives.

With pre and full operations of proposed project anticipated to commence in Jun-2026 and Oct-27, respectively, MPL is expected to create significant economic opportunities for the region. By promoting sustainable practices and empowering local communities, MPL aspires to set a benchmark for responsible industrial development in India.

MPL's Corporate Environmental Responsibility (CER) program surpasses mere carbon reduction efforts. It embodies a holistic approach grounded in rigorous scientific methodologies. This comprehensive initiative addresses environmental concerns while enhancing ecological resilience and empowering local communities. The subsequent sections of this report will explore the impactful outcomes achieved through MPL's extensive CER program.

3. SECTOR IDENTIFICATION BASED ON THE "CER" MANDATE

Mundra Petrochem Limited (MPL)'s CER action plan has been approved by the MoEF&CC as part of Environmental Clearance (EC) for the PVC project activities. As per the action plan, the activities were divided into four major impact sectors: -

- **Educational Support.**
- **Community Health Initiatives.**
- **Sustainable Livelihood & Women Empowerment.**
- **Community Rural Infrastructure Support.**

This report outlines the interventions implemented by MPL as part of the CER initiative. It provides a concise overview of the project details, including input, output, outcome, and impact (where applicable). The programs or activities carried out by MPL were in strict adherence with the provisions of action plan approved by the MoEF&CC, addressing the concerns raised during the public hearing process of the project activity.

4. CER INITIATIVES & INTERLINKAGE WITH SDGs.

Mundra Petrochem Limited has established a benchmark in business practices that extend beyond regulatory requirements, with the goal of creating a better world. Consequently, we have invested in initiatives designed to generate the maximum positive impact in the shortest time frame with long-lasting effects. Mundra Petrochem Limited's operations are aligned with Sustainable Development Goals—social, economic, and environmental—underpinned by a robust governance framework.



- End hunger and ensure access to safe, nutritious and sufficient food.
- End all form of malnutrition.
- Ensure sustainable food production system and implement resilient agricultural practice.
- Investment in rural infrastructure.



- Promoting natural farming for a healthy lifestyle and conducting health camps to address the health issues.



- Ensure that all girls and boys complete free equitable and quality primary and secondary education.
- Bulding and upgrading education facilities.
- Providing transportation and school stuffs to students to attend the hasslefree education system.



- End all form of discrimination agaist all women and girls.
- Ensure women's full and effective participation
- Creating an inclusive environment for women in the community through participation in the decision-making process and other activities.



- Restoring water bodies and encouraging water harvesting through participatory actions
- Protect and restore waterrelated ecosystems
- Support and strengthen the participation of local communities in improving water and sanitation management.



- Promoting use of biogas for clean and affordable energy solution

8 DECENT WORK AND ECONOMIC GROWTH



- Full and productive employment and decent work for all women and men Creating livelihood opportunities for women and youth through skilling programs

10 REDUCED INEQUALITIES



- Empower and promote the social, economic and Ensure equal opportunity & reduce inequalities of outcome.
- Adopted policies, especially fiscal, wage and social protection policies, and progressively achieve greater equality.

11 SUSTAINABLE CITIES AND COMMUNITIES



- Providing holistic solutions through water management, sustainable agriculture, green energy, and resilience building through health and disaster management.

13 CLIMATE ACTION



- Promoting green areas through plantation, preserving, and restoring mangrove ecosystems, and commencing IEC based awareness activities for building environmental stewardship.

14 LIFE BELOW WATER



- Dedicated efforts are made to restore the mangrove ecosystem which supports many marine life forms.
- Sustainably manage and protect marine and coastal ecosystem.

15 LIFE ON LAND




- Increased afforestation and reforestation.
- Reduce the degradation of natural habitats, halt the loss of biodiversity.
- Integrate ecosystem and biodiversity values.
- Conservation of the local ecosystem through restoration action and mobilizing communities to minimize plastic consumption.

5. ABOUT REGION

Mundra, historic port town in Gujarat's Kutch district, boasts a hot, arid climate with rich biodiversity despite limited rainfall. Located on the Gulf of Kutch at around 46 feet elevation, this census town reflects the cultural diversity of the district. The ecology is surprisingly vibrant with mangroves and birdlife, but water scarcity necessitates conservation efforts. Mundra's industrial growth ingredients by sustainable development practices.



Demographic details of the 16 study villages in Mundra and Mandavi region are as under¹:



| Sr. No. | Village Name | Population | Male | Female | No of HH |
|---------|--------------|------------|------|--------|----------|
| 1 | Nani Bhujpur | 1056 | 551 | 505 | 210 |
| 2 | Pratappar | 268 | 136 | 132 | 48 |
| 3 | Bhopawandh | 1250 | 650 | 600 | 250 |
| 4 | Navinal | 3100 | 2406 | 694 | 602 |
| 5 | Desalpar | 2611 | 1350 | 1261 | 581 |
| 6 | Moti Bhujpur | 9278 | 4777 | 4501 | 1979 |
| 7 | Tragdi | 1238 | 636 | 602 | 216 |
| 8 | Moti Khakhar | 2139 | 1101 | 1038 | 436 |

| Sr. No. | Village Name | Population | Male | Female | No of HH |
|---------|--------------|------------|-------|--------|----------|
| 9 | Nana Bhadiya | 4318 | 3805 | 513 | 1011 |
| 10 | Mota Bhadiya | 3284 | 1669 | 1615 | 624 |
| 11 | Zarpara | 7052 | 3572 | 3480 | 1506 |
| 12 | Siracha | 1879 | 1171 | 708 | 429 |
| 13 | Nani Khakhar | 3412 | 1758 | 1654 | 691 |
| 14 | Kandagra | 4461 | 2729 | 1732 | 1015 |
| 15 | Modhva | 2250 | 1167 | 1083 | 450 |
| 16 | Tunda | 12471 | 11261 | 1210 | 3134 |

¹ The data is source from the Census, 2011




Household- 13,182

The chart presents the population data across different villages. Tunda, Moti Bhujpar has the highest population at 12,471 and 9278 respectively, significantly larger than most other villages. Zarpara and Kandagra also have relatively high populations. Several villages like Nani Khakhar and Desalpar have populations of around 3,000 to 4,000.

The chart highlights the variation in population size across rural areas, with some villages being quite populous while others have very small populations like Pratappar with just 268 residents. This data provides insights into the demographic distribution and density patterns in the region.

5.1 GENDER RATIO



In the collective populace of 16 villages, males significantly surpass females at a ratio of 9 to 1. Tunda village exhibits the most pronounced gender disparity, with males constituting 90% of its inhabitants. Across these villages, there are a total of 13,182 households, with Tunda boasting the highest count and Pratappar the lowest.

This disparity highlights a notable trend in gender distribution within rural communities, underscoring the need for further examination of socio – cultural dynamics and their implications on population demographics and societal structure.

6. EDUCATION PROMOTIONAL INITIATIVE.

Educational promotive initiatives are organized efforts designed to foster, enhance and support educational opportunities and outcomes for learners of all ages. In this era of shaping future, the role of corporate responsibility in fostering sustainable development and empowering communities cannot be overstated. One such commendable endeavor is the “**Project Utthan**”, Education Initiative undertaken by Adani Foundation (Under CSR), which stands as a testament to the organization's commitment towards creating a positive impact in society. The Utthan Initiative encompasses a multifaceted approach to enhance educational infrastructure, empower local institutions and foster community development. Through strategic interventions spanning infrastructure support, capacity building and community engagement, Adani Foundation (under CSR) has endeavored to address the educational needs of underserved communities and contribute to their holistic development. Mundra Petrochem Limited has supported various education promotion initiatives undertaken by Adani Foundation (under CSR / CER).

6.1 KEY INTERVENTIONS



Infrastructure Support to Local Institutions

MPL's commitment to improving educational infrastructure is exemplified by various initiatives, including the provision of essential resources such as office stationery, clean and Hygiene water availability, Additionally, constructing a sanitary facilities and renovating the primary school in underscore MPL's dedication to creating conducive learning environments for students.



Training & Capacity Building

Recognizing the pivotal role of educators in shaping young minds, MPL has invested in capacity building measures by hiring Utthan Sahayak and Shikshan Sahayak for government primary schools. Moreover, the distribution of education kits further empowers teachers and students with the necessary tools for effective learning and skill development.



Community Support

MPL's Education Initiative extends beyond the confines of school premises, reaching out to the broader community. By arranging transportation for underprivileged students, MPL ensures access to education for all, irrespective of socio-economic barriers. Furthermore, initiatives such as women awareness programs contribute towards fostering a more inclusive and empowered society.

6.2 RESULT AND OUTCOMES OF THE "UTTHAN" INITIATIVE.

This chapter details the significant achievements of the Education support initiative, highlighting improved educational access, enhanced learning outcomes and empowering students within the community.

Addressing the SDG of providing quality education, MPL's education institution in the form of developing infrastructure, providing necessary resources to students and encouraging girl child education through awareness. There are several gaps in the educational system in the region which need to be addressed and through systematic planning and execution, MPL's team is enhancing the quality of education in the region.

SOCIAL IMPACT

6.2.1 EXTENDED SUPPORT THROUGH EDUCATIONAL KIT - BOOKS & STATIONERY



Education and Books have always played a pivotal role in shaping the lives of individuals, societies and nations. As Books are indispensable tools for students that unlock potential, develop critical thinking and empower to succeed in ever – evolving world and It equips students with the knowledge and skills to navigate life's challenges and opportunities. MPL has supported through 1057 numbers of syllabus books and more than 1200 numbers of stationery items to students belongs to fisherman communities. Based on these pillars, they shall have careers opportunities, expanding horizons, enhancing literacy & communication skills, Instilling Discipline and Focuses toward the society.



75 numbers of students from Fisherman community have been benefited

1057+ numbers of Books & 1200+ numbers of stationery items for students

6.2.2 EXTENDED SUPPORT THROUGH BOOKS FOR LIBRARY AT MOTI BHUJPUR



Preparing for competitive exams can be both an exhilarating and daunting journey. The right books serve not only as sources of knowledge but also as trusted companions, guiding candidates through the intricate maze of syllabus, concepts and questions. Books are invaluable assets to laying the groundwork for success in every aspect of life. By investing in education and making books accessible to all, we can ensure that every user can realize their full potential and contribute to a brighter future. It fosters intellectual curiosity, social awareness and moral values, preparing them to contribute meaningfully to their communities and global stage. Considering this, MPL has extended support through providing more than 421 number of books at Library, village Moti Bhujpur for competitive exams.



421+ numbers of Books for Students / Users

6.2.3 HIGHER EDUCATIONAL OPPORTUNITIES FOR MARGINALIZED COMMUNITIES.



Reason for providing facilities:

- High Schools are very limited in fisherfolk villages, making it hard for families to afford transportation costs.
- The foundation of students is very poor due to negligence in primary education.
- Not enough economical ground to support the expenses of high school.
- Parents are uneducated and busy with daily labor, leaving no time to support their children education.

Impact of Providing facilities:

- To provide safe and reliable transportation for the children of the fisherfolk community.
- Vehicle transportation (two way) facilities are provided to more than 86 students - pick up & drop to attend the school.
- This initiative has significantly reduced transportation challenges and improved school attendance which contributes better educational outcomes. Drop out ratio have been reduced.
- Students from villages like Modhava, Tragadi Bandar & Zarpara Bandar are facilitated.

6.2.4 CAREER DEVELOPMENT AND AWARENESS PROGRAMM


Career development and awareness program for students from 9th to 12th standard have been carried out in 8 schools from nearby villages.

These sessions covered with,

- Career Awareness Sessions.
- Psychometric Testing and Career Counseling.
- Stream and Course Selection Guidance.
- Skill development workshop.
- Parents involvement Seminars.



Participants from the various Government School / HighSchool



465+ Total Numbers of Students have been facilitated.

6.2.5 SCHOOL INFRASTRUCTURE

MPL is deeply intended to create structure that has meaningful OR positive outcome for the long lasting period. Further, this can improve the beauty of the educational institutions, so that students have positive impress to love the school environment.



250 +
students
have access
to clean
water

In alignment with Sustainable Development Goal (SDG) initiatives focused on clean water and sanitation for all, MPL has installed a Saline Water Reverse Osmosis (SWRO) unit with a capacity of 150 LPH at the primary school in Moti Khakhar

Village. This installation benefits over 250 students and staff members by providing access to clean water.



Go Green Initiatives at Girls Hostel Deshalpar:



To build a sustainable and eco-friendly future by turning environmental challenges into impactful solutions and as part of corporate commitment towards sustainability and community welfare, MPL has facilitated the installation of 10 benches made from recycled plastic at the Deshalpar Girls hostel. The aim is to reduce plastic waste and promote a circular economy that benefits both society and the planet. These benches offer comfortable sequencing seating for 100 hostel residents.

6.2.6 EDUCATIONAL AWARENESS PROGRAM

Environmental awareness program were conducted at more than 18 schools and about 2000 students participated. In addition to this, villagers have also included in the awareness sessions and these sessions focused on sustainable practices and the importance of environmental conservation, particularly highlighting the need to reduce plastic usage and promote eco – friendly alternatives.

Education awareness sessions were conducted in fisherfolk Vasahat, Vadi vistar – Village Farm Residence areas of nearby villages to highlight the importance of education, particularly girl-child education. Our goal is to uplift the fishing community through education by encouraging students, particularly girls, to pursue higher studies. We aim to build strong parent-student school



engagement that fosters long-term academic growth and empowerment. Support for the student have been provided for higher education in the villages of Modhava and Tragadi.

To educate children on plastic free ecosystem, Eco-clubes were established for raise the climate change awarness. So, far 72 Utthan Sahayak have been trained who reaching over 6000+ studets through awarness seminar.

6.2.7 AGRICULTURAL FAIR FOR AWARENESS AMONG THE FARMERS



The agriculture fair is more than just an event; it is a celebration of agricultural heritage and a beacon of innovation for the future. By bringing together diverse stakeholders, including farmers and various entities within the agricultural spectrum, the fair plays a pivotal role in advancing agricultural practices in the surrounding area. At this fair, over 200,000 farmers shared their ideas, knowledge, and best farming practices.

6.2.8 LINKAGE WITH SUSTAINABLE DEVELOPMENT GOALS




The education support initiative enhances quality education and equal access, directly contributing overall goal of inclusive, equitable education for all. Ensure that all girls and boys complete free equitable and quality primary and secondary education. Building and upgrading education facilities. Providing transportation and school stuffs to students to attend the hassle-free education system.



The education support initiative promotes gender equality by ensuring equal educational opportunities and empowering girls. End all form of discrimination against all girls through education.



The education support initiative fosters economic growth by providing skills and knowledge. Full and productive employment and decent work for all women and men. Creating livelihood opportunities for all and youth through skilling programs.



The education support initiative reduces inequalities by providing equitable access to education.

7. COMMUNITY HEALTH INITIATIVES

MPL's primary assessment of the project revealed that the local fisherman community is one of the most vulnerable communities. The project aimed to empower fisherman community including villages like Navinal, Tragadi, Modhva, and Zarpara by providing vital medical assistant and health education. Through preventive disease awareness drives, family planning workshops, menstrual hygiene, nutrition workshops, and general health sessions, the project aim to reached over 60,000 peoples in 16 villages. This holistic approach led to a lasting impact: women gained knowledge to plan their families and stay healthy, while adolescents and women received support for menstrual hygiene and proper nutrition. Most importantly, the project fostered a sense of community by forming a Self-Help Group, ensuring this newfound knowledge continues to empower future generations.

7.1 KEY INTERVENTIONS



Medical Support

Medical support in the form of medicine, vaccine, testing and blood testing facilities are provided by Mundra Petrochem under CER to the local community members.



Menstrual Hygiene Workshops

The workshop aimed to address the gap in knowledge and access to proper menstrual hygiene management (MHM) resources faced by women and girls in the area. During the workshop Adolescent and women are supported for Menstrual hygiene awareness and capacity building trainings.



Health Awareness Workshop

Awareness sessions were organized by the MPL team with a special focus on the importance of vaccination, clean water, sanitation, and mental health.



Nutrition Workshop

Workshops focused on promoting healthy eating habits and tackling malnutrition in the project villages. Local residents participated in interactive sessions led by nutrition experts. Participants learned practical tips on food preparation, storage, and techniques to maximize nutrient intake.

SOCIAL IMPACT

7.2 RESULT AND OUTCOMES OF THE "COMMUNITY HEALTH" INITIATIVE.

This chapter outlines the significant achievements of the Community Health Initiatives being implemented by Munda Petrochem Limited under CER, detailing improvements in Health, outcomes, increased awareness and enhanced well – being within the community.

7.2.1 MEDICAL CAMP FOR COMMUNITY

A medical health checkup camp is an initiative designed to provide comprehensive medical examinations and screenings to a community. These camps are instrumental in promoting health awareness, early detection of diseases and facilitating timely medical intervention.

The objectives of a medical health checkup camp are:

Early Detection

- Identifying health issues at an early stage allows for more effective treatment and management

Health Awareness

- Educating the community about common health problems, preventive measures and healthy lifestyle choices.

Accessibility

- Providing healthcare services to underserved or remote areas where medical facilities may be limited.

Community Health

- Improving the overall health status of the community by addressing prevalent health concerns.

Adani Foundation shows a strong commitment to community health through diverse healthcare initiatives. Insures accessible medical care for underserved and remote populations, better health outcomes and increased awareness. The foundation's proactive approach drives large – scale, meaningful impact in public health across rural and urban areas.

A comprehensive medical camp have been organized at nearby villages by Adani Foundation. This camp have been organized with a dedicated teams of doctors, the camp catered to diverse health needs of the community. Each patient received personalized attention through check -ups and tailored prescriptions.

The team of doctors have Eye specialist, Gynecologist, General Doctors and Pediatricians.





Conducted eye examination, Consultations and advice on maintaining good eye health.



Offered screenings, consultations and support for reproductive health issues.



Addressed a wide range of health issues from common ailments to chronic conditions, providing diagnoses, treatments and referral as needed.



Provided specialized care for children

7.2.2 HEALTHY FOOD AND MENSTRUAL HEALTH AWARENESS.

A comprehensive program on healthy eating and menstruation hygiene was conducted at nearby villages with aiming to educate and empower them on health management.



7.2.3 COMMUNITY HEALTH – CLEAN WATER FACILITIES

Kutch Region is a water scarcity region and having saline coastal area for Mundra & Mandavi taluka, the availability for clean water is less for the live. The main objective of providing saline water reverse osmoses units at village Moti Khakhar is to serve clean water for the students and other users as more than 250 students are benefiting from the services. This purified water will enhance the quality of life and promote health in rural areas. This service is ensuring that students have continued access to clean & safe drinking water.



250 + students have access to clean water

The installation of the RO plants has directly improved access to clean water, positively impacting the health and daily lives of the village community and school children.





7.2.4 AMBULANCE SUPPORT FOR COMMUNITY HEALTH



Ambulance services play a vital role in any health care system, but their importance is amplified in rural communities. These areas often face unique challenges such as remote locations, limited healthcare facilities and longer response times in emergencies. Reliable ambulance services bridge the gap between rural populations and critical healthcare, ensuring timely medical intervention and improving overall health outcomes. Mundra Petrochem Limited has provided Ambulance to "KARVAN – E – MUSTAFA" medical & Educational Trust to serve the service at nearby area i.e fisherman community residence at coastal villages like Dhrab, Zarpara, Navinal, etc.

7.3 LINKAGE WITH SUSTAINABLE DEVELOPMENT GOALS

| | |
|---|--|
|  <p>3 GOOD HEALTH AND WELL-BEING</p> | <p>The healthcare initiative improved community well-being, aligning with the goal by enhancing access to essential health services and promoting healthy lives.</p> |
|  <p>10 REDUCED INEQUALITIES</p> | <p>The healthcare initiative reduced inequalities by providing equitable access to medical services, aligning with overall goal of reducing disparities.</p> |

8. SUSTAINABILITY LIVELIHOOD AND WOMEN EMPOWERMENT

This Section encompasses the impact of MPL's comprehensive program on women empowerment and skilling. Further, how this program empowers women, fosters sustainable livelihoods and cultivates environmental awareness within the community. This chapter highlighted MPL's focus on building a better future and emphasizing the program's multifaceted approach.

8.1 KEY INTERVENTIONS



Women Empowerment

Women empowerment is a multifaceted concept that encompasses a range of activities at improving the economic, social and cultural status of women.



Skill Development

Skill development initiatives were carried out with the aim of building capacity for the local community members and help them become more employable through skill enhancement.



Sustainable Infrastructure

In an era marked by rapid urbanization and climate change, the pursuit of sustainable infrastructure has become imperative. Sustainable infrastructure refers to designing, constructing and maintaining systems that meet the needs of the present without compromising the ability of future generations to meet their own needs.



Climate Action

Community tree plantation and rural tree plantation activities have been carried out with aim to improve the green surface and carbon sequestration. Tree plantation is a vital activity that contributes significantly to the preservation of our environment. It involves planting trees in a planned to restore, conserve and enhance the natural landscape.

SOCIAL & ENVIRONMENTAL IMPACT

8.2 WOMEN EMPOWERMENT



To encourage the empowerment of women and promote gender equality, financial independence, and social development, Mundra Petrochem Limited (MPL) has provided meaningful support to Self Help Groups (SHGs) in surrounding villages. These efforts are rooted in the belief that empowering women leads to positive outcomes not just for individuals, but also for families, communities, and society as a whole. SHGs from neighboring villages such as Moti Bhujpur, Zarapara, and Nani Bhujpur have received essential income-generating equipment. The provided resources include sewing machines, milk containers, and kitchen utensils, all intended to enable women to start or expand small businesses and improve their livelihoods. Through these targeted interventions, MPL and its partners are fostering economic opportunities and supporting the self-sufficiency of women in the region.

5 Self Help Groups over 250+ women

In each group to foster skill development and collective growth.



Financial empowering over 55+ marginalized fisherfolk community women.

40+ earning equipment like, sewing machines, Kitchen Utensils, Freezer, Milk storage cans, etc. provided to women from Self Help Groups.



30+ fisher women participated under awareness session.

8.3 HEALTH AND NUTRITION CAMP FOR WOMAN



Agenda

- ✓ Health awareness sessions focused on children's nutrition.
- ✓ Conducted based on Integrated Child Development Services, a government program in India focused on the wellbeing of children under 6 years and their mother.
- ✓ Educated mother on the role of essential nutrients and the impact of nutritional deficiencies.
- ✓ Provided practical example on incorporating nutritious, home-cooked meals and reducing junk food.
- ✓ Facilitated an interactive session where mothers actively participated and raised queries.



Impact


- ✓ Increased awareness among mothers about healthy dietary practices for their children.
- ✓ Empowered mothers to make informed nutrition choices, promoting healthier eating habits.
- ✓ Supported the prevention of malnutrition and improved the overall health and wellbeing of children in the community.
- ✓ Contributed to building a healthier, more informed community focused on child nutrition.

Further, with vision to empower women through comprehensive education, health initiatives and financial independence, fostering community support and sustainable development, MPL has provided training on menstrual health and hygiene and proper nutrition to 5000+ women.

8.4 SUSTAINABLE INFRASTRUCTURE

MPL's vision is to make 16 villages' water positive under MPL-CER activities through better percolation of water into the ground increasing water table and water quality.

The action plan is:




Check Dam Restorations at Moti Bhujpur:



170+ farmers benefited for agricultural purposes.



2,45,000+ cubic meter water stored.



Enough water resources for nearby villagers.

Percolation well construction:



122+ percolation well been constructed so far.



Water table level increases.



Salinity of ground water Decreases



Rever / Stream Cleaning & Pond Deepening:



cleaning of River / stream and pond deepening have been carried out at nearby villages like Zarpara, Moti Bhujpur, etc.



Free flow of water up to the dam or Pond have been ensured.



~22,000 Cu.m Water Storage Capacity increased.



Construction of Box Culvert for free flow of water into the Pond.



Controlling nearby land area from sheet (Soil) erosion or Rill (Soil) erosion.



Roof Top Rainwater

Harvesting:



165

+

RRWH

constructed so far.



Increase
drinking
capacity.

clear
water

8.5 CLIMATE ACTION

The climate crisis is one of the most pressing challenges of this period. To preserve biodiversity, sustainably utilize ecosystems, maintain essential ecological process and local communities through innovative climate action.

8.5.1 TREE PLANTATION

Tree plantation plays a pivotal role in enhancing community well – being and addressing global environmental challenges. As urbanization accelerates and climate change becomes increasingly urgent, the act of planting trees offers both immediate and long – term advantages. Further, tree plantation is essential not only for fostering healthier, more resilient communities but also for combating climate change through carbon sequestration. By participating in carbon sequestration, communities can turn environmental action into economic opportunity, creating a cycle of sustainability that benefits people and the planet.

- These tree plantations will accelerate:
- Environmental Improvement and balancing life cycles.
- Improving air quality through absorbing carbon dioxide, filtering air pollutants and producing oxygen.
- Enhancing Public Health and economic advantages.
- Controlling soil erosion, maintaining water cycles and providing habitats for wildlife.

- Reduced surface heat, lower temperature and offer shades through which minimizing heat related illness.





Tree Plantation have been done with **2500+**, **5000+** and **5000+** numbers of native species at villages Deshalpar, Nani Khakhar and Zarpara respectively by expert i.e M/s Yash Green with **2** year maintenance time period.



Total **12500+** trees have been planted (April – September, 2025) at nearby villages to combat climate change and enhance biodiversity. Further, **101036+** numbers of cumulative trees have been planted at nearby villages for the period up to September, 2025.



Miyawaki tree plantation & **Drip irrigation** methods were used.



M/s Manvseva Charitable Trust and M/s Yash Green are the Expert to maintain the trees to get survival rate more than 98%.



Survival rate of trees is **98% +**



16.5 for the reporting period and **103+** acre (cumulative) land was used for tree plantation

CO₂ Sequestration

2424.864+ tCO₂e will Seq. (Cumulative)



Farmers were assisted in cultivating fruit – bearing trees.



Increasing their income and promoting sustainable agriculture.



Biodiversity Boost – Birds are resting & roosting at tree plantation area.



Increase the organic fertility for the soil.



Increase the CO₂ Sequestration, so as, clean air.

8.5.2 ECO – CLUB: AN INITIATIVE TOWARDS GREEN FUTURE

MPL is dedicated to promoting a sustainable and eco-friendly future. Thus, MPL is creating Eco-clubs in schools that educate students about environmental conservation, promote plastic – free living and inspire sustainable practices for climate action.



70 Schools



6000+ Students

Impact of the work:

- Establish Eco-Clubs in 70 schools, engaging more than 6,000 students in environmental activities.
- Conducting awareness session at schools by expert lecturers, focusing on plastic pollution and its impact on the environment.
- Introduced plastic recycling initiative, turning waste into useful products like recycled plastic pots and benches.
- Educate students about Reduce, Reuse and Recycle principles.
- Educate students about Mangrove conservation and its important to the coastal area.
- Eco days like Environment Day, Earth Day, Mangrove Day, etc. have been celebrated at the different schools.

8.5.3 MANGROVE CONSERVATION AND AWARENESS



Mangrove are salt tolerant trees and shrubs that thrive in coastal intertidal zones. These remarkable ecosystems are found in Mundra and Mandavi taluka' coastal area at the vicinity of the MPL premises. Mangrove forests are vital not only to the health of coastal environments but also to the communities that depend on them.

Mundra Petrochemical Limited had planted 75000 + numbers of Mangroves species in an area of 7 Ha at the Kotadi Creek. In addition to this, MPL is conserving mangroves through experts by constant supervision so that survival rate shall be more than 90%.

8.5.4 AWARENESS ON "ALTERNATIVE OF SINGLE USE PLASTIC"

Rejecting single use plastics means embracing sustainable alternatives that are kinder to our planet. To create awareness about the harmful effects of single use plastic, MPL has conducted awareness sessions at schools of nearby villages.



Students from nearby schools.



- Students learn the alternative of single use plastic.
- Students enhance their innovated knowledge for reusable items as they are excellent substitutes such as cloths bags, metal straws, Glass bottles and bamboo cutlery.

Further, to promote Reuse, Recover & Recycling, MPL has extended use of plastic to make plastic benches and provided to students of nearby villages.



10 Benches (Made from recyclable plastic) provided by MPL to Deshalpar Girls Hostel

8.6 AWARENESS DRIVE ON CONSERVE WATER, PROTECT EARTH AND ENVIRONMENT.



To raise awareness about water conservation, protect earth & environment and encourage students and surrounding community to adopt sustainable practices for optimal usages of natural resources and protect them.

8.7 LINKAGE WITH SUSTAINABLE DEVELOPMENT GOALS.

| | |
|---|---|
|  <p>1 NO POVERTY</p> | <p>MPLs initiative focused on livelihood generation and providing additional support to farmers works towards eliminating poverty.</p> |
|  <p>2 ZERO HUNGER</p> | <p>Enhance income generation opportunities provided to the local community and sustainable job creation will enable the local to fulfill basic needs like food and nutrition.</p> |
|  <p>5 GENDER EQUALITY</p> | <p>Dedicated efforts through Workshop and promoting women farmers have created more equitable society.</p> |
|  <p>8 DECENT WORK AND ECONOMIC GROWTH</p> | <p>Major interventions were focused on building employability in the local community and creating a sustainable source of income.</p> |
|  <p>10 REDUCED INEQUALITIES</p> | <p>A non – discriminatory approach in beneficiary identification has reduced inequality.</p> |
|  <p>11 SUSTAINABLE CITIES AND COMMUNITIES</p> | <p>By integrating IEC based interventions and Eco club drive on awareness and community building will work towards building sustainable society.</p> |
|  <p>13 CLIMATE ACTION</p> | <p>A significant effort has been put in promoting natural farming and conservation of local ecosystem through plantation and mangrove conservation.</p> |

9. COMMUNITY RURAL INFRASTRUCTURE DEVELOPMENT

community Rural infrastructure Development program by MPL encompasses a wide array of initiatives aimed at enhancing rural areas. It focuses on water conservation through measures like check dam restoration, de-siltation and bore well recharge structures. Infrastructure support includes sports facilities; renovation of educational and trailing centers and repair works in schools and infrastructure for fishing community across various villages. Additionally, the program addresses essential amenities like sheds along with "Gaman" (Cattle Food Pan) at Gaushala of nearby village.

9.1 KEY INTERVENTION



Road Repairing /
construction work

Road construction work is a cornerstone of modern civilization. It drives economic growth, enhances connectivity, promotes social integration and supports environmental sustainability.



Common Gathering
Infrastructure

In the heart of any thriving community, common gathering infrastructure serves as the backbone that fosters interaction, collaboration and a sense of belonging. These infrastructures are essential for the social fabric, ensuring that people have spaces to meet, share and grow together.



Sustainable
Infrastructure

By adopting the development of sustainable infrastructure in rural areas, we can address the challenges of climate change, resources depletion and urbanization while promoting a more equitable and resilient future.



Educational
Infrastructure

Developing educational infrastructure in villages is essential for fostering individual and community development. Despite the challenges, a combination of government support, community involvement, public – private partnership and innovative solutions can create sustainable educational opportunities for rural populations.

SOCIAL & ENVIRONMENTAL IMPACT

9.2 ROAD REPAIRING / CONSTRUCTION ACTIVITIES.

As roads are the key factor for development through transporting, shifting, movement of materials and other activities, MPL is giving the priority to provide good road for circulating economy as well as smooth functioning of rural development, specially in fisherfolk community.



- Renovation work for approach road at Farm area (countryside area) of village Zarpara and School approach road at village SVC Nana Kapaya.
- Development of approach road and ground cleaning and leveling work at Daneshvar Mahadev mandir, village: Siracha
- Renovation of Damage Bund work to protect check dam at Nani Khakhar
- Renovation of approach road for vadi vistar area i.e Nana Bhadiya, Mota Bhadiya, Lalyara and chach vadi vistar at Zarpara.
- Renovation of approach road for vadi vistar and Fisherman vasahat area at Zarpara.
- Road cleaning work at village Siracha.


9.3 CLEANING OF "GAUCHAR AREA" (CATTLE FIELD AREA)



"Gauchar" land, also known as common grazing land, holds significant importance in rural and agrarian societies, especially in regions where agriculture and livestock form the backbone of the local economy. Considering this, Mundra Petrochem Limited has clear the unwanted Acacia trees (Babul Trees) from approximately 100 acres "Gauchar" land at village Zarpara so that grass can grow smoothly and so as cattle can feed their routine food chain.

In addition to this, land maintenance work comprises:

- Removal of debris and invasive species.
- Leveling and soil treatment to improve fertility.
- Plantation of native grass and fodder species.
- Installation of fencing to protect the land.



100+ Acres of "Gauchar" land have been fertile through Soil conservation, fertilization, Grass sapling and removal of unwanted trees.

9.4 CONSTRUCTION OF SHEDS

Sheds have proven to be valuable assets, enriching local spaces and enhancing the quality of life for animals. This shed is filling the gap to shelter more than 2350 cows at village Deshalpar and Zarpara. These sheds have been accomplished with "Gaman" (Cattle food serving pan) so that cattle have their food on better way.



9.5 SUSTAINABLE INFRASTRUCTURE

As water is an essential part of life and to fulfill this requirement, MPL has extended support through Roof top rainwater harvesting systems, repairing of check dams, cleaning of river / streams and percolation wells at nearby 16 villages from the plant premises.



Rooftop Rainwater Harvesting system



Clean water available at house step.



220+ farmers benefited for agricultural purposes through check dam repairing / construction and box culvert.



2,67,000+ cubic meter water stored.



122+ percolation well been constructed so far.



Water table level increases.



Salinity of ground water Decreases.



Saline water Reverse Osmosis Plant installed at primary school, Moti Bhujpur with capacity of 150Ltr/hr for students to have clean drinking water.



250+ Students benefited.





Construction of Box Culvert for uninterrupted free flow of water into the Pond.

9.6 LINKAGE WITH SUSTAINABLE DEVELOPMENT GOALS



Increased water availability and quality will boost agricultural production.



Dedicated efforts for enhancing rainwater storage will improve clean and safe drinking water option for household.



Improved recharge and harvesting options will make local communities reliant against water stress.



The water conservation initiative significantly increased storage capacity, enhancing climate resilience and promoting sustainable water management.



શ્રી નાની ખાખર ગ્રામ પંચાયત

સરપંચશ્રી : જાહેન પ્રેમસંગ જીલુભા, Mo. 9265281431

પતિ,
અદાણી કોઈ-ડેસન,
મુંબ, કચ્છ

વિષય: નાની ખાખર માં રજા વિવાદાકી જાજનોવા નિર્માણ માટે દુકલપવુલક આભાર

માનનીય મહાશય,

સવિનય વિનયો છે કે, અદાણી કોઈ-ડેસન દ્વારા નાની ખાખર ગામના પર્વાવરણીય વિસ્તાર માટે કલ્યાણ આંગણ, અભ્યાસગૃહ અને સતત પ્રવાસી આશ્રમ ગ્રામ પંચાયત તથા સ્થાનક ગામજનો તરફને દુકલપવુલક આભાર માને છે. વર્ષ ૨૦૧૬-૨૦૧૭ માં ગ્રામ પંચાયતની સુખ્યાએને આદર આપી, સરકારી સ્વાસ્થ્યક કાર્યકરની સ્વાસ્થ્ય નિવાસીની સુવિધાઓ કુળા પુલોનું વાવેતર કરી એક તાર, જીવનવિજ્ઞાની સરકાર જાજન ગામ કરવામાં આવ્યું છે, જે આજે ગામની દાન અને શાળાના વિદ્યાર્થીઓ માટે જીવન પર્વાવરણીય સ્થાનક બન્યું છે. આ પાસે ગામની સ્ત્રીક સુખ્યાએને સમીકરણીય તથા, સીકાણા વિસ્તારમાં ૩ એકર જાજનોવા ગામજનો નિકલગામમાં આવ્યું, જે સંપૂર્ણ ઈને તેવાર થઈ ગયું છે અને ગામના પશુઓ તથા પર્વાવરણને વાલ આપી રહ્યું છે. વળી, સતત સુખ્યાએને આભારમાં રાખી વર્ષ ૨૦૧૬-૨૦૧૭માં પ્રાથમિક શાળાની કામે ૨,૫૦૦ વલોનું નવું વિવાદાકી જાજન નિકલગામમાં કરવી તથા પર્વાવરણમાં આવ્યું, જે પૂર્ણ થયું છે.

આ જરીય જાજનોવા માત્ર વાવેતર જ નથી, પરંતુ વાટે અગ્રુ તાર કેનિશિય, ડ્રિપ સિસ્ટમના સિસ્ટમ તથા કલો જાજનોવા સતત જાજનોવા માટે તથા ગામના જાજનોવાઓ, કમીટીઓની સિલકુક કરવામાં આવી છે. જે અભ્યાસ મહેનત, દુકલો નિવાસીઓ અને પર્વાવરણ કલોની અલગ પ્રવિનકરણનું જીવન વાવેતર છે. આ પર્વાવરણીય ગામનું સુવર્ણ જાજનોવા સુવાસી, સાનિક સુવિધાન થઈશે, કાર્બન સોષણ વાસી, પાનકરને જાજનોવા પર્વાવરણ સિલકુક બનશે અને આભારી પેઢીઓને સવિનયનું વારસો બનશે. અદાણી કોઈ-ડેસનના આ કામે વિશ્વાસ અને પર્વાવરણ - અને સારી-નુ ઉત્તમ અને વેલગામની ઉત્કરણ પૂર્ણ થયું છે.

ગ્રામ પંચાયત તથા ગામજનો અદાણી કોઈ-ડેસનનો અકલક આભાર વ્યક્ત કરે છે અને આભારના સતતમાં વાલ આપવા સકલોની, પર્વાવરણકરોની અને સુખ્યાએકી કાર્યોની અવેકર ઠાને છે. આભાર માને,

શ્રી જાજનોવા ગ્રામ પંચાયત
મ. જાજનોવા-૨૦૧૬
ગ્રામ પંચાયત - નાની ખાખર

કલ્યાણ પુલિય તથા વર્ષી સભા

શ્રી નાની ખાખર ગ્રામ પંચાયત



સોનો સાથ સોનો વિકાસ

ગતિશીલ ગુજરાત

શ્રી કાંડાગરા મોટા ગ્રામ પંચાયત

મુ. પો. કાંડાગરા મોટા, તા. મુંબા - ૬૨૪. પીન : ૩૭૦૪૩૫

જાજન નં. : તારીખ : / / ૨૦

પતિ,
અદાણી કોઈ-ડેસન,
અદાણી પોર્ટ, મુંબરા-૬૨૪.

આભાર પત્ર એવમ જાજ સ્વીકાર

સાદર નમસ્કાર,

સવિનય સાથ જાજવાવાનું કે, યોમસામાં વરસાદના કારણે ગામના તથા વાડી વિસ્તારના રોડ તથા કામ અરજના રસ્તાઓ વરસાદના કારણે ધોવાણ થઈ ગયેલ હતા અને આજુબાજુના રાહદારીઓને અવર-જવર કરી યુરકેશ બની ગયેલ હતું. જે કામગીરી માટે મોટા કાંડાગરા ગ્રામ પંચાયત આરો પંચાયતવામાં આવતા તાકાલિક ધોજા જે ઈવસે જાજર સહઈ, રસ્તા વરખાતની કામગીરી રાડુ કરી ફેવામાં આવેલ હતી જે કામગીરી માટે ડિવન-૧૧ થાટ જે.સી.બી./ ડુકલર નંબ-૨ કામગીરીમાં આવેલ હતું. જેના વધારા સહઈ તથા રસ્તા વરખાતની કામગીરી ઓગસ્ટ માસ કલવિવાન કરવામાં આવેલ હતી. જેના કારણે લોકોને યુરકેશીઓનો સામનો ન કરવો પડ્યો અને અભ્યાસ ગામના લોકોને મદદરૂપ થવા પડકલ જામના વાવેલક વિકલગની કામગીરીમાં વાલગામી થયેલ છે. ઉત્ત કામગીરી અંતર્ગત મૂલ જ ઉત્કુષ તથા પ્રશંસનીય મુંબરા સેવા આપેલ જે બલક મોટા કાંડાગરા ગામના ગામજનો તથા મોટા કાંડાગરા ગ્રામ પંચાયત પરિવાર આપના આભારી અને જાજી છીએ.

ભવિષ્યમાં થલ આવા જ અભ્યાજ ઉપયોગી ઉના કામે કરવા ઈલો તેવી સુખેવજા બને પ્રાર્થના સાથ

આપના સુખવિવત...

શ્રી કાંડાગરા / ઈલ / આપનાર્
ગ્રામ પંચાયત તા. મુંબરા - ૬૨૪

વિવા સહાય નહીં ઉભર

સાવકેર વાલો

પંચ તથા પર્વાવરણ

શ્રી મોટી ભુજપુર જુથ ગામ પંચાયત

સરપંચશ્રી :

શ્રીમતી લક્ષ્મીબેન ભીમજીભાઈ નંવાર

કાર્યવિજના ગામ : મોટી ભુજપુર, નાની ભુજપુર, પ્રતાપપુર

મું. પો. મોટી ભુજપુર, તા. મુંબરા-૬૨૪.

જાજન નં. : તારીખ : / / ૨૦

પતિ શ્રી,
અદાણી કોઈ-ડેસન,
CSR વિભાગ,
મુંબ-૬૨૪.

વિષય: સ્પર્ધાત્મક પરીક્ષાના પુસ્તકોના યોજદાન બદલ આભાર

આદરણીય સાહેબ શ્રી,
અમારી મોટી ભુજપુર જુથ ગ્રામ પંચાયત, અદાણી કોઈ-ડેસનનો અભાર ગામની ડેવલપ્મા સાહેબ આંવેકકર લાઇબેરી લુક વિલર, માટે CSR કંડમાંથી સ્પર્ધાત્મક પરીક્ષાઓની તેવારી કરતા વિદ્યાર્થીઓ માટે પુસ્તકો પ્રદાન કરવા બદલ કલવપૂલક આભાર વ્યક્ત કરીએ છીએ.

તમારા આ યોજદાનથી ગામના યુવાનોને ધરખાંજણે જ સ્પર્ધાત્મક પરીક્ષાઓ જેવી કે GPSC, UPSC, બેકિંગ, રેલવે, પોલીસ, વગેરેની તેવારી કરવાનો મોકો મળશે. આ પુસ્તકો તેમને જરૂરી માર્ગદર્શન પુરું પાડશે અને તેમના ઉજ્જવળ ભવિષ્ય માટે થલો નાખશે.

તમારું આ યોજદાન માત્ર પુસ્તકોનું દાન નથી, પરંતુ અમારા ગામના યુવાનોને સશક્તિકરણ કરી તેમના સપનાઓને સાકાર કરવામાં મદદરૂપ થવા બદલ છે. ફરી એકવાર, આ ઉમદા પહેલ માટે આપનો મૂલ મૂલ આભાર.

શ્રીમતી લક્ષ્મીબેન
સરપંચશ્રી
શ્રી મોટી ભુજપુર જુથ ગ્રામ પંચાયત
આપનો વિકાસ



શ્રી દેશલપર(કંઠી) ગામ પંચાયત

ઉપસરપંચ

આહીર રમેશ બાલુભાઈ

મો. : 9978865788

જાજન નં. : તારીખ : / / ૨૦

પ્રેમીકી,
સાવકેર સવિકારીકી,
મુંબરા પ્રેમકેમ તિ,
અદાણી. કોઈ-ડેસન.

વિષય: દેશલપર કોઈ ગામને માત્રી ગામના સુવર્ણ મહી પાને દેશલપરની કાંડાગરા ગામમાં ૧૦.૫ એકર અંગલોવિકાસ માટે કલ્યાણવુલક આભાર.

સવિકારક ગામના ગામજનો કે અંધારાકી કલવેલો લી ગામના ગામજનો તરફ ગામજનો પેકાશી કલવણમાં આપેલ અભ્યાસગૃહની પાસામાં લલેના ગામ. પંચાયતની હામિ આભાર સાથે હીલો. અમારા ગામની લકુભાઈ વલક ૨૫ની. અદાણી કોઈ-ડેસન ૨૩-૨૫ વલકપણ ૨૦૧૬ અગા કાંડાગરા ગામે કલવણમાં આપેલ ગામજનો ફરી સુખ્યાએ વધારા ગામજનો સુખ્યાએ ગામજનો કોઈ-ડેસન ૨૨૨૦ લલેના. કલવણ બદલ દેશલપર ગામજનો આભાર હીલો. આહીર દેશલપર ગામજનો અને ગામ, દેશલપર ગામ. આભાર સમાજીઅગત્ય હીલો.

દેશલપર (કંઠી) ગામ પંચાયત
સાવકેર સવિકારીકી

Annexure – V

Air Pollution Controlling Measures during construction phase at GPVC site.

Mundra Petrochem Limited has prepared and implemented an Environmental Management Plan for construction phase vide internal documentation no. MG000-HSE-000-BD-7002 Dated 21.03.2024 with incorporating the Air Pollution Controlling Measures during construction activities. Presently, The PVC project is currently in the final design, detailed engineering, and procurement stage. Simultaneously, construction activities are ongoing at the site. The following APC measures have been taken for the activities during construction phase.

| Sr. No. | Affected Environmental component | Likely Impacts in absence of mitigation measures | Mitigation measures have been taken | Remark |
|---------|---|---|---|--|
| 1 | Air Quality | <ul style="list-style-type: none"> Traffic congestion. Increase in ambient air pollution (Increase in levels of NOx, SPM, Dust Hazards. Etc.) Risk Accidents. | <ul style="list-style-type: none"> On site use of concrete batching plant. Only PUC certified vehicles are allowed to enter the premises. Water sprinkling have been carried out to stabilize the dust prone areas. Preventive maintenance of transport, heavy equipment and construction equipment have been carried out on regular intervals. Low Sulphur fuel i.e Diesel are being used. PPEs / masks have been used at high dust generating area. AAQM have been carried out at construction site as well as at surrounding villages. DG sets having complied with GPCB/CPCB norms are in used. | <ul style="list-style-type: none"> Impacts are temporary and short distances, as coarse particles are settling within the short distance from the activities during the construction phase. Water sprinkling details have been recorded. Monthly Monitoring has been carried out through a recognized laboratory. Record for the DG sets with complying GPCB/CPCB norms have been maintained with respective units / user. |
| 2 | Road Traffic due to vehicle movement for transportation of manpower, materials and equipment. | <ul style="list-style-type: none"> Vehicular exhaust and dust emissions on the road. Noise generation Risk involved in transportation activity such as accidents damage to properties etc. | <ul style="list-style-type: none"> Only PUC certified vehicles are allowed to enter the premises. The speed of vehicles has been restricted to certain speed limits to control the spillage, emissions OR air born generation. | <ul style="list-style-type: none"> Entry and exit of vehicles' registration / records have been maintained. Vehicle movement security systems have been in service so that |

| | | | | |
|--|--|--|---|--|
| | | | <ul style="list-style-type: none">• Idling trucks and dumper on the roads are not allowed.• Construction materials are brought in batches with covered with tarpaulin sheets.• Defensive driving / awareness training has been provided to drivers on regular interval. | Photographs / video of each vehicle have been recorded during entry of vehicles. |
|--|--|--|---|--|

Photographs:




Water Sprinkling on Internal Roads





Material Covered with Sheet during transportation



Checking Vehicle's documents like PUC, etc. at Entry Gate

Batching Units / Facilities have been set up inside the premises



Use of E-vehicles for construction / site activities



D.G. Sets having adequate stake height and Acoustic system covered on it.



Annexure – VI

Activities for Wildlife Conservation Plan



An awareness program on "Wildlife Conservation" was conducted in a nearby village. The program covered the need for wildlife conservation, its definition, importance, and methods. It also highlighted actions taken by Mundra with Adani Petrochem Limited in consultation



Foundations for surrounding villages and coastal areas.



Status of Wild Life conservation plan.

| Sr. No. | Activity | Villages / Area | Status | Remark |
|---------|---|---------------------------------|------------|--|
| 1 | Plantation program for coservation of habitat | Nearby Villages | Fulfilled | 88536+ trees have been planted at nearby villages. |
| 2 | Awareness programme for "Wild life" Conservation – Educational Program. | Tunda (1 st Year) | Fulfilled* | Awareness programme have been conducted under Eco Club Programne. |
| | | Vandh (2 nd Year) | Fulfilled* | |
| | | Navinal (3 rd Year) | Fulfilled* | |
| | | Siracha (4 th Year) | Fulfilled* | |
| | | Kandagra (5 th Year) | Fulfilled* | Awareness programme have been conducted under Eco Club Programne. |
| 3 | Artificial Concreate water pond of 1000 lit capacity to provide drinking water facility for wild animals. | 2 villages in study area | Fulfilled | 2 Nos. "Guzzler" – Drinking water facilities of more than 1000 liters capacity have been provided for wild life animals at the locations recommended by District Forest Department, Gov. of Gujarat. |
| 4 | Mangrove Plantation (1000 no. of plant per Ha.) | Near by project area. | Fulfilled | 10000 numbers of mangrove plantation have been done in vicinity of plant premises. |

* : 70 number of schools from neaby 16 villages and mundra & Mandavi towns have been covered under "ECO CLUB" which are formed for generating awareness on environmental best practices, wildlife conservation, Mangrove conservation, sustainability and Earth eco system.

Wildlife awareness programs have been conducted at schools of nearby villages under the Eco Club initiative. 70 schools from surrounding villages, including Mundra and Mandavi town areas, participated

in these programs aimed at promoting environmental awareness on topics such as wildlife conservation, alternatives to single-use plastics, and mangrove conservation.

Over 6000 students participated in these programs, gaining an understanding of the importance of their local area and the dependence of life on barren land as well as coastal regions.

Students were also educated about the sanctuary and reserve forest areas located in the district and the measures taken to protect wildlife.



Mangroves are salt-tolerant trees and shrubs that thrive in coastal intertidal zones. These remarkable ecosystems are found in the coastal areas of Mundra and Mandavi talukas near the MPL premises. Mangrove forests are essential not only to the health of coastal environments but also to the communities that rely on them. This report highlights the significance of mangrove conservation.





Mangrove plantation in an area of 7+ Ha have been carried out at nearby PVC Project area – Kotadi Creek with planting 75000+ numbers of mangrove species. In addition to this, MPL is conserving mangroves through experts by constant supervision so that survival rate shall be more than 90%.

Furthermore, in accordance with the approved wildlife conservation plan, two "Guzzler" drinking water facilities for wild animals have been constructed in consultation with and under the supervision of the District Forest Department, Kutch, at the Reserve forest area, Navinal Dhuvo, near Bardimata Temple.

2 numbers of Guzzler have been constructed at Reserve forest area, Navinal Dhuvo, Near Baradi Mata Mandir, Navinal



Letter from Forest Department for Completion of "GUZZLER" – Drinking water facilities for animals.



એક વખત વપરાશ માં
લેવાતા પ્લાસ્ટિક પર
પ્રતિબંધ



AWARENESS PROGRAMME -
BAN ON SINGLE USE PLASTIC

"Growth with Goodness"

Awareness program on “Ban on Single use plastic” has been conducted at Government Schools and Self Help Groups of nearby villages as per The Plastic Waste Management Rules 2016 and amended from time to time, inter-alia, mandated banning of identified Single Use Plastic (SUP) items with effect from 01/07/2022.

Awareness Program has covers CPCB Notifications, prohibited plastic items, complications created by plastic waste, awareness on plastic waste, plastic recycling numbers and its meaning.

The central aim of the plastic – free drive is to empower and enlighten students as key representatives of change, enabling them to disseminate awareness and instill the practice of reducing single use plastic within their community.

1. Educate: Spread awareness about the harmful effects of plastic on the environment, marine life, soil health and human well – being.
2. Engage: Mobilize community members, especially the youth and family members to actively participate in plastic waste reduction activities.
3. Implement: Introduce sustainable alternatives to ensure proper disposal and recycling.

Green School: Eco club for enlarging awareness on environment, sustainability, wildlife conservations, mangrove conservation, alternative of single use of plastics etc. have been established and under these 70 numbers of school from nearby villages, Mandavi and Mundra town area have been covered and more than 6000 students are participated in above said various awareness activities.

In line with this, "No Plastic Drive" – alternative of Single use plastic, in Utthan Schools has encouragingly motivated students behavior. Under this, Eco Clubs were established to further raise climate change awareness and promote a plastic free environment.

Rejecting single use plastics means embracing sustainable alternatives that are kinder to our planet. To create awareness about the harmful effects of single use plastic, MPL has conducted awareness sessions at schools of nearby villages.



- Students from nearby schools.
- Students learn the alternative of single use plastic.



- Students enhance their innovated knowledge for reusable items as they are excellent substitutes such as cloths bags, metal straws, Glass bottles and bamboo cutlery.



To build a sustainable and eco-friendly future by turning environmental challenges into impactful solutions and as part of corporate commitment towards sustainability and community welfare, MPL has facilitated the installation of 10 benches made from recycled plastic at the Deshalpar Girls hostel. The aim is to reduce plastic waste and promote a circular economy that benefits both society and the planet. These benches offer comfortable sequencing seating for 100 hostel residents.

M/S. MUNDRA PETROCHEM LIMITED (MPL)

**Six Monthly Environmental Monitoring Report
Mundra Petrochem Limited (MPL) Located at near Village
Vandh & Tunda, Taluka Mundra, District Kachchh, Gujarat**

Month: April to Sept 2025

Submitted By



**UniStar Environment & Research Labs Pvt. Ltd.
White House, Near GIDC Office, Char Rasta, Vapi,
Gujarat, India – 396195**

M/S. MUNDRA PETROCHEM LIMITED (MPL)

Six Monthly Environment Monitoring Report for Green PVC Project near Village Vandh & Tunda, Taluka Mundra, District Kachchh, Gujarat

This report is released for the use of Mundra Petrochem Limited (MPL), Regulators and relevant stakeholders solely as part of the subject project’s Environmental Compliance Process. Information provided, unless attributed to referenced third parties, is copyrighted, and shall not be used for any other purpose without the written consent from Mundra Petrochem Limited (MPL).

| QUALITY CONTROL | | | | | | | |
|----------------------------------|--|------------------|--------------------|---------------------|-------------------|-----------------|--------------|
| Name of Publication | Six Monthly Environmental Monitoring Report for Green PVC Project near Village Vandh & Tunda, Taluka Mundra, District Kachchh, Gujarat | | | | | | |
| SO No. | Service Order | Issue No. | 1 | Revision No. | 01 | Released | October 2025 |
| Prepared & Managed By | MS. Pooja Gandhi | | Approved by | | Mr. Jaivik Tandel | | |
| Released By | Unistar Environment and Research Labs Pvt. Ltd. | | | | | | |

TABLE OF CONTENTS

| | |
|--|-----------|
| 1 EXECUTIVE SUMMARY | 5 |
| 1.1 INTRODUCTION..... | 5 |
| 1.1.1 About ADANI Group..... | 5 |
| 1.1.2 About UniStar Environment and Research Labs Private Limited (UERL)..... | 5 |
| 1.2 BRIEF DESCRIPTION OF PROJECT | 5 |
| 2 ENVIRONMENTAL MONITORING | 6 |
| 2.1 GENERAL PHILOSOPHY & SCOPE OF WORK..... | 6 |
| 2.2 SAMPLING & ANALYSIS | 7 |
| 2.2.1 Ambient Air Quality Sampling and Analytical Techniques..... | 7 |
| 2.2.2 Ambient Noise Level Sampling Techniques..... | 8 |
| 2.2.3 Ground Water Sampling & Analysis Techniques..... | 8 |
| 2.2.4 Surface Water Sampling & Analysis Techniques..... | 9 |
| 2.2.5 Surface Water (Marine) Sampling & Analysis Techniques..... | 10 |
| 2.2.6 Treated Water Sampling & Analysis Techniques..... | 10 |
| 2.3 LOCATION (MAP SHOWING GENERAL LOCATION, MONITORING LOCATION AND PROJECT BOUNDARY) WITH COORDINATES & MONITORING DETAILS..... | 10 |
| 3 CLIMATIC CONDITON | 17 |
| 3.1 CLIMATIC DATA FROM SECONDARY SOURCES | 17 |
| 4 ANALYSIS & INTERPRETATION..... | 19 |
| 4.1 AMBIENT AIR..... | 19 |
| 4.2 AMBIENT NOISE..... | 24 |
| 4.3 WATER QUALITY..... | 26 |
| 4.3.1 Ground Water Quality..... | 26 |
| 4.3.2 Surface Water Quality..... | 29 |
| 4.3.3 Surface Water (Marine) Quality..... | 30 |
| 4.3.4 Sewage Water Quality..... | 32 |
| 4.4 SOIL QUALITY..... | 32 |

LIST OF ANNEXURES

Annexure 1: Laboratory Recognition by MOEFCC, NABL, GPCB Sch.II Auditor & NABET Certification . 34
Annexure 2: Calibration Certificates..... 35

ABBREVIATIONS AND ACRONYMS

| | | |
|----------------------------------|---|---|
| MPL | : | Mundra Petrochem Limited |
| APL | : | Adani Power Limited. |
| APSEZL | : | Adani Ports & Special Economic Zone Limited |
| UERL | : | UniStar Environment and Research Labs Private Limited |
| CPCB | : | Central Pollution Control Board |
| EIA | : | Environment Impact Assessment |
| EMP | : | Environmental Management Plan |
| ETP | : | Effluent Treatment Plant |
| KLD | : | Kilo Liter Day |
| MOEFCC | : | Ministry of Environment, Forest & Climate Change |
| C ₂ H ₂ | : | Acetylene |
| CaC ₂ | : | Calcium Carbide |
| C ₂ H ₃ Cl | : | Vinyl chloride |
| GoI | : | Government of India |
| GPCB | : | Gujarat Pollution Control Board |
| PVC | : | Polyvinyl chloride |
| VCM | : | Vinyl Chloride Monomer |

1 EXECUTIVE SUMMARY

1.1 Introduction

1.1.1 About ADANI Group

The Adani Group is a diversified organisation in India comprising 11 publicly traded companies. It has created a world class transport and utility infrastructure portfolio that has a pan-India presence. Adani Group has headquartered in Ahmedabad, in the state of Gujarat, India. Over the years, Adani Group has positioned itself to be the market leader in its transport logistics and energy utility portfolio businesses focusing on large scale infrastructure development in India with O&M practices benchmarked to global standards. With four IG rated businesses, it is the only Infrastructure Investment Grade issuer in India.

Over the years, Adani Group has positioned itself to be the market leader in its transport logistics and energy utility portfolio businesses focusing on large scale infrastructure development in India with O & M practices benchmarked to global standards, with key businesses across Resources –Coal mining & trading, Logistics – shipping, rail and airport terminals, Energy – Gas (LNG, City Gas), Thermal power generation, Renewables (Solar & Wind) and transmission energy infrastructure, Agro commodities, Ancillary industries and Real estate etc. Adani Group is the largest private power producer in India.

Adani owes its success and leadership position to its core philosophy of 'Nation Building' driven by 'Growth with Goodness' - a guiding principle for sustainable growth. Adani is committed to increasing its ESG footprint by realigning its businesses with emphasis on climate protection and increasing community outreach through its CSR programme based on the principles of sustainability, diversity and shared values.

Adani group is now executing green PVC project (Green PVC) at near Village Vandh & Tunda, Taluka Mundra, District Kachchh, Gujarat

1.1.2 About UniStar Environment and Research Labs Private Limited (UERL)

UniStar Environment and Research Labs Private Limited is a company which provide efficient and economical services in the areas of environmental pollution control/monitoring and chemical analysis & research activities to various industries and institutions. UniStar provides technical consultancy backed by well-established sophisticated analytical laboratories, to comply with Statutory requirements and directives of the Pollution Control Board/ Committees under various Environment Pollution Control Acts. and Rules. We also carry out post Environmental Clearance monitoring and assist our valued customers in preparation of Half-yearly Environmental Clearance Compliance report.

- Ministry of Environment, Forest and Climate Change (MOEFCC), GOI recognized the Laboratory under the Environment Protection Act-1986 which is valid up to – 18/10/2027.
- ISO/IEC 17025 Accredited Laboratory by National Accreditation Board for Testing and Calibration Laboratories (NABL) which is valid up to – 22/09/2026.
- Recognized Environmental Auditor Laboratory by Gujarat Pollution Control Board, Gandhinagar, Gujarat, India which is valid up to 31/12/2025.

Copy of relevant certificates are attached as Annexure I.

1.2 Brief Description of Project

The proposed Green PVC Project is having various major units such as, Semi-coke Plant, Calcium Carbide Plant, Acetylene Plant, VCM Plant, PVC Plant, Caustic Soda Plant, Ethylene Glycol Plant & Cement Plant. The associated infrastructure facilities such as boiler, final/intermediate product storages etc, utilities, pipelines, ancillary facilities for interconnecting /transferring of materials between pockets, loading/unloading, roads, drainages, pipe racks, trenches, cable trays, non-plant buildings, laboratories, fabrication yards, batching Plant, dispatch section, general stores/warehouse, fire & safety department, maintenance workshop, occupational health centre etc. will also be established.

2 ENVIRONMENTAL MONITORING

2.1 General Philosophy & Scope of Work

The environmental monitoring encompassed various disciplines and environmental attributes, including air quality, water quality, noise levels, and soil conditions. As per the given scope of work for environmental monitoring by MPL, we have prepared Environmental Monitoring Plan as per below.

| Sr. No | Discipline | Location | Parameter | Frequency |
|--------|--------------------------------|-----------------|--|--------------------|
| 1. | Ambient Air Quality Monitoring | Seven Locations | As per NAAQMS, 2009 | Monthly |
| 2. | Ambient Noise Monitoring | Seven Locations | Day Time & Nighttime - Noise Levels in Leq dB(A) | Monthly |
| 3. | Treated Sewage water | One Location | pH, Bio-Chemical Oxygen Demand (BOD), Chemical Oxygen Demand (COD), Total Suspended Solids (TSS), Faecal Coliform (FC) (Most Probable Number per 100 millilitre, MPN/100ml, Nitrogen-Total, Phosphorus-Total | Monthly |
| 4. | Ground water | Eight Location | pH, Temperature, Turbidity, conductivity, Total Dissolved Solids, Bio-Chemical Oxygen Demand (BOD), Chemical Oxygen Demand (COD), Salinity, Ammonical Nitrogen, Total Alkalinity, Total Hardness, Calcium, Magnesium, Chloride, Sulphate, Nitrate, Fluoride, Phenolic Compound, Sodium, Potassium, Calcium Hardness, Magnesium Hardness, Lead, Iron, Cadmium, Manganese, Copper, Arsenic, Chromium, Mercury, Nickel, Zinc, Total Nitrogen, Cyanide, Total Phosphorous, Sodium Absorption Ratio (SAR) | Pre & Post Monsoon |
| 5. | Surface Water | Four Location | pH, Colour, Conductivity, Total Dissolved Solids, Bio-Chemical Oxygen Demand (BOD), Chemical Oxygen Demand (COD), Dissolved Oxygen, Total Hardness, Calcium Hardness, Magnesium Hardness, Chloride, Sulphate, Nitrate, Fluoride, Phenolic Compound, Ammonical Nitrogen, Lead, Iron, Cadmium, Manganese, Copper, Arsenic, Chromium, Boron, Mercury, Zinc, Cyanide, Sodium Absorption Ratio (SAR) | Pre & Post Monsoon |
| 6. | Surface Water (Marine) | Three Location | pH, Colour, Odour, turbidity, Total Suspended Solids, Total Dissolved Solids, Bio-Chemical Oxygen Demand (BOD), Chemical Oxygen Demand (COD), Dissolved Oxygen, Oil & Grease, Lead, Iron, Cadmium, Manganese, | Pre & Post Monsoon |

2.2 Sampling & Analysis

The selection of methods for sampling, preservation, and analysis holds significant importance in environmental monitoring. To ensure the highest quality in environmental sampling and analysis, the Central Pollution Control Board (CPCB) has established guidelines for these processes. Adhering to these guidelines, specific methods for sampling and analysis of environmental samples have been chosen and implemented. Instrument used in sampling are calibrated from NABL accredited Laboratory. Details are as follows:

| Sr. No | Name of Instrument Used | ID No./Sr. No | Make/Model | Calibration Date | Cal. Valid up to |
|--------|---------------------------------|-------------------------------|------------------------------------|------------------|------------------|
| 1. | Respirable Dust Sampler PM 10 | UERL/AIR/RDS/24/2345-DTB-2012 | Envirotech/ APM 460-BL | 19/12/2024 | 18/12/2025 |
| 2. | Fine Particulate Sampler PM 2.5 | UERL/AIR/FPS/30/132-DTL-2012 | Envirotech/ APM 550-MINI | 18/12/2024 | 17/12/2025 |
| 3. | Respirable Dust Sampler PM 10 | UERL/AIR/RDS/25/1744-DTA-2013 | Envirotech/ APM 460-BL | 18/12/2024 | 17/12/2025 |
| 4. | Fine Particulate Sampler PM 2.5 | UERL/AIR/FPS/41/137-DTD-2013 | Envirotech/ APM 550-MINI | 19/12/2024 | 18/12/2025 |
| 5. | Respirable Dust Sampler PM 10 | UERL/AIR/RDS/26/1745-DTA-2013 | Envirotech/ APM 460-BL | 19/12/2024 | 18/12/2025 |
| 6. | Fine Particulate Sampler PM 2.5 | UERL/AIR/FPS/42/125-DTD-2013 | Envirotech/ APM 550-MINI | 20/12/2024 | 19/12/2025 |
| 7. | Sound Level Meter | UERL/AIR/SLM/09A | Envirotech - SLM 100 /24 DTE 2008 | 16/12/2024 | 15/12/2025 |
| 8. | Sound Level Meter | UERL/AIR/SLM/09B | Envirotech - SLM 100 /310 DTK 2015 | 16/12/2024 | 15/12/2025 |
| 9. | Sound Level Meter | UERL/AIR/SLM/09C | Extech / SDL 600 | 16/12/2024 | 15/12/2025 |

***Calibration certificates are attached in Annexure II**

2.2.1 Ambient Air Quality Sampling and Analytical Techniques

The techniques used for ambient air quality monitoring and its permissible limit are given in following table.

| Sr. No. | Parameter | Technique | Technical protocol | Permissible Limit (As per NAAQS) |
|---------|--|--|----------------------|----------------------------------|
| 1. | Particulate Matter as PM10 | Respirable Dust Sampler (Gravimetric method) | IS - 5182, Part - 23 | 100 |
| 2. | Particulate Matter as PM2.5 | fine particular Sampler (Gravimetric method) | IS - 5182, Part - 24 | 60 |
| 3. | Sulphur Dioxide as SO ₂ | Modified West and Gaeke | IS - 5182, Part - 2 | 80 |
| 4. | Nitrogen Dioxide as NO ₂ | Jacob &Hochheiser | IS - 5182, Part - 6 | 80 |
| 5. | Carbon Monoxide as CO | Gas Analyser (CO) | IS - 5182, Part - 10 | 4.0 |
| 6. | Ozone as O ₃ | UV Spectrophotometer | IS - 5182, Part - 9 | 180 |
| 7. | Ammonia as NH ₃ | Titrimetric Method | IS - 5182, Part - 25 | 400 |
| 8. | Lead as Pb | AAS Method | IS - 5182, Part - 22 | 1.0 |
| 9. | Nickel as Ni | AAS Method | IS - 5182, Part - 26 | 20 |
| 10. | Arsenic as As | AAS Method | IS - 5182, Part - 22 | 6.0 |
| 11. | Benzene as C ₆ H ₆ | GC Method | IS - 5182, Part - 11 | 5.0 |

| Sr. No. | Parameter | Technique | Technical protocol | Permissible Limit (As per NAAQS) |
|---------|------------------------|-----------|----------------------|----------------------------------|
| 12. | Benzo (a) Pyrene (BaP) | GC Method | IS - 5182, Part - 12 | 1.0 |

2.2.2 Ambient Noise Level Sampling Techniques

The techniques used for ambient air quality monitoring and its permissible limit are given in following table.

| Sr. No. | Parameter | Technique | Technical protocol | Permissible Limit (As per CPCB) |
|---------|--|-------------------|--------------------|--|
| 1. | Ambient Noise Level Monitoring at Industrial Area | Noise Meter (Leq) | IS : 9989 : 1981 | Day Time – 75 dB Night Time – 70 dB |
| 2 | Ambient Noise Level Monitoring at Residential Area | Noise Meter (Leq) | IS : 9989 : 1981 | Day Time – 55 dB Night Time – 45 dB |

2.2.3 Ground Water Sampling & Analysis Techniques

| Sr. No. | Parameter | Technical protocol | IS 10500 Standard Limits for drinking water | |
|---------|-------------------------|------------------------------------|---|---------------------------------------|
| | | | Desirable limit | Per. Limit in the Abs. of Alt. Source |
| 1 | pH | IS 3025(Part 11):2022 | 6.5-8.5 | NR |
| 2 | Temp | IS 3025(Part 9):1984 | NS | NS |
| 3 | Turbidity | IS 3025(Part 10):1984 | 1 | 5 |
| 4 | TDS | IS 3025(Part 14):1984 | 500 | 2000 |
| 5 | Electrical Conductivity | IS 3025(Part 16):2024 | NS | NS |
| 6 | COD | IS 3025(Part 58): 2006 | NS | NS |
| 7 | BOD | IS 3025(Part 44): 1993 | NS | NS |
| 8 | Phenol | IS 3025(Part 43): 2020 | 0.001 | 0.002 |
| 9 | Chlorides | IS 3025(Part 32): 1988 | 250 | 1000 |
| 10 | Sulphate | IS 3025(Part 24): 2022 | 200 | 400 |
| 11 | Total Hardness | IS 3025(Part 21): 2009 | 200 | 600 |
| 12 | Ca++ Hardness | APHA 23rd Ed,2017,3500 Ca. B | NS | NS |
| 13 | Mg++ Hardness | APHA 23rd Ed,2017,3500 Mg. B | NS | NS |
| 14 | Total Alkalinity | IS 3025(Part 23): 1986 | 200 | 600 |
| 15 | Nitrate | APHA 23rd Ed,2017,4500 NO3-B | 45 | NR |
| 16 | Fluoride | IS 3025(Part 60): 2008 | 1 | 1.5 |
| 17 | Sodium | APHA 23rd Ed,2017,3500 Na. B | NS | NS |
| 18 | Potassium | APHA 23rd Ed,2017,3500 Mg. B | NS | NS |
| 19 | Calcium | APHA 23rd Ed,2017,3500 Ca. B | 75 | 200 |
| 20 | Magnesium | APHA 23rd Ed,2017,3500 Mg. B | 30 | 100 |
| 21 | Salinity | APHA 23rd Ed,2017,2520-B, 2-60 | NS | NS |
| 22 | Total Nitrogen | APHA 23rd Ed,2017,4500 NH3 - B | 0.5 | NR |
| 23 | Total Phosphorous | APHA 23rd Ed,2017,4500-P, D | NS | NS |
| 24 | Dissolved Oxygen | APHA 23rd Ed,2017,4500-O, B | NS | NS |
| 25 | Ammonical Nitrogen | IS 3025(Part 34) (ISE Method):1988 | NS | NS |
| 26 | SAR | By Calculation | NS | NS |
| | Heavy Metals | | | |
| 27 | Arsenic (as As) | APHA 23rd Ed,2017,3114-C | 0.01 | 0.05 |
| 28 | Cadmium (as Cd) | IS 3025(Part 41): 1992 | 0.003 | NR |
| 29 | Chromium (as Cr) | APHA 23rd Ed,2017,3111-B | 0.05 | NR |

| Sr. No. | Parameter | Technical protocol | IS 10500 Standard Limits for drinking water | |
|---------|-------------------|------------------------------|---|---------------------------------------|
| | | | Desirable limit | Per. Limit in the Abs. of Alt. Source |
| 30 | Copper (as Cu) | APHA 23rd Ed,2017,3111-B | 0.05 | 1.5 |
| 31 | Cyanide (as CN) | IS 3025(Part 27): 1986 | 0.05 | NR |
| 32 | Iron (as Fe) | IS 3025(Part 53): 2003 | 0.3 | NR |
| 33 | Lead (as Pb) | IS 3025(Part 47): 1994 | 0.01 | NR |
| 34 | Mercury (as Hg) | APHA 23rd Ed,2017,3112-B | 0.001 | NR |
| 35 | Manganese (as Mn) | APHA 23rd Ed,2017,3500 Mn. B | 0.1 | 0.3 |
| 36 | Nickel (as Ni) | IS 3025(Part 54): 1994 | 0.02 | NR |
| 37 | Zinc (as Zn) | IS 3025(Part 49): 1994 | 5 | 15 |
| 38 | Total Coliform | IS 1622:1981 | Shall not be detectable | |
| 39 | Faecal Coliforms | IS 1622:1981 | Shall not be detectable | |

2.2.4 Surface Water Sampling & Analysis Techniques

| Sr. No. | Parameter | Technical protocol | Classification for Inland Surface Water (CPCB) |
|---------|-------------------------|------------------------------------|--|
| | | | Class E |
| 1 | pH | IS 3025(Part 11):2022 | 6.5 to 8.5 |
| 2 | Dissolved Oxygen | APHA 23rd Ed,2017,4500-O, B | NA |
| 3 | TDS | IS 3025(Part 14):1984 | 2100 |
| 4 | Electrical Conductivity | IS 3025(Part 16):2024 | 2250 |
| 5 | BOD | IS 3025(Part 44): 1993 | NA |
| 6 | Colour | IS 3025(Part 4):2021 | - |
| 7 | Total Hardness | IS 3025(Part 21): 2009 | NA |
| 8 | Ca++ Hardness | APHA 23rd Ed,2017,3500 Ca. B | NA |
| 9 | Mg++ Hardness | APHA 23rd Ed,2017,3500 Mg. B | NA |
| 10 | Chlorides | IS 3025(Part 32): 1988 | 600 |
| 11 | Sulphate | IS 3025(Part 24): 2022 | 1000 |
| 12 | Nitrate | APHA 23rd Ed,2017,4500 NO3-B | NA |
| 13 | Fluoride | IS 3025(Part 60): 2008 | - |
| 14 | Phenol | IS 3025(Part 43): 2020 | NA |
| 15 | Ammonical Nitrogen | IS 3025(Part 34) (ISE Method):1988 | NA |
| 16 | SAR | By Calculation | 26 |
| 17 | Copper (as Cu) | APHA 23rd Ed,2017,3111-B | NA |
| 18 | Iron (as Fe) | IS 3025(Part 53): 2003 | NA |
| 19 | Manganese (as Mn) | APHA 23rd Ed,2017,3500 Mn. B | NA |
| 20 | Mercury | APHA 23rd Ed,2017,3112-B | NA |
| 21 | Cadmium (as Cd) | IS 3025(Part 41): 1992 | NA |
| 22 | Arsenic (as As) | APHA 23rd Ed,2017,3114-C | NA |
| 23 | Cyanide | IS 3025(Part 27): 1986 | NA |
| 24 | Lead (as Pb) | IS 3025(Part 47): 1994 | NA |
| 25 | Zinc | IS 3025(Part 49): 1994 | NA |
| 26 | Chromium (as Cr) | APHA 23rd Ed,2017,3111-B | NA |
| 27 | Boron | IS 3025(Part 49): 1994 | 2 |
| 28 | Total Coliform | IS 1622:1981 | - |
| 29 | COD | IS 3025(Part 57): RA 2021 | - |

2.2.5 Surface Water (Marine) Sampling & Analysis Techniques

| Sr. No. | Parameter | Technical protocol | Classification for Coastal marine water (CPCB) |
|---------|--|---|--|
| | | | SW-I |
| 1 | pH | IS 3025(Part 11):2022 | 6.5 to 8.5 |
| 2 | Dissolved Oxygen | APHA 23rd Ed,2017,4500-O, B | 5 |
| 3 | Colour & Odour | IS 3025(Part 4):2021 & IS 3025(Part 5):1983 | No Colour No Odour |
| 4 | Floating Matters | - | None |
| 5 | Total Suspended Solid | APHA 23rd Ed,2017,2540-D | None from Sewage or Industrial waste Origin |
| 6 | Turbidity | IS 3025(Part 10):1984 | - |
| 7 | BOD | IS 3025(Part 44): 1993 | - |
| 8 | Oil & Grease | IS 3025(Part 39): 1991 | 0.1 |
| 9 | Mercury as Hg | APHA 23rd Ed,2017,3112-B | 0.01 |
| 10 | Lead (as Pb) | IS 3025(Part 47): 1994 | 0.01 |
| 11 | Cadmium (as Cd) | IS 3025(Part 41): 1992 | 0.01 |
| 12 | Iron (as Fe) | IS 3025(Part 53): 2003 | - |
| 13 | Manganese (as Mn) | APHA 23rd Ed,2017,3500 Mn. B | - |
| 14 | Total Coliform | IS 1622:1981 | - |
| 15 | Sludge Deposits, Solid refuse floating Solids, Oil Grease and Scum | - | - |
| 16 | COD | IS 3025(Part 57): RA 2021 | - |

2.2.6 Treated Water Sampling & Analysis Techniques

The techniques used for waste water Sampling and analysis its permissible limit is given in following table.

| Sr. No. | Parameter | Technical protocol | Permissible Limit (As per MOEFCC notification no. GSR 1265(E) dt. 13 Oct. 2017) |
|---------|---------------------------|--------------------------------------|---|
| 1. | Treated Effluent from STP | | |
| | pH | IS 3025(Part 11):2022 | 6.5 to 9.0 |
| | BOD | APHA 23 rd Ed,2017,5210-B | <30 |
| | COD | IS 3025(Part 58): 2006 | - |
| | TSS | APHA 23rd Ed.,2017, 2540 – D | <50 |
| | Nitrogen Total | APHA 23rd Ed,2017,4500-B, C | -- |
| | Phosphorous Total | APHA 23rd Ed,2017,4500-P, D | -- |
| | Faecal Coliform | IS 1622:1981 | <1000 |


2.3 Location (map showing general location, Monitoring location and project boundary) with coordinates & Monitoring details.

The general location of the project is shown in **Map 2-1** shows the study area of 10 Km radius around the project site on Google Earth downloaded image.

The sampling location used for monitoring purpose is taken after due consideration with baseline monitoring location, availability of power & weather condition etc. Also In order to evaluate the quality of sewage water, samples were acquired from the sewage water treatment plant for comprehensive analysis. These analyses encompassed physico-chemical, general-chemical, and microbiological parameters.







| Sr. No. | Sampling Type | Sampling Location | Type of Area | Coordinates |
|---------|-----------------------------|-----------------------------------|-----------------|-------------------------------|
| 1. | Ambient Air & Noise | Project Site (Pocket – 1) | Industrial Area | 22.785943° N, 69.566645° E |
| 2. | Ambient Air & Noise | Project Site (Pocket – 2) | Industrial Area | 22.78221° N, 69.559541° E |
| 3. | Ambient Air & Noise | Project Site (Pocket – 3) | Industrial Area | 22.802171° N, 69.552084° E |
| 4. | Ambient Air & Noise | Near Fabrication & Batching Plant | Industrial Area | 22.807563° N, 69.704170° E |
| 5 | Ambient Air & Noise | Village - Navinal | Rural Area | 22.829246° N, 69.598332° E |
| 6. | Ambient Air & Noise | Village - Zarpara | Rural Area | 22.837942° N, 69.646225° E |
| 7. | Ambient Air & Noise | Village - Vandh | Rural Area | 22.809106° N, 69.53562° E |
| 8. | Trade Effluent – STP Outlet | Project Site (Pocket – 1) | Industrial Area | 22.784881° N, 69.566798° E |







Photograph 2-1: Proposed Project Site (Current Status of Land)




Photograph 2-2: Photographs of monitoring

| | |
|---|--|
|  |  |
| <p>Project Site (Pocket – 1)</p> | <p>Project Site (Pocket – 2)</p> |
|  |  |
| <p>Project Site (Pocket – 3)</p> | <p>Near Fabrication & Batching Plant</p> |
|  |  |
| <p>Village Navinal</p> | <p>Village Vandh</p> |

| | |
|---|--|
|  |  |
| <p>Village-Zarpara</p> | <p>Project Site (Pocket – 1) - STP</p> |
|  |  |
| <p>Near Fabrication & Batching Plant</p> | <p>Village-Zarpara</p> |
|  |  |
| <p>Marine Water – APL Intake</p> | <p>Marine Water – Kotadi Creek</p> |

| | |
|---|--|
|  |  |
| <p>Surface Water- Village</p> | <p>Surface Water - Siracha Village</p> |
|  |  |
| <p>Surface Water – Nagmati River</p> | <p>Ground Water – Nana Bhadiya</p> |
|  |  |
| <p>Ground Water – Siracha</p> | <p>Ground Water – Deshalpur</p> |

Map 2-1: Images Project General Location Map




Project General Location Map.

Source: Google Earth

Client: M/s. Mundra Petrochem Limited

Prepared by:
M/s. Unistar Environment and Research labs Pvt. Ltd., Vapi.

Map 2-1: Project site and Study Area of 10 Km radius on Google Earth Downloaded



3 CLIMATIC CONDITON

3.1 Climatic data from secondary sources

For the Green PVC project secondary data for weather conditions in the region is available for the period of October 2024 to March 2025. This table gives useful information about a region’s weather condition. Meteorological data was analysed/reviewed for important parameters like Temperature, Humidity, BP, Wind speed, Wind direction, Solar radiation and Rainfall.


Average meteorological condition recorded at metrological station is as given in below table.


Table 3-1: Average meteorological condition

| Weather Monitoring Data | | | | | | | |
|------------------------------|----------------|------------|--------|-----------|----------------|----------------------|---------------------|
| Month | Scale | Temp. (°C) | RH (%) | BP (mmHg) | Wind Direction | Wind speed (Km/ Hr.) | Total Rainfall (mm) |
| April 2025 to September 2025 | Max. | 44.5 | 98.1 | 765.9 | 360.0 | 42.3 | 682 |
| | Min. | 23.0 | 8.0 | 744.0 | 0.0 | 0.0 | |
| | Average/ Total | 30.9 | 73.9 | 751.6 | 272.9 | 10.4 | |

Based on wind patterns data, monthly wind-rose diagrams are presented in below Figure along with historical windrose of area.

Figure 3-1: Season wise wind-rose diagrams.





4 ANALYSIS & INTERPRETATION

4.1 Ambient Air





| Sr. No. | Month | Parameter with Results | | | | | | | | | | | |
|---|--------|---|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| | | PM10 | PM2.5 | SO2 | NO2 | CO | O3 | NH3 | Pb | Ni | As | Benzene | Benzo (a) Pyrene |
| | | µg/m ³ | µg/m ³ | µg/m ³ | µg/m ³ | mg/m ³ | µg/m ³ | µg/m ³ | µg/m ³ | ng/m ³ | ng/m ³ | µg/m ³ | ng/m ³ |
| | | Permissible Limit As per NAAQS – 2009 Notification. | | | | | | | | | | | |
| | | 100 | 60 | 80 | 80 | 2 | 400 | 100 | 1 | 6 | 20 | 5 | 1 |
| Location : Project Site (Near to Pocket -1) | | | | | | | | | | | | | |
| 1 | Apr-25 | 78.5 | 37.8 | 18.3 | 20.1 | <0.01 | <5.0 | <5.0 | <0.5 | <1.0 | <1.0 | <1.0 | <0.1 |
| 2 | May-25 | 75.3 | 35.6 | 17.1 | 19.4 | <0.01 | <5.0 | <5.0 | <0.5 | <1.0 | <1.0 | <1.0 | <0.1 |
| 3 | Jun-25 | 67.2 | 28.1 | 15.5 | 18.6 | <0.01 | <5.0 | <5.0 | <0.5 | <1.0 | <1.0 | <1.0 | <0.1 |
| 4 | Jul-25 | 59.3 | 25.7 | 13.2 | 16.4 | <0.01 | <5.0 | <5.0 | <0.5 | <1.0 | <1.0 | <1.0 | <0.1 |
| 5 | Aug-25 | 57.2 | 24.1 | 12.4 | 15.7 | <0.01 | <5.0 | <5.0 | <0.5 | <1.0 | <1.0 | <1.0 | <0.1 |
| 6 | Sep-25 | 54.8 | 23.1 | 11.7 | 14.7 | <0.01 | <5.0 | <5.0 | <0.5 | <1.0 | <1.0 | <1.0 | <0.1 |
| Report Ref. No. - URA/25/04/A-065 dt. 05/05/2025, URA/25/05/A-066 dt. 06/06/2025, URA/25/06/A-058 dt. 03/07/2025, URA/25/07/A-094 dt. 04/08/2025, URA/25/08/A-079 dt. 03/09/2025, URA/25/09/A-066 dt. 04/10/2025 | | | | | | | | | | | | | |
| Location: Project Site (Near to Pocket -2) | | | | | | | | | | | | | |
| 1 | Apr-25 | 61.2 | 28.7 | 21.4 | 22.6 | <0.01 | <5.0 | <5.0 | <0.5 | <1.0 | <1.0 | <1.0 | <0.1 |
| 2 | May-25 | 59.8 | 27.6 | 20.6 | 23.6 | <0.01 | <5.0 | <5.0 | <0.5 | <1.0 | <1.0 | <1.0 | <0.1 |
| 3 | Jun-25 | 52.3 | 23.4 | 17.2 | 21.7 | <0.01 | <5.0 | <5.0 | <0.5 | <1.0 | <1.0 | <1.0 | <0.1 |
| 4 | Jul-25 | 49.9 | 21.1 | 15.5 | 18.7 | <0.01 | <5.0 | <5.0 | <0.5 | <1.0 | <1.0 | <1.0 | <0.1 |
| 5 | Aug-25 | 52.3 | 23.1 | 16.2 | 19.7 | <0.01 | <5.0 | <5.0 | <0.5 | <1.0 | <1.0 | <1.0 | <0.1 |
| 6 | Sep-25 | 51.1 | 20.9 | 15.4 | 18.4 | <0.01 | <5.0 | <5.0 | <0.5 | <1.0 | <1.0 | <1.0 | <0.1 |
| Report Ref. No. - URA/25/04/A-066 dt. 05/05/2025, URA/25/05/A-080 dt. 06/06/2025, URA/25/06/A-059 dt. 03/07/2025, URA/25/07/A-104 dt. 04/08/2025, URA/25/08/A-096 dt. 03/09/2025, URA/25/09/A-071 dt. 04/10/2025 | | | | | | | | | | | | | |
| Location: Project Site (Near to Pocket -3) | | | | | | | | | | | | | |
| 1 | Apr-25 | 74.5 | 31.2 | 21.7 | 22.9 | <0.01 | <5.0 | <5.0 | <0.5 | <1.0 | <1.0 | <1.0 | <0.1 |
| 2 | May-25 | 72.6 | 30.2 | 19.8 | 21.5 | <0.01 | <5.0 | <5.0 | <0.5 | <1.0 | <1.0 | <1.0 | <0.1 |
| 3 | Jun-25 | 64.3 | 25.6 | 16.5 | 19.8 | <0.01 | <5.0 | <5.0 | <0.5 | <1.0 | <1.0 | <1.0 | <0.1 |
| 4 | Jul-25 | 59.8 | 21.3 | 14.5 | 17.7 | <0.01 | <5.0 | <5.0 | <0.5 | <1.0 | <1.0 | <1.0 | <0.1 |
| 5 | Aug-25 | 58.2 | 20.9 | 15.4 | 18.3 | <0.01 | <5.0 | <5.0 | <0.5 | <1.0 | <1.0 | <1.0 | <0.1 |
| 6 | Sep-25 | 57.5 | 19.8 | 14.2 | 17.5 | <0.01 | <5.0 | <5.0 | <0.5 | <1.0 | <1.0 | <1.0 | <0.1 |
| Report Ref. No. - URA/25/04/A-075 dt. 05/05/2025, URA/25/05/A-068 dt. 06/06/2025, URA/25/06/A-061 dt. 03/07/2025, URA/25/07/A-103 dt. 04/08/2025, URA/25/08/A-089 dt. 03/09/2025, URA/25/09/A-067 dt. 04/10/2025 | | | | | | | | | | | | | |


| Location: Near Fabrication and Batching Plant | | | | | | | | | | | | | |
|---|--------|------|------|------|------|-------|------|------|------|------|------|------|------|
| 1 | Apr-25 | 68.1 | 26.5 | 18.3 | 20.8 | <0.01 | <5.0 | <5.0 | <0.5 | <1.0 | <1.0 | <1.0 | <0.1 |
| 2 | May-25 | 66.3 | 25.8 | 16.5 | 19.9 | <0.01 | <5.0 | <5.0 | <0.5 | <1.0 | <1.0 | <1.0 | <0.1 |
| 3 | Jun-25 | 61.2 | 20.5 | 14.4 | 17.8 | <0.01 | <5.0 | <5.0 | <0.5 | <1.0 | <1.0 | <1.0 | <0.1 |
| 4 | Jul-25 | 57.3 | 17.5 | 12.4 | 16.8 | <0.01 | <5.0 | <5.0 | <0.5 | <1.0 | <1.0 | <1.0 | <0.1 |
| 5 | Aug-25 | 56.8 | 16.2 | 14.4 | 18.7 | <0.01 | <5.0 | <5.0 | <0.5 | <1.0 | <1.0 | <1.0 | <0.1 |
| 6 | Sep-25 | 55.2 | 15.8 | 13.1 | 17.9 | <0.01 | <5.0 | <5.0 | <0.5 | <1.0 | <1.0 | <1.0 | <0.1 |
| Report Ref. No.- URA/25/04/A-076 dt. 05/05/2025, URA/25/05/A-069 dt. 06/06/2025, URA/25/06/A-077 dt. 03/07/2025, URA/25/07/A-102 dt. 04/08/2025, URA/25/08/A-090 dt. 03/09/2025, URA/25/09/A-057 dt. 04/10/2025 | | | | | | | | | | | | | |
| Location : Village Navinal | | | | | | | | | | | | | |
| 1 | Apr-25 | 65.4 | 29.9 | 18.9 | 20.3 | <0.01 | <5.0 | <5.0 | <0.5 | <1.0 | <1.0 | <1.0 | <0.1 |
| 2 | May-25 | 64.1 | 27.4 | 17.3 | 20.6 | <0.01 | <5.0 | <5.0 | <0.5 | <1.0 | <1.0 | <1.0 | <0.1 |
| 3 | Jun-25 | 59.3 | 23.1 | 15.6 | 18.4 | <0.01 | <5.0 | <5.0 | <0.5 | <1.0 | <1.0 | <1.0 | <0.1 |
| 4 | Jul-25 | 52.4 | 21.1 | 12.5 | 15.7 | <0.01 | <5.0 | <5.0 | <0.5 | <1.0 | <1.0 | <1.0 | <0.1 |
| 5 | Aug-25 | 54.6 | 23.7 | 13.4 | 17.3 | <0.01 | <5.0 | <5.0 | <0.5 | <1.0 | <1.0 | <1.0 | <0.1 |
| 6 | Sep-25 | 53.6 | 22.9 | 11.2 | 15.6 | <0.01 | <5.0 | <5.0 | <0.5 | <1.0 | <1.0 | <1.0 | <0.1 |
| Report Ref. No. - URA/25/04/A-081 dt. 05/05/2025, URA/25/05/A-065 dt. 06/06/2025, URA/25/06/A-076 dt. 03/07/2025, URA/25/07/A-100 dt. 04/08/2025, URA/25/08/A-083 dt. 03/09/2025, URA/25/09/A-054 dt. 04/10/2025 | | | | | | | | | | | | | |
| Location : Village Zarpara | | | | | | | | | | | | | |
| 1 | Apr-25 | 62.3 | 24.3 | 18.2 | 19.4 | <0.01 | <5.0 | <5.0 | <0.5 | <1.0 | <1.0 | <1.0 | <0.1 |
| 2 | May-25 | 60.4 | 22.5 | 17.6 | 20.7 | <0.01 | <5.0 | <5.0 | <0.5 | <1.0 | <1.0 | <1.0 | <0.1 |
| 3 | Jun-25 | 55.4 | 18.1 | 14.2 | 18.5 | <0.01 | <5.0 | <5.0 | <0.5 | <1.0 | <1.0 | <1.0 | <0.1 |
| 4 | Jul-25 | 50.4 | 15.3 | 13.2 | 16.9 | <0.01 | <5.0 | <5.0 | <0.5 | <1.0 | <1.0 | <1.0 | <0.1 |
| 5 | Aug-25 | 48.3 | 17.4 | 11.5 | 15.1 | <0.01 | <5.0 | <5.0 | <0.5 | <1.0 | <1.0 | <1.0 | <0.1 |
| 6 | Sep-25 | 47.3 | 16.2 | 10.9 | 14.2 | <0.01 | <5.0 | <5.0 | <0.5 | <1.0 | <1.0 | <1.0 | <0.1 |
| Report Ref. No. - URA/25/04/A-070 dt. 05/05/2025, URA/25/05/A-047 dt. 06/06/2025, URA/25/06/A-010 dt. 03/07/2025, URA/25/07/A-101 dt. 04/08/2025, URA/25/08/A-084 dt. 03/09/2025, URA/25/09/A-055 dt. 04/10/2025 | | | | | | | | | | | | | |
| Location : Village Vandh | | | | | | | | | | | | | |
| 1 | Apr-25 | 67.2 | 25.6 | 18.8 | 19.6 | <0.01 | <5.0 | <5.0 | <0.5 | <1.0 | <1.0 | <1.0 | <0.1 |
| 2 | May-25 | 65.4 | 24.3 | 15.4 | 18.3 | <0.01 | <5.0 | <5.0 | <0.5 | <1.0 | <1.0 | <1.0 | <0.1 |
| 3 | Jun-25 | 57.5 | 21.2 | 13.1 | 16.9 | <0.01 | <5.0 | <5.0 | <0.5 | <1.0 | <1.0 | <1.0 | <0.1 |
| 4 | Jul-25 | 54.2 | 19.5 | 12.3 | 17.8 | <0.01 | <5.0 | <5.0 | <0.5 | <1.0 | <1.0 | <1.0 | <0.1 |
| 5 | Aug-25 | 50.6 | 17.5 | 13.2 | 16.9 | <0.01 | <5.0 | <5.0 | <0.5 | <1.0 | <1.0 | <1.0 | <0.1 |
| 6 | Sep-25 | 49.7 | 17.6 | 12.6 | 15.8 | <0.01 | <5.0 | <5.0 | <0.5 | <1.0 | <1.0 | <1.0 | <0.1 |
| Report Ref. No.- URA/25/04/A-082 dt. 05/05/2025, URA/25/05/A-079 dt. 06/06/2025, URA/25/06/A-063 dt. 03/07/2025, URA/25/07/A-108 dt. 04/08/2025, URA/25/08/A-080 dt. 03/09/2025, URA/25/09/A-058 dt. 04/10/2025 | | | | | | | | | | | | | |

Observations

- The concentration of PM10 ranged from 78.5 µg/m³ at the Project Site - Pocket 1 to 47.3 µg/m³ in the Village of Zarpara, with an average concentration of 59.3 µg/m³.
- The concentration of PM2.5 ranged from 37.8 µg/m³ at the Project Site - Pocket -1 to 15.3 µg/m³ in the Village of Zarpara, with an average concentration of 23.3 µg/m³.
- The concentration of SO₂ ranged from 21.7 µg/m³ at the Project Site - Pocket 3 to 10.9 µg/m³ in the Village of Zarpara, with an average concentration of 15.4 µg/m³.
- The concentration of NO₂ ranged from 23.6 µg/m³ at the Project Site - Pocket 2 to 14.2 µg/m³ in the Village of Zarpara, with an average concentration of 18.5 µg/m³.
- The concentrations of CO were below <0.01 mg/m³, & NH₃ were below <5.0 µg/m³, O₃ were below <5.0 µg/m³ at all the locations.
- The concentrations of Lead (Pb) were below <0.5 µg/m³, Arsenic (As) were below <1.0 ng/m³ & Nickel (Ni) were all below <1.0 ng/m³ at all the locations.
- The concentrations of Benzene were below <1.0 µg/m³ & BaP were all below <0.1 ng/m³ at all the locations.

The concentrations of all monitored air quality parameters were found to be within the permissible limits as defined by the National Ambient Air Quality (NAAQ) Standards set by the Ministry of Environment, Forest and Climate Change (MoEF&CC).





4.2 Ambient Noise

The ambient noise levels measured and analysed for equivalent noise levels viz. Leq (24hrly), Leq day, Leq night at all the noise monitoring locations.

| Ambient Noise Level in Leq | | | | | | | | | | | | | | | |
|----------------------------|-------------------------|-----------------------------|--------|--------|--------|--------|--------|--------|-------------------------------|--------|--------|--------|--------|--------|--------|
| Sr. No | Location | Day Time Noise Level in Leq | | | | | | | Night Time Noise Level in Leq | | | | | | |
| | | CPCB Limits | Apr-25 | May-25 | Jun-25 | Jul-25 | Aug-25 | Sep-25 | CPCB Limits | Apr-25 | May-25 | Jun-25 | Jul-25 | Aug-25 | Sep-25 |
| 1 | PS (Pkt – 1) | 75 | 58.2 | 57.2 | 56.5 | 57.8 | 59 | 60.4 | 70 | 46.8 | 45.8 | 46 | 46.8 | 46.3 | 48 |
| 2 | PS (Pkt – 2) | 75 | 57.5 | 56.4 | 54.6 | 56.1 | 56.8 | 56.9 | 70 | 45.7 | 44.8 | 43.4 | 45.2 | 48.1 | 49.9 |
| 3 | PS (Pkt – 3) | 75 | 57 | 54.9 | 53.4 | 54.4 | 54 | 55.3 | 70 | 47.3 | 46.5 | 45.4 | 47.4 | 46.2 | 47.6 |
| 4 | Nr. Fab. & Batch. Plant | 75 | 58.3 | 56.3 | 55.5 | 57.1 | 60 | 60 | 70 | 46.0 | 43.5 | 41.9 | 43.8 | 44.6 | 47.8 |
| 5 | Vill - Navinal | 55 | 43.9 | 42.7 | 42 | 44.1 | 49.6 | 54.8 | 45 | 37.7 | 35.7 | 36.9 | 38.2 | 39.2 | 44.4 |
| 6 | Vill - Zarpara | 55 | 52 | 49.7 | 48.5 | 48.9 | 51 | 53.8 | 45 | 41.0 | 31.2 | 38.5 | 38.1 | 40.9 | 41.7 |
| 7 | Vill - Vandh | 55 | 49 | 47.2 | 46.3 | 48.6 | 52.2 | 57 | 45 | 39.1 | 38.2 | 37.5 | 37.9 | 39.8 | 44.9 |

Report Ref. No.-

URA/25/04/AN-034 dt.05/05/25, URA/25/04/AN-035 dt.05/05/25, URA/25/04/AN-044 dt.05/05/25, URA/25/04/AN-045 dt.05/05/25, URA/25/04/AN-048 dt.05/05/25, URA/25/04/AN-041 dt.05/05/25, URA/25/04/AN-049 dt.05/05/25,

URA/25/05/AN-039 dt.06/06/25, URA/25/05/AN-047 dt.06/06/25, URA/25/05/AN-040 dt.06/06/25, URA/25/05/AN-041 dt.06/06/25, URA/25/05/AN-038 dt.06/06/25, URA/25/05/AN-037 dt.06/06/25, URA/25/05/AN-046 dt.06/06/25,

URA/25/06/AN-028 dt. 03/07/25, URA/25/06/AN-029 dt. 03/07/25, URA/25/06/AN-034 dt. 03/07/25, URA/25/06/AN-037 dt. 03/07/25, URA/25/06/AN-036 dt. 03/07/25, URA/25/06/AN-007 dt. 03/07/25, URA/25/06/AN-035 dt. 03/07/25

URA/25/07/AN-040 dt.04/08/25, URA/25/07/AN-046 dt.04/08/25, URA/25/07/AN-045 dt.04/08/25, URA/25/07/AN-044 dt.04/08/25, URA/25/07/AN-042 dt.04/08/25, URA/25/07/AN-043 dt.04/08/25, URA/25/07/AN-047 dt.04/08/25

URA/25/08/AN-029 dt.03/09/25, URA/25/08/AN-041 dt.03/09/25, URA/25/08/AN-035 dt.03/09/25, URA/25/08/AN-036 dt.03/09/25, URA/25/08/AN-033 dt.03/09/25, URA/25/08/AN-034 dt.03/09/25, URA/25/08/AN-030 dt.03/09/25

URA/25/09/AN-027 dt.04/10/25, URA/25/09/AN-032 dt.04/10/25, URA/25/09/AN-028 dt.04/10/25, URA/25/09/AN-024 dt.04/10/25, URA/25/09/AN-019 dt.04/10/25. URA/25/09/AN-055 dt.04/10/25, URA/25/09/AN-025 dt.04/10/25


Observations

Industrial Zone

The Average Leq (equivalent continuous sound level) during the day for the industrial zone ranged from 60.4 dB(A) at Project Site (Pocket – 1) to 53.4 dB(A) at Project Site (Pocket – 3). Similarly, the Leq during the night ranged from 49.9 dB(A) at Project Site (Pocket – 2) to 41.9 dB(A) at Near Fabrication & Batching Plant. Importantly, all these values remained within the CPCB (Central Pollution Control Board) limits specified for the industrial zone, both during daytime and night time.

Residential Zone

The Average Leq (equivalent continuous sound level) during the day in the residential zone varied from 57.0 dB(A) in Village Vandh to 42.0 dB(A) in the village Navinal. Meanwhile, the Leq during the night ranged from 44.9 dB(A) in Village Vandh to 31.2 dB(A) in Village Zarpara. It's worth noting that the ambient noise levels in these villages are affected by the local environment, and all the Leq values are compliant with permissible limits across all the villages.



4.3 Water Quality

4.3.1 Ground Water Quality

Ground water was collected as grab samples from seven location sent to laboratory for analysis for various parameters.

The water quality findings from the ground water samples are outlined in the following table:

| Sr. No. | Parameter | Unit | IS 10500 Standard Limits for drinking water | | GW 01 Nani Khakhar | GW 02 Moti Khakhar | GW 03 Mota Kandagra | GW 04 Siracha | GW 05 Navinal | GW 06 Tunda | GW 07- Nana Bhadiya | GW 08 Deshalpar |
|---------|-------------------------|----------|---|--|--------------------|--------------------|---------------------|-----------------|-----------------|-----------------|---------------------|-----------------|
| | | | Desirable limit | Permissible Limit in the Absence of Alternate Source | | | | | | | | |
| 1 | pH | pH scale | 6.5-8.5 | NR | 8.38 | 8.47 | 8.36 | 8.37 | 8.41 | 7.48 | 8.42 | 8.38 |
| 2 | Temp | o C | NS | NS | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 |
| 3 | Turbidity | NTU | 1 | 5 | BDL (MDL:0.001) | BDL (MDL:0.001) | BDL (MDL:0.001) | BDL (MDL:0.001) | BDL (MDL:0.001) | BDL (MDL:0.001) | BDL (MDL:0.001) | BDL (MDL:0.001) |
| 4 | TDS | mg/l | 500 | 2000 | 968 | 1940 | 2050 | 1990 | 2220 | 3230 | 1680 | 2560 |
| 5 | Electrical Conductivity | µmhos/cm | NS | NS | 1460 | 2930 | 3100 | 3010 | 3360 | 4909 | 2540 | 3870 |
| 6 | COD | mg/l | NS | NS | BDL (MDL:2.0) | BDL (MDL:2.0) | BDL (MDL:2.0) | BDL (MDL:2.0) | BDL (MDL:2.0) | BDL (MDL:2.0) | BDL (MDL:2.0) | BDL (MDL:2.0) |
| 7 | BOD | mg/l | NS | NS | BDL (MDL1.0) | BDL (MDL1.0) | BDL (MDL1.0) | BDL (MDL1.0) | BDL (MDL1.0) | BDL (MDL1.0) | BDL (MDL1.0) | BDL (MDL1.0) |
| 8 | Phenol | mg/l | 0.001 | 0.002 | BDL (MDL:0.001) | BDL (MDL:0.001) | BDL (MDL:0.001) | BDL (MDL:0.001) | BDL (MDL:0.001) | BDL (MDL:0.001) | BDL (MDL:0.001) | BDL (MDL:0.001) |
| 9 | Chlorides | mg/l | 250 | 1000 | 249.9 | 604.8 | 649.8 | 650 | 764 | 1484.8 | 467.4 | 986 |
| 10 | Sulphate | mg/l | 200 | 400 | 45.5 | 139.4 | 113.1 | 128.4 | 97.7 | 42.2 | 74 | 198.6 |
| 11 | Total Hardness | mg/l | 200 | 600 | 145.5 | 261.9 | 261.9 | 630.5 | 572.3 | 256.1 | 128 | 562.6 |
| 12 | Ca++ Hardness | mg/l | NS | NS | 67.9 | 106.7 | 67.9 | 261.9 | 203.7 | 151.3 | 66 | 223.1 |
| 13 | Mg++ Hardness | mg/l | NS | NS | 77.6 | 155.2 | 194 | 368.6 | 368.6 | 104.8 | 62.1 | 339.5 |

| Sr. No. | Parameter | Unit | IS 10500 Standard Limits for drinking water | | GW 01 Nani Khakhar | GW 02 Moti Khakhar | GW 03 Mota Kandagra | GW 04 Siracha | GW 05 Navinal | GW 06 Tunda | GW 07- Nana Bhadiya | GW 08 Deshalpar |
|---------------------|--------------------|------|---|--|--------------------|--------------------|---------------------|-----------------|-----------------|-----------------|---------------------|-----------------|
| | | | Desirable limit | Permissible Limit in the Absence of Alternate Source | | | | | | | | |
| 14 | Total Alkalinity | mg/l | 200 | 600 | 339.5 | 518.9 | 582 | 504.4 | 373.45 | 514.1 | 509.25 | 426.8 |
| 15 | Nitrate | mg/l | 45 | NR | 5.4 | 4.8 | 3 | 5.6 | 1.3 | 6.8 | 2.1 | 10 |
| 16 | Fluoride | mg/l | 1 | 1.5 | 2.74 | 0.68 | 1.72 | 2 | 1.8 | 2.1 | 4.6 | 1.8 |
| 17 | Sodium | mg/l | NS | NS | 231.7 | 500.2 | 537.4 | 410 | 542 | 520 | 450.2 | 680 |
| 18 | Potassium | mg/l | NS | NS | 3 | 13 | 8.3 | 3.9 | 7.8 | 9.2 | 8.9 | 6.2 |
| 19 | Calcium | mg/l | 75 | 200 | 27.2 | 42.8 | 27.2 | 105 | 81.6 | 60.6 | 26.4 | 89.4 |
| 20 | Magnesium | mg/l | 30 | 100 | 18.8 | 37.7 | 47.1 | 89.6 | 89.6 | 25.5 | 15.1 | 82.5 |
| 21 | Salinity | mg/l | NS | NS | 0.4 | 1.1 | 1.2 | 1.2 | 1.7 | 2.6 | 0.8 | 1.8 |
| 22 | Total Nitrogen | mg/l | 0.5 | NR | BDL (MDL:2.0) | BDL (MDL:2.0) | BDL (MDL:2.0) | BDL (MDL:2.0) | BDL (MDL:2.0) | BDL (MDL:2.0) | BDL (MDL:2.0) | BDL (MDL:2.0) |
| 23 | Total Phosphorous | mg/l | NS | NS | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. |
| 24 | Dissolved Oxygen | mg/l | NS | NS | 6.5 | 6.5 | 6.4 | 6.5 | 6.4 | 6.4 | 6.5 | 6.4 |
| 25 | Ammonical Nitrogen | mg/l | NS | NS | BDL (MDL:0.2) | BDL (MDL:0.2) | BDL (MDL:0.2) | BDL (MDL:0.2) | BDL (MDL:0.2) | BDL (MDL:0.2) | BDL (MDL:0.2) | BDL (MDL:0.2) |
| 26 | SAR | - | NS | NS | 2.9 | 13.4 | 14.4 | 7.1 | 9.9 | 14.1 | 18.4 | 12.5 |
| Heavy Metals | | | | | | | | | | | | |
| 27 | Arsenic (as As) | mg/l | 0.01 | 0.05 | BDL (MDL:0.01) | BDL (MDL:0.01) | BDL (MDL:0.01) | BDL (MDL:0.01) | BDL (MDL:0.01) | BDL (MDL:0.01) | BDL (MDL:0.01) | BDL (MDL:0.01) |
| 28 | Cadmium (as Cd) | mg/l | 0.003 | NR | BDL (MDL:0.003) | BDL (MDL:0.003) | BDL (MDL:0.003) | BDL (MDL:0.003) | BDL (MDL:0.003) | BDL (MDL:0.003) | BDL (MDL:0.003) | BDL (MDL:0.003) |
| 29 | Chromium (as Cr) | mg/l | 0.05 | NR | BDL (MDL:0.05) | BDL (MDL:0.05) | BDL (MDL:0.05) | BDL (MDL:0.05) | BDL (MDL:0.05) | BDL (MDL:0.05) | BDL (MDL:0.05) | BDL (MDL:0.05) |

| Sr. No. | Parameter | Unit | IS 10500 Standard Limits for drinking water | | GW 01 Nani Khakhar | GW 02 Moti Khakhar | GW 03 Mota Kandagra | GW 04 Siracha | GW 05 Navinal | GW 06 Tunda | GW 07- Nana Bhadiya | GW 08 Deshalpar |
|--|-------------------|------|---|--|--------------------|--------------------|---------------------|--------------------|--------------------|--------------------|---------------------|--------------------|
| | | | Desirable limit | Permissible Limit in the Absence of Alternate Source | | | | | | | | |
| 30 | Copper (as Cu) | mg/l | 0.05 | 1.5 | BDL (MDL:0.05) | BDL (MDL:0.05) | BDL (MDL:0.05) | BDL (MDL:0.05) | BDL (MDL:0.05) | BDL (MDL:0.05) | BDL (MDL:0.05) | BDL (MDL:0.05) |
| 31 | Cyanide (as CN) | mg/l | 0.05 | NR | BDL (MDL:0.05) | BDL (MDL:0.05) | BDL (MDL:0.05) | BDL (MDL:0.05) | BDL (MDL:0.05) | BDL (MDL:0.05) | BDL (MDL:0.05) | BDL (MDL:0.05) |
| 32 | Iron (as Fe) | mg/l | 0.3 | NR | BDL (MDL:0.1) | BDL (MDL:0.1) | BDL (MDL:0.1) | BDL (MDL:0.1) | BDL (MDL:0.1) | BDL (MDL:0.1) | BDL (MDL:0.1) | BDL (MDL:0.1) |
| 33 | Lead (as Pb) | mg/l | 0.01 | NR | BDL (MDL:0.01) | BDL (MDL:0.01) | BDL (MDL:0.01) | BDL (MDL:0.01) | BDL (MDL:0.01) | BDL (MDL:0.01) | BDL (MDL:0.01) | BDL (MDL:0.01) |
| 34 | Mercury (as Hg) | mg/l | 0.001 | NR | BDL (MDL:0.001) | BDL (MDL:0.001) | BDL (MDL:0.001) | BDL (MDL:0.001) | BDL (MDL:0.001) | BDL (MDL:0.001) | BDL (MDL:0.001) | BDL (MDL:0.001) |
| 35 | Manganese (as Mn) | mg/l | 0.1 | 0.3 | BDL (MDL:0.1) | BDL (MDL:0.1) | BDL (MDL:0.1) | BDL (MDL:0.1) | BDL (MDL:0.1) | BDL (MDL:0.1) | BDL (MDL:0.1) | BDL (MDL:0.1) |
| 36 | Nickel (as Ni) | mg/l | 0.02 | NR | BDL (MDL:0.02) | BDL (MDL:0.02) | BDL (MDL:0.02) | BDL (MDL:0.02) | BDL (MDL:0.02) | BDL (MDL:0.02) | BDL (MDL:0.02) | BDL (MDL:0.02) |
| 37 | Zinc (as Zn) | mg/l | 5 | 15 | BDL (MDL:0.05) | BDL (MDL:0.05) | BDL (MDL:0.05) | BDL (MDL:0.05) | BDL (MDL:0.05) | BDL (MDL:0.05) | BDL (MDL:0.05) | BDL (MDL:0.05) |
| 38 | Total Coliform | MPN | Shall not be detectable | | Absent | Absent | Absent | Absent | Absent | Absent | Absent | Absent |
| 39 | Faecal Coliforms | MPN | Shall not be detectable | | Absent | Absent | Absent | Absent | Absent | Absent | Absent | Absent |
| Report Ref. No. URC/25/XX/XXX & URB/25/XX/XXX | | | | | 05/0615 05/0616 | 05/0617 05/0618 | 05/0605 05/0606 | 05/0607 05/0608 | 05/0609 05/0610 | 05/0611 05/0612 | 05/0694 05/0695 | 05/0613 05/0614 |

Observations :

These analysed results were subsequently compared against the IS:10500 Standard Limits for drinking water.

4.3.2 Surface Water Quality

Surface water sample were collected as grab samples from four location. Same has been sent to laboratory for analysis for various parameters.

The water quality findings from the surface water samples are outlined in the following table:

| Sr. No. | Parameter | Unit | Classification for Inland Surface Water (CPCB) | SW 4 Nagavanti Nadi | SW 5 Zarpara village pond | SW 6 Navinal village pond | SW 07- Siracha village pond |
|---------|-------------------------|----------|--|---------------------|---------------------------|---------------------------|-----------------------------|
| | | | Class E | May-25 | May-25 | May-25 | May-25 |
| 1 | pH | pH Scale | 6.5 to 8.5 | 8.11 | 8.12 | 7.85 | 7.81 |
| 2 | Dissolved Oxygen | mg/l | NA | 6.1 | 6.5 | 6.7 | 6.1 |
| 3 | TDS | mg/l | 2100 | 2567 | 736 | 340 | 618 |
| 4 | Electrical Conductivity | µmohs/cm | 2250 | 4230 | 1127 | 520 | 945 |
| 5 | BOD | mg/l | NA | 7.0 | 6.1 | 6.2 | 6.2 |
| 6 | Colour | Pt.co | - | BDL(MDL:5.0) | BDL(MDL:5.0) | BDL(MDL:5.0) | BDL(MDL:5.0) |
| 7 | Total Hardness | mg/l | NA | 702 | 99.8 | 89.2 | 94.2 |
| 8 | Ca++ Hardness | mg/l | NA | 229 | 72.5 | 52.4 | 62.3 |
| 9 | Mg++ Hardness | mg/l | NA | 473 | 27.3 | 36.9 | 31.9 |
| 10 | Chlorides | mg/l | 600 | 873 | 234 | 102.5 | 200.5 |
| 11 | Sulphate | mg/l | 1000 | 632 | 168.6 | 14.4 | 124.5 |
| 12 | Nitrate | mg/l | NA | 1.2 | 1.05 | 0.7 | 0.3 |
| 13 | Fluoride | mg/l | - | 1.44 | 0.49 | 0.72 | 0.44 |
| 14 | Phenol | mg/l | NA | BDL(MDL:0.001) | BDL(MDL:0.001) | BDL(MDL:0.001) | BDL(MDL:0.001) |
| 15 | Ammonical Nitrogen | mg/l | NA | BDL(MDL:0.2) | BDL(MDL:0.2) | BDL(MDL:0.2) | BDL(MDL:0.2) |
| 16 | SAR | | 26 | 8.3 | 4.1 | 1.7 | 2 |
| 17 | Copper (as Cu) | mg/l | NA | BDL(MDL:0.05) | BDL(MDL:0.05) | BDL(MDL:0.05) | BDL(MDL:0.05) |
| 18 | Iron (as Fe) | mg/l | NA | BDL(MDL:0.1) | BDL(MDL:0.1) | BDL(MDL:0.1) | BDL(MDL:0.1) |
| 19 | Manganese (as Mn) | mg/l | NA | BDL(MDL:0.1) | BDL(MDL:0.1) | BDL(MDL:0.1) | BDL(MDL:0.1) |
| 20 | Mercury | mg/l | NA | BDL(MDL:0.001) | BDL(MDL:0.001) | BDL(MDL:0.001) | BDL(MDL:0.001) |
| 21 | Cadmium (as Cd) | mg/l | NA | BDL(MDL:0.003) | BDL(MDL:0.003) | BDL(MDL:0.003) | BDL(MDL:0.003) |
| 22 | Arsenic (as As) | mg/l | NA | BDL(MDL:0.01) | BDL(MDL:0.01) | BDL(MDL:0.01) | BDL(MDL:0.01) |

| Sr. No. | Parameter | Unit | Classification for Inland Surface Water (CPCB) | SW 4 Nagavanti Nadi | SW 5 Zarpara village pond | SW 6 Navinal village pond | SW 07- Siracha village pond |
|-----------------|------------------|-----------|--|----------------------------------|----------------------------------|----------------------------------|----------------------------------|
| | | | Class E | May-25 | May-25 | May-25 | May-25 |
| 23 | Cyanide | mg/l | NA | BDL(MDL:0.05) | BDL(MDL:0.05) | BDL(MDL:0.05) | BDL(MDL:0.05) |
| 24 | Lead (as Pb) | mg/l | NA | BDL(MDL:0.01) | BDL(MDL:0.01) | BDL(MDL:0.01) | BDL(MDL:0.01) |
| 25 | Zinc | mg/l | NA | BDL (MDL: 0.05) | BDL(MDL:0.05) | BDL(MDL:0.05) | BDL(MDL:0.05) |
| 26 | Chromium (as Cr) | mg/l | NA | BDL(MDL:0.05) | BDL(MDL:0.05) | BDL(MDL:0.05) | BDL(MDL:0.05) |
| 27 | Boron | mg/l | 2 | BDL(MDL:0.5) | BDL(MDL:0.5) | BDL(MDL:0.5) | BDL(MDL:0.5) |
| 28 | Total Coliform | MPN/100ml | - | Absent | Absent | Absent | Absent |
| 29 | COD | mg/l | - | 17.2 | 42.2 | 24.6 | 18.4 |
| Report Ref. No. | | | | URC/25/05/0733 URB/25/05/0730 | URC/25/05/0731 URB/25/05/0732 | URC/25/05/0729 URB/25/05/0730 | URC/25/05/0735 URB/25/05/0736 |

Observations :

These analysed results were subsequently compared against the **Classification for Inland Surface Water (CPCB) Class E**.

4.3.3 Surface Water (Marine) Quality

Surface water (Marine) was collected as grab samples from three location. Same has been sent to laboratory for analysis for various parameters.

The water quality findings from the surface water (marine) samples are outlined in the following table:

| Sr. No. | Parameter | Unit | Classification for Coastal marine water (CPCB) | SW 1- Intake channel of APL | SW 2- Kotadi Creek water | SW 3- Baradi mata creek |
|---------|------------------|----------|--|-----------------------------|--------------------------|-------------------------|
| | | | SW I | May-25 | May-25 | May-25 |
| 1 | pH | pH scale | 6.5 to 8.5 | 8.15 | 8.27 | 8.32 |
| 2 | Dissolved Oxygen | mg/l | 5 | 6.1 | 6.1 | 6.1 |
| 3 | Colour & Odour | - | No Colour No Odour | 10 & Agreeable | 10 & Agreeable | 10 & Agreeable |
| 4 | Floating Matters | - | None | -- | -- | -- |

| Sr. No. | Parameter | Unit | Classification for Coastal marine water (CPCB) | SW 1- Intake channel of APL | SW 2- Kotadi Creek water | SW 3- Baradi mata creek |
|-----------------|--|----------|--|----------------------------------|----------------------------------|----------------------------------|
| | | | SW I | May-25 | May-25 | May-25 |
| 5 | Total Suspended Solid | mg/l | None from Sewage or Industrial waste Origin | 68 | 44 | 32 |
| 6 | Turbidity | mg/l | - | 5 | 1 | 1 |
| 7 | BOD | NTU | - | 2.9 | 3.5 | 3.2 |
| 8 | Oil & Grease | mg/l | 0.1 | BDL(MDL:2.0) | BDL(MDL:2.0) | BDL(MDL:2.0) |
| 9 | Mercury as Hg | mg/l | 0.01 | BDL(MDL:0.001) | BDL(MDL:0.001) | BDL(MDL:0.001) |
| 10 | Lead (as Pb) | mg/l | 0.01 | BDL(MDL:0.01) | BDL(MDL:0.01) | BDL(MDL:0.01) |
| 11 | Cadmium (as Cd) | mg/l | 0.01 | BDL | 0.090 | BDL (MDL : 0.003) |
| 12 | Iron (as Fe) | mg/l | - | 0.26 | 0.182 | 0.288 |
| 13 | Manganese (as Mn) | mg/l | - | 0.188/BDL | 0.286 | 0.122 |
| 14 | Total Coliform | ml (MPN) | - | Absent | Absent | Absent |
| 15 | Sludge Deposits, Solid refuse floating Solids, Oil Grease and Scum | - | - | -- | -- | None |
| 16 | COD | mg/l | - | 22.6 | 28.2 | 30.9 |
| Report Ref. No. | | | | URC/25/05/0723 URB/25/05/0724 | URC/25/05/0725 URB/25/05/0726 | URC/25/05/0727 URB/25/05/0728 |

Observations :

These analysed results were subsequently compared against the Classification for Coastal marine water (CPCB) Class SW I & are found well within Limits

4.3.4 Sewage Water Quality

Sewage water samples was collected as grab samples from STP outlet and sent to laboratory for analysis for various parameters.

The water quality findings from the sewage water sampling locations are outlined in the following table:

| Sr. No. | Location | MOEFCC Limits | STP Outlet | | | | | |
|---------|---|---------------|------------|--------|--------|--------|--------|--------|
| | | | Apr-25 | May-25 | Jun-25 | Jul-25 | Aug-25 | Sep-25 |
| 1 | pH @25°C | 6.5 – 9.0 | 7.18 | 7.1 | 7.28 | 7.23 | 7.1 | 6.67 |
| 2 | Total Suspended Solid | <50 | 26 | 28 | 24 | 28 | 18 | 20 |
| 3 | Chemical Oxygen Demand (COD) | - | 40.2 | 41.6 | 45.5 | 42.2 | 21.8 | 27 |
| 4 | Biochemical Oxygen Demand (BOD) (5 days at 20 OC) | <30 | 18 | 21 | 19 | 25 | 9 | 9 |
| 5 | Total Nitrogen | - | 3.6 | 3.9 | 2.9 | 3.2 | 4.5 | 9.5 |
| 6 | Total Phosphorus | - | 2.4 | 2.3 | 2.3 | 2.4 | 0.6 | 0.5 |
| 7 | Faecal Coliform | <1000 | 29 | 27 | 26 | 28 | 26 | 27 |

Report Ref. No. : URC/25/04/0614 dt. 07/05/2025, URC/25/05/0591 dt. 03/06/2025, URC/25/06/0595 dt. 04/07/2025, URC/25/07/0411 dt. 01/08/2025, URC/25/08/0300 dt. 01/09/2025, URC/25/09/0326 dt. 06/10/2025

Observations :

The analysed results were reviewed against the standards prescribed by the Ministry of Environment, Forest and Climate Change (MoEF&CC) under notification GSR 1265(E) dated 13 October 2017 and were confirmed to be well within the stipulated limits.

4.4 Soil Quality

Soil was collected as grab samples from four location & sent to laboratory for analysis for various parameters.

The soil quality findings from the soil samples are outlined in the following table:

| Sr. No. | Parameter | Unit | ST1a Pocket 1 | ST1c Pocket 2 | Pocket 3 |
|---------|----------------------------|-----------|---------------|---------------|------------|
| 1 | Porosity | % | 47.8 | 41.2 | 32.9 |
| 2 | Water Holding Capacity | ml/100 gm | 32 | 30.2 | 31.5 |
| 3 | Permeability | Cm/Sec | 0.148 | 0.164 | 0.156 |
| 4 | Particle Size Distribution | | | | |
| a | Sand | % | 68.6 | 62 | 72.4 |
| b | Clay | % | 12.5 | 15.6 | 13.4 |
| c | Silt | NTU | 18.9 | 22.4 | 14.2 |
| 5 | Texture | % | Sandy Loam | Sandy Loam | Sandy Loam |
| 6 | Cation Exchange Capacity | -- | 30.4 | 27.5 | 27.4 |
| 7 | SAR | meq/100g | 3.12 | 4.1 | 1.6 |


| Sr. No. | Parameter | Unit | ST1a Pocket 1 | ST1c Pocket 2 | Pocket 3 |
|------------------------|-------------------------|-----------|---------------------------------|---------------------------------|---------------------------------|
| 8 | Electrical Conductivity | -- | 170 | 234 | 324 |
| 9 | Exchangeable Sodium | µs/cm | 7.52 | 12.4 | 9.32 |
| 10 | pH | % | 8.89 | 9.12 | 8.12 |
| 11 | Calcium | -- | 458.4 | 510.4 | 2842.2 |
| 12 | Magnesium | meq/100gm | 139 | 156.2 | 86.9 |
| 13 | Sodium | meq/100gm | 384 | 534 | 444.2 |
| 14 | Potassium | mg/kg | 70 | 60.6 | 56.2 |
| 15 | Total Organic Carbon | mg/kg | 0.084 | 0.089 | 0.089 |
| 16 | Available phosphorus | mg/kg | 8.03 | 8.52 | 8.44 |
| 17 | Available potassium | mg/kg | 176.5 | 144 | 144.1 |
| Report Ref. No. | | | URC/25/05/MPL - 0941 | URC/25/05/MPL - 0942 | URC/25/05/MPL - 0943 |

Observations :

These analysed results were subsequently compared against the standards set by the Central Pollution Control Board (CPCB) are found well within Limits. Soil testing has been conducted to assess the present characteristics of the soil. The analytical results obtained from the testing are presented above.

ANNEXURE

Annexure 1: Laboratory Recognition by MOEFCC, NABL, GPCB Sch.II Auditor & NABET Certification



Laboratory Recognition by MOEFCC



Laboratory Recognition by NABL



Laboratory Recognition by GPCB



NABET Certification

Annexure 2: Calibration Certificates

UniStar
UNISTAR ENVIRONMENTAL RESEARCH LABS PVT. LTD.

Calibration Certificate

Instrument Name: Resorbable Dust Sampler
 Instrument ID No.: UR/LAB/RDS/25
 Instrument S. No. Supplier: 1744-DIA-2013, 1127-DI-2013
 Calibration Certificate No.: UR/LCC/RDS-25/1718/24-25
 Date of Calibration: 15/12/2024
 Next Calibration due Date: 15/12/2025

| Sr. No. | Name of Unit Calibrated | Calibrator Traceable to | Calibration Certificate No. Date of Calibration |
|---------|-------------------------|---|---|
| 1. | Flow Meter | Top Loading Office Technique Calibration Laboratory M No.: UR/LAB/TSR/ARUNAWATI | UR/LCC/PL/2024-25/UR/CH/0204 Date of Cal: 05-08-2024 |
| | ID No.: UR/LAB/RDS/25 | Pressure Indicator Mette Test & cal LLP | ML/MS/03/204/1/2024-25 Date of Cal: 17-12-2024 |
| 2. | Flow Turbine | Mette Test & cal LLP | ML/MS/03/204/1/2024-25 Date of Cal: 17-12-2024 |
| | ID No.: UR/LAB/RDS/25 | ID No.: UR/LAB/TSR/ARUNAWATI | Date of Cal: 17-12-2024 |
| 3. | Rotameter | Rotameter Mette Test & cal LLP | ML/PT/2024/02/2024-25 Date of Cal: 17-12-2024 |
| | ID No.: UR/LAB/RDS/25 | ID No.: UR/LAB/TSR/ARUNAWATI | Date of Cal: 17-12-2024 |

* UNCERTAINTY MEASUREMENT: Flow Meter: ± 0.267 percent,
 * UNCERTAINTY MEASUREMENT: Flow Turbine: ± 0.688 percent,
 * UNCERTAINTY MEASUREMENT: Rotameter: ± 0.140 LPM

The reported uncertainty is the expanded uncertainty in measurement of 95 % Confidence level with coverage factor of k = 2 which corresponds to coverage probability of approximately 95 % of normal distribution.

Prepared By: Senior Chemist
 Approved By: Technical Manager

Page 1 of 1
UR/LAB/RDS/2500

Page 01/01 - 278 Road No. 25, Sector 25, Phase 2, Plot No. 25/1718, Mun. Pal. 25, Vadodra, India.
 Contact No: 079-22221122, 22221123, 22221124, 22221125, 22221126, 22221127, 22221128, 22221129, 22221130, 22221131, 22221132, 22221133, 22221134, 22221135, 22221136, 22221137, 22221138, 22221139, 22221140, 22221141, 22221142, 22221143, 22221144, 22221145, 22221146, 22221147, 22221148, 22221149, 22221150, 22221151, 22221152, 22221153, 22221154, 22221155, 22221156, 22221157, 22221158, 22221159, 22221160, 22221161, 22221162, 22221163, 22221164, 22221165, 22221166, 22221167, 22221168, 22221169, 22221170, 22221171, 22221172, 22221173, 22221174, 22221175, 22221176, 22221177, 22221178, 22221179, 22221180, 22221181, 22221182, 22221183, 22221184, 22221185, 22221186, 22221187, 22221188, 22221189, 22221190, 22221191, 22221192, 22221193, 22221194, 22221195, 22221196, 22221197, 22221198, 22221199, 22221200

UniStar
UNISTAR ENVIRONMENTAL RESEARCH LABS PVT. LTD.

Calibration Certificate

Instrument Name: Fine Particulate Sampler
 Instrument ID No.: UR/LAB/FPS/14
 Instrument S. No. Supplier: AFM - 50/137-DI-2013
 Calibration Certificate No.: UR/LCC/FPS-14/137/24-25
 Date of Calibration: 15/12/2024
 Next Calibration due Date: 15/12/2025

| Sr. No. | Name of Unit Calibrated | Calibrator Traceable to | Calibration Certificate No. Date of Calibration |
|---------|-------------------------|------------------------------|---|
| 1. | Rotameter | Mette Test & cal LLP | ML/PT/2024/02/2024-25 Date of Cal: 17-12-2024 |
| | ID No.: UR/LAB/FPS/14 | ID No.: UR/LAB/TSR/ARUNAWATI | Date of Cal: 17-12-2024 |
| 2. | Flow Turbine | Mette Test & cal LLP | ML/MS/03/204/1/2024-25 Date of Cal: 17-12-2024 |
| | ID No.: UR/LAB/FPS/14 | ID No.: UR/LAB/TSR/ARUNAWATI | Date of Cal: 17-12-2024 |

* UNCERTAINTY MEASUREMENT: Rotameter: ± 0.471 LPM
 * UNCERTAINTY MEASUREMENT: Flow Turbine: ± 0.221 LPM

The reported uncertainty is the expanded uncertainty in measurement of 95 % Confidence level with coverage factor of k = 2 which corresponds to coverage probability of approximately 95 % of normal distribution.

Prepared By: Senior Chemist
 Approved By: Technical Manager

Page 1 of 1
UR/LAB/FPS/1400

Page 01/01 - 278 Road No. 25, Sector 25, Phase 2, Plot No. 25/1718, Mun. Pal. 25, Vadodra, India.
 Contact No: 079-22221122, 22221123, 22221124, 22221125, 22221126, 22221127, 22221128, 22221129, 22221130, 22221131, 22221132, 22221133, 22221134, 22221135, 22221136, 22221137, 22221138, 22221139, 22221140, 22221141, 22221142, 22221143, 22221144, 22221145, 22221146, 22221147, 22221148, 22221149, 22221150, 22221151, 22221152, 22221153, 22221154, 22221155, 22221156, 22221157, 22221158, 22221159, 22221160, 22221161, 22221162, 22221163, 22221164, 22221165, 22221166, 22221167, 22221168, 22221169, 22221170, 22221171, 22221172, 22221173, 22221174, 22221175, 22221176, 22221177, 22221178, 22221179, 22221180, 22221181, 22221182, 22221183, 22221184, 22221185, 22221186, 22221187, 22221188, 22221189, 22221190, 22221191, 22221192, 22221193, 22221194, 22221195, 22221196, 22221197, 22221198, 22221199, 22221200

Calibration Certificate for RDS

Calibration Certificate for FPS

UniStar
UNISTAR ENVIRONMENTAL RESEARCH LABS PVT. LTD.

Calibration Certificate

Instrument Name: Resorbable Dust Sampler
 Instrument ID No.: UR/LAB/RDS/24
 Instrument S. No. Supplier: 2743-DI-2013, 1839-DI-2012
 Calibration Certificate No.: UR/LCC/RDS-24/1839/24-25
 Date of Calibration: 15/12/2024
 Next Calibration due Date: 15/12/2025

| Sr. No. | Name of Unit Calibrated | Calibrator Traceable to | Calibration Certificate No. Date of Calibration |
|---------|-------------------------|---|---|
| 1. | Flow Meter | Top Loading Office Technique Calibration Laboratory M No.: UR/LAB/TSR/ARUNAWATI | UR/LCC/PL/2024-25/UR/CH/0204 Date of Cal: 05-08-2024 |
| | ID No.: UR/LAB/RDS/24 | Pressure Indicator Mette Test & cal LLP | ML/MS/03/204/1/2024-25 Date of Cal: 17-12-2024 |
| 2. | Flow Turbine | Mette Test & cal LLP | ML/MS/03/204/1/2024-25 Date of Cal: 17-12-2024 |
| | ID No.: UR/LAB/RDS/24 | ID No.: UR/LAB/TSR/ARUNAWATI | Date of Cal: 17-12-2024 |
| 3. | Rotameter | Rotameter Mette Test & cal LLP | ML/PT/2024/02/2024-25 Date of Cal: 17-12-2024 |
| | ID No.: UR/LAB/RDS/24 | ID No.: UR/LAB/TSR/ARUNAWATI | Date of Cal: 17-12-2024 |

* UNCERTAINTY MEASUREMENT: Flow Meter: ± 0.267 percent,
 * UNCERTAINTY MEASUREMENT: Flow Turbine: ± 0.688 percent,
 * UNCERTAINTY MEASUREMENT: Rotameter: ± 0.140 LPM

The reported uncertainty is the expanded uncertainty in measurement of 95 % Confidence level with coverage factor of k = 2 which corresponds to coverage probability of approximately 95 % of normal distribution.

Prepared By: Senior Chemist
 Approved By: Technical Manager

Page 1 of 1
UR/LAB/RDS/2500

Page 01/01 - 278 Road No. 25, Sector 25, Phase 2, Plot No. 25/1718, Mun. Pal. 25, Vadodra, India.
 Contact No: 079-22221122, 22221123, 22221124, 22221125, 22221126, 22221127, 22221128, 22221129, 22221130, 22221131, 22221132, 22221133, 22221134, 22221135, 22221136, 22221137, 22221138, 22221139, 22221140, 22221141, 22221142, 22221143, 22221144, 22221145, 22221146, 22221147, 22221148, 22221149, 22221150, 22221151, 22221152, 22221153, 22221154, 22221155, 22221156, 22221157, 22221158, 22221159, 22221160, 22221161, 22221162, 22221163, 22221164, 22221165, 22221166, 22221167, 22221168, 22221169, 22221170, 22221171, 22221172, 22221173, 22221174, 22221175, 22221176, 22221177, 22221178, 22221179, 22221180, 22221181, 22221182, 22221183, 22221184, 22221185, 22221186, 22221187, 22221188, 22221189, 22221190, 22221191, 22221192, 22221193, 22221194, 22221195, 22221196, 22221197, 22221198, 22221199, 22221200

UniStar
UNISTAR ENVIRONMENTAL RESEARCH LABS PVT. LTD.

Calibration Certificate

Instrument Name: Fine Particulate Sampler
 Instrument ID No.: UR/LAB/FPS/20
 Instrument S. No. Supplier: AFM - 50/137-DI-2013
 Calibration Certificate No.: UR/LCC/FPS-20/137/24-25
 Date of Calibration: 15/12/2024
 Next Calibration due Date: 15/12/2025

| Sr. No. | Name of Unit Calibrated | Calibrator Traceable to | Calibration Certificate No. Date of Calibration |
|---------|-------------------------|------------------------------|---|
| 1. | Rotameter | Mette Test & cal LLP | ML/PT/2024/02/2024-25 Date of Cal: 17-12-2024 |
| | ID No.: UR/LAB/FPS/20 | ID No.: UR/LAB/TSR/ARUNAWATI | Date of Cal: 17-12-2024 |
| 2. | Flow Turbine | Mette Test & cal LLP | ML/MS/03/204/1/2024-25 Date of Cal: 17-12-2024 |
| | ID No.: UR/LAB/FPS/20 | ID No.: UR/LAB/TSR/ARUNAWATI | Date of Cal: 17-12-2024 |

* UNCERTAINTY MEASUREMENT: Rotameter: ± 0.471 LPM
 * UNCERTAINTY MEASUREMENT: Flow Turbine: ± 0.221 LPM

The reported uncertainty is the expanded uncertainty in measurement of 95 % Confidence level with coverage factor of k = 2 which corresponds to coverage probability of approximately 95 % of normal distribution.

Prepared By: Senior Chemist
 Approved By: Technical Manager

Page 1 of 1
UR/LAB/FPS/2000

Page 01/01 - 278 Road No. 25, Sector 25, Phase 2, Plot No. 25/1718, Mun. Pal. 25, Vadodra, India.
 Contact No: 079-22221122, 22221123, 22221124, 22221125, 22221126, 22221127, 22221128, 22221129, 22221130, 22221131, 22221132, 22221133, 22221134, 22221135, 22221136, 22221137, 22221138, 22221139, 22221140, 22221141, 22221142, 22221143, 22221144, 22221145, 22221146, 22221147, 22221148, 22221149, 22221150, 22221151, 22221152, 22221153, 22221154, 22221155, 22221156, 22221157, 22221158, 22221159, 22221160, 22221161, 22221162, 22221163, 22221164, 22221165, 22221166, 22221167, 22221168, 22221169, 22221170, 22221171, 22221172, 22221173, 22221174, 22221175, 22221176, 22221177, 22221178, 22221179, 22221180, 22221181, 22221182, 22221183, 22221184, 22221185, 22221186, 22221187, 22221188, 22221189, 22221190, 22221191, 22221192, 22221193, 22221194, 22221195, 22221196, 22221197, 22221198, 22221199, 22221200

Calibration Certificate for RDS

Calibration Certificate for FPS

UniStar
Environment and Research Labs Pvt. Ltd.

Calibration Certificate

Instrument Name: Respirator (Ear Sample)
 Instrument ID No.: UR/EAR/05/23
 Instrument Is. No. Supplier: 1740-DFA-001-8-1128-004-2013
 Calibration Certificate No.: UR/LC/0405-24/17/004-03
 Date of Calibration: 16/12/2024
 Next Calibration due Date: 16/12/2025

| Sr. No. | Name of Unit Calibrated | Calibrator Traceable to | Calibration Certificate No. Date of Calibration |
|---------|--|--|---|
| 1. | Flow Meter E1 No: UR/LA/R02/FM/24 | Flow Loading Device Innovator's Calibration Laboratory 63 No. SURUMASTERS(KURUKAMBA) | EL/FRP/0204-25/FLW/0224 Date of Cal: 03.08.2024 |
| 2. | Flow Turbine E2 No: UR/LA/R02/FM/24 | Pressure Indicator Maha Test & cal LLP Maha Test & cal LLP | ML/CH/0204/02/0204-25 Date of Cal: 07.12.2024 ML/SE/0204/01/0204-25 |
| 3. | Rotameter E3 No: UR/LA/R02/RT/24 | Rotameter Maha Test & cal LLP | ML/CH/0204/02/0204-25 Date of Cal: 17.12.2024 |
| 4. | Rotameter E4 No: UR/LA/R02/RT/24 | Rotameter Maha Test & cal LLP | ML/CH/0204/02/0204-25 Date of Cal: 17.12.2024 |

Uncertainty Measurement: Flow Meter: ± 0.03% (k=2)
 Uncertainty Measurement: Rotameter: ± 0.023% (k=2)
 Uncertainty Measurement: Flow Turbine: ± 0.023% (k=2)

Prepared By: [Signature]
 Approved By: [Signature]

Page 1 of 1

Calibration Certificate for RDS

UniStar
Environment and Research Labs Pvt. Ltd.

Calibration Certificate

Instrument Name: Fine Particulate Sampler
 Instrument ID No.: UR/LA/RFP/24
 Instrument Is. No. Supplier: AFM-350/25-02-2013
 Calibration Certificate No.: UR/LC/0405-24/1200/04-03
 Date of Calibration: 20/12/2024
 Next Calibration due Date: 16/12/2025

| Sr. No. | Name of Unit Calibrated | Calibrator Traceable to | Calibration Certificate No. Date of Calibration |
|---------|--|---|--|
| 1. | Rotameter E1 No: UR/LA/RFP/RT/24 | Rotameter Maha Test & cal LLP | ML/CH/0204/02/0204-25 Date of Cal: 17.12.2024 |
| 2. | Flow Turbine E2 No: UR/LA/RFP/RT/24 | Pressure Indicator Maha Test & cal LLP | ML/CH/0204/02/0204-25 Date of Cal: 17.12.2024 |

Uncertainty Measurement: Rotameter: ± 0.023% (k=2)
 Uncertainty Measurement: Flow Turbine: ± 0.023% (k=2)

Prepared By: [Signature]
 Approved By: [Signature]

Page 1 of 1

Calibration Certificate for FPS

Matrix
Test & Cal. LLP
CERTIFIED CALIBRATION & VALIDATION SERVICES

Calibration Certificate

Instrument Name: Sound Level Meter
 Instrument ID No.: UR/SLM/05/23
 Instrument Is. No. Supplier: 1740-DFA-001-8-1128-004-2013
 Calibration Certificate No.: UR/LC/0405-24/17/004-03
 Date of Calibration: 16/12/2024
 Next Calibration due Date: 16/12/2025

| Sr. No. | Name of Unit Calibrated | Calibrator Traceable to | Calibration Certificate No. Date of Calibration |
|---------|--|--|--|
| 1. | Sound Level Meter E1 No: UR/SLM/05/23 | Sound Level Meter Maha Test & cal LLP | ML/CH/0204/02/0204-25 Date of Cal: 17.12.2024 |

Uncertainty Measurement: Sound Level Meter: ± 0.03% (k=2)

Prepared By: [Signature]
 Approved By: [Signature]

Page 1 of 1

Calibration Certificate for Sound Level Meter

Matrix
Test & Cal. LLP
CERTIFIED CALIBRATION & VALIDATION SERVICES

Calibration Certificate

Instrument Name: Fine Particulate Sampler
 Instrument ID No.: UR/LA/RFP/24
 Instrument Is. No. Supplier: AFM-350/25-02-2013
 Calibration Certificate No.: UR/LC/0405-24/1200/04-03
 Date of Calibration: 20/12/2024
 Next Calibration due Date: 16/12/2025

| Sr. No. | Name of Unit Calibrated | Calibrator Traceable to | Calibration Certificate No. Date of Calibration |
|---------|--|---|--|
| 1. | Rotameter E1 No: UR/LA/RFP/RT/24 | Rotameter Maha Test & cal LLP | ML/CH/0204/02/0204-25 Date of Cal: 17.12.2024 |
| 2. | Flow Turbine E2 No: UR/LA/RFP/RT/24 | Pressure Indicator Maha Test & cal LLP | ML/CH/0204/02/0204-25 Date of Cal: 17.12.2024 |

Uncertainty Measurement: Rotameter: ± 0.023% (k=2)
 Uncertainty Measurement: Flow Turbine: ± 0.023% (k=2)

Prepared By: [Signature]
 Approved By: [Signature]

Page 1 of 1





UniStar Environment & Research Labs Pvt. Ltd.

**White House, Near GIDC Office, Char Rasta, Vapi,
Gujarat, India – 396195**



Annexure - IX

| | | | | | |
|---|---------|--|----------|-----------------------|--|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | | | |
|  | | | | | |
|  | fluidyn | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: | MG000-HSE-000-QB-7001 | |
| | | | Rev. No: | 03 | |

3D CONSEQUENCE ANALYSIS FOR GREEN PVC COMPLEX (Phase - I) @ MUNDRA, GUJARAT






| | | |
|-----------------|---|---|
| For |  | M/s Mundra Petrochem Ltd. Aravalli, Shantigram, Near Vaishnodevi Circle, S G Highway, Ahmedabad-382421, Gujarat, India |
| Number of Pages | 123 | |

DOCUMENT HISTORY

| | | | | | | | |
|-----------------|-------------|--------------------|---|--------------------|-------------------|--------------------|----------------|
| 03 | 13.11.25 | IFR | <i>Inclusion of Overpressure results + Comments</i> | SKR | MK | KP | |
| 02 | 22.08.25 | IFR | <i>Additional Scenario</i> | SKR | MK | KP | |
| 01 | 21.05.25 | IFR | <i>Incorporated MPL Comments</i> | SKR | MK | KP | |
| 00 | 16.04.25 | IFR | <i>Draft Report issued for Review</i> | SKR | MK | KP | |
| Rev. No. | Date | Status Code | Status Description | Prepared By | Checked By | Approved By | AC Code |

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.

| | | | | |
|---|---|--|-----------------|-----------------------|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | | |
|  | | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: | MG000-HSE-000-QB-7001 |
| | | | Rev. No: | 03 |

| Revision History | | | | |
|-------------------------|----------|----------|---|---|
| Sl. No. | Rev. No. | Date | Details of changes | Reason for Changes |
| 1 | 00 | 16.04.25 | <i>First Issue</i> | |
| 2 | 01 | 21.05.25 | <i>Incorporating MPL Comments</i> | <i>Post Review</i> |
| 3 | 02 | 22.08.25 | <i>Inclusion of additional scenario</i> | <i>Critical Scenario from each of the 6 units were identified and simulated</i> |
| 4 | 03 | 13.11.25 | <i>Included Overpressure outputs; other minor corrections based on MPL comments</i> | <i>Explosion simulations outputs were not ready during previous revision</i> |

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.







| | | | |
|---|---|--|--|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: MG000-HSE-000-QB-7001 Rev. No: 03 |

Table of Contents




| | | |
|-------------|--|-----------|
| I. | <u>Introduction</u> | 10 |
| I.1 | Preamble | 10 |
| I.2 | Context..... | 11 |
| I.3 | PHILOSOPHY OF RISK ASSESSMENT | 11 |
| I.4 | Study Objectives | 13 |
| II. | <u>Methodology</u> | 15 |
| II.1 | Consequence Analysis..... | 15 |
| II.2 | 3D Tools Employed for Consequence Modelling..... | 15 |
| II.2.1 | <i>Fluidyn</i> – PANEP: 3D CFD Dispersion Modelling Software..... | 15 |
| II.2.2 | <i>Fluidyn</i> – PANFIRE: 3D Fire Radiation Evaluation Software | 16 |
| II.2.3 | <i>Fluidyn</i> – VENTEX for Confined and Semi-Confined Explosion Modelling | 17 |
| II.2.4 | <i>Fluidyn</i> – ASSESSRISK for Risk Consequence Analysis and LoC Evaluation | 18 |
| II.3 | ELEMENTS OF THE RISK ANALYSIS STUDY..... | 19 |
| II.3.1 | STORAGE AND HANDLING OF HAZARDOUS CHEMICALS:..... | 19 |
| II.4 | CONSEQUENCE CALCULATIONS..... | 19 |
| II.4.1 | SOURCE STRENGTH PARAMETERS..... | 19 |
| II.4.2 | CONSEQUENTIAL EFFECTS | 19 |
| II.5 | SELECTION OF DAMAGE CRITERIA | 20 |
| III. | <u>Consequence Modeling – Model set up</u> | 24 |
| III.1 | Dispersion Simulations..... | 24 |
| III.1.1 | Numerical Model of Terrain: | 24 |
| III.1.2 | Weather Scenario: | 26 |
| III.1.3 | Source Terms: | 28 |
| III.1.4 | Computational Grid: | 33 |
| III.1.5 | Wind Flow simulations: | 36 |
| IV. | <u>Consequence Modeling Results</u> | 41 |
| IV.1 | Dispersion Simulations for Toxicity and Flammability Impacts | 41 |
| IV.1.1 | Chloro Alkali Unit Scenario – Anhydrous Hydrogen Chloride:..... | 41 |

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.

| | | | |
|---|---|--|--|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: MG000-HSE-000-QB-7001 Rev. No: 03 |




| | | |
|------------|--|------------|
| IV.1.2 | Chloro Alkali Unit Scenario – Chlorine:..... | 45 |
| IV.1.3 | Chloro Alkali Unit Scenario – Liquid Chlorine: | 49 |
| IV.1.4 | VCM Unit Scenario - C ₂ H ₃ CL:..... | 52 |
| IV.1.5 | VCM Unit Scenario - Propane: | 58 |
| IV.1.6 | VCM Unit Scenario - Anhydrous Hydrogen Chloride:..... | 64 |
| IV.1.7 | PVC Unit Scenario - C ₂ H ₃ CL: | 68 |
| IV.1.8 | O & U Unit Scenario - C ₂ H ₃ CL: | 73 |
| IV.1.9 | O & U Unit Scenario - C ₂ H ₃ CL: | 78 |
| IV.1.10 | Acetylene Unit Scenario - C ₂ H ₂ :..... | 83 |
| IV.1.11 | Calcium Carbide Unit Scenario - CH ₄ :..... | 86 |
| IV.1.12 | Calcium Carbide Unit Scenario - CO:..... | 87 |
| IV.2 | Fire Radiation Impacts - Pool Fire | 91 |
| IV.3 | Overpressure Impacts – Vapour Cloud Explosion..... | 94 |
| IV.3.1 | Scenario | 94 |
| IV.3.2 | Methodology | 95 |
| IV.3.3 | Results and analysis | 103 |
| V. | <u>Discussions on the Results.....</u> | 114 |
| VI. | <u>Recommendations for Onsite Emergency Plan.....</u> | 117 |
| | <u>ANNEXURE-I: FLUIDYN-state of the art tools on Risk Modeling.....</u> | 118 |
| | In-House Validation of fluidyn-PANACHE:..... | 120 |
| | <u>Publications:.....</u> | 122 |
| | <u>References:</u> | 123 |

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.

| | | | |
|---|---|--|--|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: MG000-HSE-000-QB-7001 Rev. No: 03 |




List of figures

| | |
|---|----|
| <i>Figure 1: Satellite image of the Green PVC plant location at Mundra, Gujarat</i> | 10 |
| <i>Figure 2: 3D View of the digitized Plant facilities at Mundra, Gujarat</i> | 11 |
| <i>Figure 3: Numerical Terrain Model generated using PANEPR</i> | 25 |
| <i>Figure 4: Zoomed Layout of Overall plant facilities with buildings</i> | 26 |
| <i>Figure 5: Windrose Pattern over the study region, Mundra, Gujarat</i> | 27 |
| <i>Figure 6: Location for Anhydrous HCl and Cl₂ transport pipeline leakage in Chloro Alkali Unit</i> | 28 |
| <i>Figure 7: Location for VCM, Propane and Anhydrous HCL transport pipeline leakage in VCM Unit</i> | 31 |
| <i>Figure 8: Location for Cl₂ transport pipeline leakage in Chloro Alkali Unit</i> | 31 |
| <i>Figure 9: Location for Methane and CO transport from Vessel in Calcium Carbide Unit and Acetylene transport from Cooling Tower in Acetylene Unit</i> | 32 |
| <i>Figure 10: Location for VCM transfer Pump in O&U Unit and PVC Unit</i> | 32 |
| <i>Figure 11: 2D Mesh considered for dispersion simulations</i> | 34 |
| <i>Figure 12: Close up View of 3D Mesh considered for dispersion simulations</i> | 34 |
| <i>Figure 13: Close up View of 3D Mesh at Chloro Alkali Unit- Anhydrous HCl and Cl₂</i> | 35 |
| <i>Figure 14: Close up View of 3D Mesh at VCM Unit-VCM, Propane and Anhydrous HCL</i> | 35 |
| <i>Figure 15: Close up View of 3D Mesh at O&U and PVC Unit-VCM</i> | 36 |
| <i>Figure 16: Close up View of 3D Mesh at Calcium Carbide and Acetylene Unit-Methane, CO and Acetylene</i> | 36 |
| <i>Figure 17: Simulated wind flow over the Domain (210⁰, 2m/s, F Stability class)</i> | 37 |
| <i>Figure 18: Simulated wind flow over the Plants (210⁰, 2m/s, F Stability class)</i> | 38 |
| <i>Figure 19: Simulated wind flow over the Domain (210⁰ 5m/s, D Stability class)</i> | 39 |
| <i>Figure 20: Simulated wind flow over the Plants (210⁰ 5m/s, D Stability class)</i> | 40 |
| <i>Figure 21: Concentration Contours at IDLH 50 ppm (Region in Red)</i> | 42 |
| <i>Figure 22: 3D plot view of IDLH @ 50 ppm</i> | 42 |
| <i>Figure 23: Anhydrous HCl IDLH Contours on a Vertical Section</i> | 43 |
| <i>Figure 24: Concentration Contours at IDLH 50 ppm (Region in Red)</i> | 43 |
| <i>Figure 25: 3D plot view of IDLH @ 50 ppm</i> | 44 |
| <i>Figure 26: Anhydrous HCl IDLH Contours on a Vertical Section</i> | 44 |
| <i>Figure 27: Concentration Contours at IDLH 10 ppm (Region in Red)</i> | 45 |
| <i>Figure 28: 3D plot view of IDLH @ 10 ppm</i> | 46 |
| <i>Figure 29: Cl₂ IDLH Contours on a Vertical Section</i> | 46 |
| <i>Figure 30: Concentration Contours at IDLH 10 ppm (Region in Red)</i> | 47 |
| <i>Figure 31: 3D plot view of IDLH @ 10 ppm</i> | 48 |
| <i>Figure 32: Cl₂ IDLH Contours on a Vertical Section</i> | 48 |
| <i>Figure 33: Concentration Contours at IDLH 10 ppm (Region in Red)</i> | 49 |
| <i>Figure 34: 3D plot view of IDLH @ 10 ppm</i> | 50 |
| <i>Figure 35: Cl₂ IDLH Contours on a Vertical Section</i> | 50 |
| <i>Figure 36: Concentration Contours at IDLH 10 ppm (Region in Red)</i> | 51 |

| | | | |
|---|---|--|--|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: MG000-HSE-000-QB-7001 Rev. No: 03 |

| | |
|--|----|
| <i>Figure 37: 3D plot view of IDLH @ 10 ppm.....</i> | 51 |
| <i>Figure 38: Cl₂ IDLH Contours on a Vertical Section.....</i> | 52 |
| <i>Figure 39: Concentration Contours at ERPG3 20000 ppm (not attained)</i> | 53 |
| <i>Figure 40: 3D view of ERPG3 @ 20000 ppm.....</i> | 53 |
| <i>Figure 41: C₂H₃Cl ERPG3 Plots on a Vertical Section.....</i> | 54 |
| <i>Figure 42: 100% LFL Cloud extent of VCM (FBR)</i> | 54 |
| <i>Figure 43: 50% LFL Cloud extent of VCM (FBR)</i> | 55 |
| <i>Figure 44: Concentration Contours at ERPG3 20000 ppm (not attained)</i> | 55 |
| <i>Figure 45: 3D plot view of ERPG3 @ 20000 ppm</i> | 56 |
| <i>Figure 46: C₂H₃Cl ERPG3 Plots on a Vertical Section</i> | 56 |
| <i>Figure 47: 100% LFL Cloud extent of VCM (FBR)</i> | 57 |
| <i>Figure 48: 50% LFL Cloud extent of VCM (FBR)</i> | 57 |
| <i>Figure 49: Concentration Contours at IDLH 2100 ppm (Region in Red)</i> | 58 |
| <i>Figure 50: 3D view of IDLH cloud @ 2100 ppm</i> | 59 |
| <i>Figure 51: C₃H₈ IDLH Contours on a Vertical Section.....</i> | 59 |
| <i>Figure 52: 100% LFL Cloud extent of Propane (FBR).....</i> | 60 |
| <i>Figure 53: 50% LFL Cloud extent of Propane (FBR)</i> | 60 |
| <i>Figure 54: Concentration Contours at IDLH 2100 ppm (Region in Red)</i> | 61 |
| <i>Figure 55: 3D plot view of IDLH @ 2100 ppm</i> | 62 |
| <i>Figure 56: C₃H₈ IDLH Contours on a Vertical Section.....</i> | 62 |
| <i>Figure 57: 100% LFL Cloud extent of Propane (FBR).....</i> | 63 |
| <i>Figure 58: 100% LFL Cloud extent of Propane (FBR).....</i> | 64 |
| <i>Figure 59: Concentration Contours at IDLH 50 ppm (Region in Red)</i> | 65 |
| <i>Figure 60: 3D plot view of IDLH @ 50 ppm.....</i> | 65 |
| <i>Figure 61: Anhydrous HCl IDLH Contours on a Vertical Section</i> | 66 |
| <i>Figure 62: Concentration Contours at IDLH 50 ppm (Region in Red)</i> | 66 |
| <i>Figure 63: 3D plot view of IDLH @ 50 ppm.....</i> | 67 |
| <i>Figure 64: Anhydrous HCl IDLH Contours on a Vertical Section</i> | 67 |
| <i>Figure 65: Concentration Contours at ERPG3 20000 ppm</i> | 68 |
| <i>Figure 66: 3D view of ERPG3 @ 20000 ppm.....</i> | 69 |
| <i>Figure 67: C₂H₃Cl ERPG3 Plots on a Vertical Section.....</i> | 69 |
| <i>Figure 68: 100% LFL Cloud extent of VCM (FBR)</i> | 70 |
| <i>Figure 69: 50% LFL Cloud extent of VCM (FBR)</i> | 70 |
| <i>Figure 70: Concentration Contours at ERPG3 20000 ppm</i> | 71 |
| <i>Figure 71: 3D plot view of ERPG3 @ 20000 ppm</i> | 71 |
| <i>Figure 72: 100% LFL Cloud extent of VCM (FBR)</i> | 72 |
| <i>Figure 73: 50% LFL Cloud extent of VCM (FBR)</i> | 72 |
| <i>Figure 74: Concentration Contours at ERPG3 20000 ppm</i> | 73 |
| <i>Figure 75: 3D view of ERPG3 @ 20000 ppm.....</i> | 74 |
| <i>Figure 76: VCM ERPG3 Plots on a Vertical Section.....</i> | 74 |

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.

| | | | |
|---|---|--|--|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: MG000-HSE-000-QB-7001 Rev. No: 03 |

| | |
|--|-----|
| <i>Figure 77: 100% LFL Cloud extent of VCM (FBR)</i> | 75 |
| <i>Figure 78: 50% LFL Cloud extent of VCM (FBR)</i> | 75 |
| <i>Figure 79: Concentration Contours at ERPG3 20000 ppm</i> | 76 |
| <i>Figure 80: 3D plot view of ERPG3 @ 20000 ppm</i> | 76 |
| <i>Figure 81: 100% LFL Cloud extent of VCM (FBR)</i> | 77 |
| <i>Figure 82: 50% LFL Cloud extent of VCM (FBR)</i> | 77 |
| <i>Figure 83: Concentration Contours at ERPG3 20000 ppm</i> | 78 |
| <i>Figure 84: 3D view of ERPG3 @ 20000 ppm.....</i> | 79 |
| <i>Figure 85: VCM ERPG3 Plots on a Vertical Section.....</i> | 79 |
| <i>Figure 86: 100% LFL Cloud extent of VCM (100mm)</i> | 80 |
| <i>Figure 87: 50% LFL Cloud extent of VCM (100mm)</i> | 80 |
| <i>Figure 88: Concentration Contours at ERPG3 20000 ppm</i> | 81 |
| <i>Figure 89: 3D plot view of ERPG3 @ 20000 ppm</i> | 81 |
| <i>Figure 90: 100% LFL Cloud extent of VCM (100mm)</i> | 82 |
| <i>Figure 91: 50% LFL Cloud extent of VCM (100mm)</i> | 82 |
| <i>Figure 92: 100% LFL Cloud extent of Acetylene (FBR)</i> | 83 |
| <i>Figure 93: 50% LFL Cloud extent of Acetylene (FBR)</i> | 84 |
| <i>Figure 94: 100% LFL Cloud extent of Acetylene (FBR)</i> | 84 |
| <i>Figure 95: 50% LFL Cloud extent of Acetylene (FBR)</i> | 85 |
| <i>Figure 96: 1% LFL Cloud extent of Methane (100mm)</i> | 86 |
| <i>Figure 97: 1% LFL Cloud extent of Methane (100mm)</i> | 86 |
| <i>Figure 98: Concentration Contours at IDLH 1200 ppm (Region in Red)</i> | 87 |
| <i>Figure 99: Carbon Monoxide IDLH Contours on a Vertical Section</i> | 88 |
| <i>Figure 100: 1% LFL Cloud extent of Carbon Monoxide (100mm)</i> | 88 |
| <i>Figure 101: Concentration Contours at IDLH 1200 ppm – Not Attained (Region in Red).....</i> | 89 |
| <i>Figure 102: 0.1% LFL Cloud extent of Carbon Monoxide (100mm)</i> | 90 |
| <i>Figure 103: Mesh considered for the Plant Site pool fire scenario</i> | 91 |
| <i>Figure 104: Fire Radiation extent (region in RED) for 4KW/m2</i> | 92 |
| <i>Figure 105: Fire Radiation extent (region in RED) for 6.3KW/m2</i> | 92 |
| <i>Figure 106: Fire Radiation extent (region in RED) for 12.5 KW/m2</i> | 93 |
| <i>Figure 107: Fire Radiation extent (not attained outside flame area) for 37.5 KW/m2</i> | 93 |
| <i>Figure 108: Scenario’s Source locations for Acetylene Unit, PVC Unit and O&U Unit</i> | 94 |
| <i>Figure 109: Geometry for Explosion Study for Scenario 1 - Acetylene Unit.....</i> | 95 |
| <i>Figure 110: Geometry for Explosion Study for Scenario 2 - PVC Unit.....</i> | 96 |
| <i>Figure 111: Geometry for Explosion Study for Scenario 3 – O & U Unit.....</i> | 96 |
| <i>Figure 112: Scenario1 Unstructured Mesh on ground – Acetylene Unit</i> | 97 |
| <i>Figure 113: Scenario2 Unstructured Mesh on ground – PVC Unit.....</i> | 98 |
| <i>Figure 114: Scenario3 Unstructured Mesh on ground – O & U Unit</i> | 98 |
| <i>Figure 115: Scenario1 Gas Leakage – Acetylene Unit</i> | 100 |
| <i>Figure 116: Scenario2 Gas Leakage – PVC Unit.....</i> | 100 |

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.




| | | | |
|---|---|--|--|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: MG000-HSE-000-QB-7001 Rev. No: 03 |

Figure 117: Scenario3 Gas Leakage – O & U Unit 101

Figure 118: Overpressure on ground (z=0) for range 0 to 2mbar 104

Figure 119: Maximum Incident/reflected overpressure on ground (z=0) 105

Figure 120: Maximum overpressure at release plane (z=26m) 106

Figure 121: Overpressure on ground (z=0) for the range 0 to 10mbar..... 108

Figure 122: Maximum overpressure on ground (z=0)..... 108

Figure 123: Maximum overpressure at release plane (z=0.75m) 109

Figure 124: Overpressure on ground (z=0) for user range (0 to 10mbar)..... 111

Figure 125: Maximum overpressure on ground (z=0)..... 112

Figure 126: Maximum overpressure at release plane..... 113

List of Tables

Table 1: Hazardous Gas exposure criteria – Threshold values 20

Table 2: Effects due to incident radiation intensity 21

Table 3: Damage due to overpressures..... 22

Table 4: Weather Scenario considered for dispersion 27

Table 5: Source parameters considered for identified MCA Scenario 29

Table 6: Mesh elements considered for Simulation..... 33

Table 7: Maximum Credible Accident Scenario identified for CFD explosion scenario 94

Table 8: Mesh details 99

Table 9: Summary for Explosion study Scenario 99

Table 10: Combustion reaction details..... 101

Table 11: Overpressure thresholds for consequences on structures 103

Table 12: Results Summary for Explosion study of Scenario 1..... 106

Table 13: Results Summary for Explosion study of Scenario 2..... 109

Table 14: Results Summary for Explosion study of Scenario 3..... 113




Table 15: Results Summary for toxicity impact distances..... 114

Table 16: Results Summary for Flammability Impact distances..... 115

Table 17: Pool Fire Threshold distances 115

Table 18: Results Summary for Explosion study 116




This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.

| | | | |
|---|---|--|--|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: MG000-HSE-000-QB-7001 Rev. No: 03 |

List of Acronyms

| | |
|--------|--|
| %v/v | Percentage Volume Fraction |
| agl | Above Ground Level |
| 3D-CFD | 3 Dimensional Computational Fluid Dynamics |
| FWG | French Working Group (for 3D CFD modelling guidelines) |
| INERIS | The French National Institute for Industrial Environment and Risks (L'Institut national de l'environnement industriel et des risques) |
| BLEVE | Boiling Liquid Expanding Vapour Explosion |
| EPC | Engineering Procurement and Construction |
| IDLH | Immediately Dangerous to Life or Health |
| LFL | Lower Flammability Limit (v/v) |
| LOC | Loss of Containment |
| MCA | Maximum Credible Accident Scenario |
| MMTPA | Million Metric Tonnes Per Annum |
| QRA | Quantitative Risk Assessment |
| UFIP | L'Union Française des Industries Pétrolières |
| UVCE | Unconfined Vapour Cloud Explosion |
| ERPG | Emergency Response Planning Guidelines |
| VCM | Vinyl Chloride Monomer |
| PVC | Poly Vinyl Chloride |
| O & U | Offsites and Utilities |

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.

| | | | |
|---|---|--|--------------------------------------|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: MG000-HSE-000-QB-7001 |
| | | | Rev. No: 03 |

I. INTRODUCTION

I.1 PREAMBLE

This work has been carried out by FLUIDYN in the context of 3D Consequence Analysis, for Green PVC Complex located at Mundra proposed by M/s Mundra Petrochem Limited, Gujarat, India using *fluidyn* tools.

M/s Mundra Petrochem Limited (MPL), a fully owned stepdown subsidiary of Adani Enterprises Limited, plans to establish a PVC project in Mundra, Gujarat. The Green PVC Complex is a “Green Field Project” for production of Poly Vinyl Chloride (PVC) through Semicoke route. This project will involve setting up of Calcium Carbide Plant, Acetylene Plant, Caustic Soda Plant, VCM Plant and PVC Plant with all Utilities, Off Sites and associated warehouse for storage of raw material (Semi coke, limestone & Salt) intermediate and finished product storage, necessary switchyard for power supply to the plant and entire Green PVC Complex. The intended production capacity in the Phase-I would be 1 MMTPA of PVC. The purpose of this 3D Consequence Analysis study is to identify and quantify the hazards due to the identified failure events in the Phase-I facilities (1MMTPA) of the complex.

Aerial View of the plant facilities in the vicinity of Green PVC complex is shown in *Figure 1*.




Figure 1: Satellite image of the Green PVC plant location at Mundra, Gujarat

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.




| | | | |
|---|---|--|--------------------------------------|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: MG000-HSE-000-QB-7001 |
| | | | |



Figure 2: 3D View of the digitized Plant facilities at Mundra, Gujarat

I.2 CONTEXT




The proposed green field project will involve setting up of Green PVC Complex comprising of 6 Units namely Calcium Carbide plant (Unit – 300), Acetylene plant (Unit – 500), Offsites and Utilities (Unit-800), Chloro-Alkali (Unit- 400), VCM (Unit – 600) plant and PVC (Unit – 700). The ultimate capacity would be of 1 MMTPA of PVC. The Green PVC Complex would have an envisaged capacity of 1 MMTPA PVC with all Utilities, offsites and associated warehouse for storage of raw material (coal, limestone & salt), intermediate and finished product storage, necessary switchyard for power supply to the plant and entire Green PVC Complex.

The consequence analysis, for the scenario identified based on their criticality across all process plant/units, O&U's facilities and interconnecting facilities of Pocket 1, is intended to identify the impact zones and adopt the mitigation measures as deemed necessary.

I.3 PHILOSOPHY OF RISK ASSESSMENT

Industries have a wide variety of process involving consumption, production and storage of chemicals. The condition that contributes to the danger, by these chemicals, are when some loss of containment of hazardous chemicals occur resulting in consequences such as toxic or flammable

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.

| | | | |
|---|---|--|--------------------------------------|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: MG000-HSE-000-QB-7001 |
| | | | Rev. No: 03 |

clouds under different worst case atmospheric conditions, fire or explosion. Release of such chemicals during transportation, unloading or operations would result in flammable / explosive cloud, toxic gas cloud, liquid pool etc..., Under these circumstances, it is essential to achieve and maintain high standards of plant integrity through good design, management and operational controls.

However, accidents do occur and these can cause serious injuries to employees or the public, and damage to property. The public concern at such events invariably leads to call for additional control at national and international levels. It is against this background that various Rules and Guidelines formulated by the local regulatory agencies which mandate requirements for a safe and reliable working of an industry. They require carrying out various studies and analysis to assess and mitigate hazards prevalent in the factory in line with the above goal of safe and reliable working. These are more commonly known as “Risk Assessment Studies”. This chapter explains the basis of Risk Assessment and its objectives.




Major hazard installations have to be operated to a very high degree of safety; this is the core responsibility of the management. In addition, management holds a key role in the organization in the implementation of a major hazard control systems. In particular, the management has the responsibility to:

1. Provide the information required to identify major hazard installations.
2. Carry out hazard/risk assessment.
3. Report to the authorities on the results of the hazard / risk assessment.
4. Conceive Disaster Management plans and carryout “MOCK DRILLS” on the scenarios envisaged.
5. Adequately inform the Vulnerability status of the company to district management.
6. Undertake measures to in-plant safety assurance systems.

In order to fulfil the above responsibility, the Management must be aware of the nature of the hazard, of the events that cause accidents and of the potential consequences of such accidents. In order to control a major hazard successfully, the Management must have answers to the following questions:

- Do toxic, explosive or flammable substances in our facility constitute a major hazard?
- Which failures or errors can cause abnormal conditions leading to a major accident?
- If a major accident occurs, what are the consequences of a fire, an explosion or a toxic release for the employees, people living outside the factory, the plant or the Environment?
- What can Management do to prevent these accidents from happening?
- What can be done to mitigate the consequences of an accident?

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.

| | | | | |
|---|---|--|-----------------|-----------------------|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | | |
|  | | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: | MG000-HSE-000-QB-7001 |
| | | | Rev. No: | 03 |

The most appropriate way of answering these questions is to carry out a hazard or risk assessment study, the purpose of which is to understand, why accidents occur and how they can be avoided or at least mitigated. A properly conducted RISK assessment will therefore:




- Analyze the existing safety concept or develop a new one;
- Develop optimum measures for technical and organization protection in event of an abnormal plant operation.

I.4 STUDY OBJECTIVES

Following are the objectives to be considered for the study:




- Determination of the potential size and effects of the consequences. Compare the CFD simulation results with threshold values and acceptance criteria based on standard guidelines like IOGP, CPQRA, TNO Purple Book, API-752, API 753 and other applicable industrial references. Hazards to be considered shall include:
 - Explosion (Gas cloud, VCE and BLEVE)
 - Fire (Pool, Flash and Jet)
 - Toxic effects
- Generation of credible and worst-case scenarios for accidental release of hazardous chemicals in the Green PVC Plant
- Parts Count, Failure frequency analysis and Event tree analysis (carried out in 2D QRA)
- Determination of the potential size and effects of the consequences (inclusive Fire and Explosion risk Analysis, Dispersion Analysis etc.)
- Identification of key risk contributors including assessment of the controls available to prevent an MAH or mitigate its consequences should it occur. (carried out in 2D QRA)
- Quantification of risk through individual and societal risk figures based on manning and population data. (carried out in 2D QRA)
- Assessment of individual and societal risk against the risk acceptability criteria relevant to the situation. (carried out in 2D QRA)
- Geometry model to be created from scratch for simulations in the CFD software tool itself based on available facility data.

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.

| | | | |
|---|---|--|--------------------------------------|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: MG000-HSE-000-QB-7001 |
| | | | |

- Flammable / Toxic Gas dispersion simulations to be carried out based on transient leaks, process conditions, inventory, weather parameters etc.
- Explosion simulations to be carried out, wherever found necessary, based on flammable gas dispersion and dust entrainment cases determining the explosion loads on facility buildings and surroundings
- Fire simulations for identified cases to assess the radiation loads on support structure and facility buildings
- Suggest necessary recommendations / mitigation whenever warranted based on advanced risk assessment latest techniques and sensitivity analysis

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.

| | | | | |
|---|---|--|-----------------|-----------------------|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | | |
|  | | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: | MG000-HSE-000-QB-7001 |
| | | | Rev. No: | 03 |

II. METHODOLOGY

Consequence analysis is carried out to quantify the severity and extent of the damages due to eventual accidents. Damages may be to people, environment, assets or business reputation. This study is specifically concerned with damage to the occupants and facilities due to the hazards associated with storage and handling of hazardous materials along the process streams.

The following steps are involved in 3D consequence analysis:

- Study of the plant facilities and systems
- Construction of 3D geometrical model of the site facilities along with surround land cover features
- Identification of the MCA scenario to be considered for a detailed 3D analysis based on 2D QRA
- Simulation of local micro-scale wind flow along with vertical stratification using micro-meteorological models
- Estimation of the consequences for the selected scenario
- Proposal mitigation systems proposed based on baseline scenario consequences

II.1 CONSEQUENCE ANALYSIS

Consequence analysis for the selected failure scenarios is carried out using 3D consequence modelling tools of FLUIDYN for selected failure scenarios as below:

- Dispersion of hazardous clouds to define threshold / flammable concentration levels
- Heat radiation intensity due to pool fire and jet fire [limited to proximal facilities]
- Explosion overpressure




II.2 3D TOOLS EMPLOYED FOR CONSEQUENCE MODELLING

II.2.1 *Fluidyn* –PANEP: 3D CFD Dispersion Modelling Software


PANEP is dedicated software for 3D simulation of dispersion from different sources such as industrial sites, stacks, accidental leaks, etc. It analyses the consequences of accidental dispersion of pollutant discharge in process industries due to rupture or leaks and combustion bi-products due to fires.

It can be used to plan anticipatory measures and solve problems in case of industrial accidents. It integrates the 3D modelling characteristics such as wind, turbulence and pollutant transport and takes into account the influence of topography, obstacles, buildings, influence of vegetation and terrain on dispersion, solar radiation effects and ambient atmospheric conditions. It can simulate

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.

| | | | |
|---|---|--|--------------------------------------|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: MG000-HSE-000-QB-7001 |
| | | | |

transient effects of the following physical phenomena: compressible flow, buoyancy effects, atmospheric release interactions and variable source time.




It can be applied to different scenarios such as:

Gas release from a pressurised storage tank or pipe: two-phase (particles or droplets) with variable rate or liquid release




- Dense gas dispersion with or without high momentum release
- Multiple pollutant sources such as stacks and storage leaks
- Interaction with structures such as tanks and ground
- Exact simulation of flow between obstacles and processing units by curvilinear mesh and a second order solver
- Analysis of risks from threshold database (calculation for SEI, SEL and SELS thresholds & flammable volume) and determination of plume opacity
- Dispersion of an explosive cloud (UVCE): Cloud volume and mass flammability limits (for UVCE or ATEX calculations)

II.2.2 *Fluidyn* – PANFIRE: 3D Fire Radiation Evaluation Software

It is a dedicated software tool for 3D simulation of fire accidents - combustion of solid products and liquid pool. It calculates the heat fluxes generated by the combustion of the products such as hydrocarbon, papers, plastics, cartons, alcohols, etc. under selected weather conditions. It helps to establish a 3D estimate of the heat radiation generated by fires and combustion thereby allowing comparisons with the statutory thresholds by taking into account the material (nature, combustion rate and proportion), 3D geometry of the warehouses and mitigation measures (firewalls, sprinklers and obstacles).



This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.

| | | | |
|---|---|--|--------------------------------------|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: MG000-HSE-000-QB-7001 |
| | | | |

It has many integrated models to calculate heat flux adaptable to different scenarios:

- Solid, dry bulk or rack fires
- Pool fires in retention bunds
- Fires inside buildings

Some of the salient features of PANFIRE include:

- Simple to complex configuration of the site under consideration
- Multiple fire sources with collapsing / non-collapsing walls
- Mixture of storage materials with individual burning characteristics
- Modules to determine the flame geometry (form and height) using fuel characteristics
- User control of initial flux values
- 3D radiation using advanced view factor methods




PANFIRE finds its application in several contexts:


- Consequence of heat radiation due to fire in storage yards on the occupants
- Occurrence of domino effect due to fire
- Design of fire walls – their strength and position
- Effectiveness of safety measures such as sprinklers or water curtains etc..
- Site layout planning in terms of storage of different combustible materials, their separation etc.
- Identification of safe zones, escape routes etc.. in case of fire accidents

II.2.3 *Fluidyn* – VENTEX for Confined and Semi-Confined Explosion Modelling

fluidyn-VENTEX is a *fluidyn*-VENTIL module dedicated to the simulation of explosions in open, confined and semi-confined spaces. It models by solving explosion and (optionally) its effect on structures by **simultaneously** solving fluid mechanics and stress analysis equations. It consists of three modules, used according to the requirement:

1. For gas accumulation before deflagration, it may use VENTCLIM derived from PANEPFR
2. For explosion- deflagration or detonation, it uses *fluidyn* – ESR solvers
3. For structural integrity, it uses VENTSTRESS module, having **explicit** FE solver of *fluidyn* –FSI

| | | | |
|---|---|--|--|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: MG000-HSE-000-QB-7001 Rev. No: 03 |



Applications:

- It can be used for oil & gas- both onshore and offshore explosion studies
- It can be used to analyse the accidental explosion of solid fuels, liquid fuels or gas clouds and also for solid-gas mixture (dust clouds).
- Single or multiple simultaneous explosions can be simulated.
- It can be used as a design tool for the constructions of blast walls
- It also determines zones of lethal effects and irreversible effects associated to pressure wave fronts.

II.2.4 Fluidyn – ASSESRISK for Risk Consequence Analysis and LoC Evaluation




Software for Risk and Consequences Analysis for Chemical & Petrochemical sites *fluidyn -ASSESS RISK* is a Software Package designed for Risk Analysis and Planning of Petrochemical Refineries and Bulk storage installations.

fluidyn - ASSESS-RISK is based on **UFIP** (Union Francaise d'Industrie Petroliere) methodology and is a result of participant's exercises. The Techniques imposed for Risk Assessment are based on qualitative methods, semi-quantitative criteria or quantitative methods and validated by **INERIS**.

The objective is to identify the critical systems to avoid major-accident hazards and to limit their consequences to environment and Productivity of the Plants. They are:

- Identification of the safety relevant sections of the establishment
- Identification of critical systems at the origin of potential major accidents.
- Determining the magnitude of potential major accidents.

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.

| | | | | |
|---|---|--|-----------------|-----------------------|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | | |
|  | | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: | MG000-HSE-000-QB-7001 |
| | | | Rev. No: | 03 |

- Assignment and assessment of the prevention, control and mitigation measures.
- The definitions of the emergency plan distances. (Evacuation of the population)
- Increasing the units' operation reliability.

II.3 ELEMENTS OF THE RISK ANALYSIS STUDY

II.3.1 STORAGE AND HANDLING OF HAZARDOUS CHEMICALS:

Identification, analysis and assessment of hazard and risk are very useful in providing information to risk management. It provides basis for what should be the type and capacity of its preparedness, on-site and off-site emergency plans. Risk analysis is carried out considering storage and handling of various hazardous raw materials, manufacturing process and storage of hazardous finished goods.

II.4 CONSEQUENCE CALCULATIONS

Consequence analysis is carried out using different models / approaches to simulate the physical effects of an accident (spill of hazardous material) and to evaluate the impacts (lethality, injury, material destruction) of the accident. Accidental release of hazardous materials can result in severe consequences.

The methodology is broadly enumerated under three phases:

- Determination of the source strength parameters;
- Determination of the consequential effects;
- Determination of the damage or damage distances




II.4.1 SOURCE STRENGTH PARAMETERS

- Calculation of the outflow of liquid vapours out of a vessel/tank or a pipe, in case of rupture. In addition, two-phase outflow can be calculated.
- Calculation, in case of liquid outflow, of the instantaneous flash evaporation and of the dimensions of the remaining liquid pool.
- Calculation of the evaporation rate, as a function of volatility of the material, pool dimensions and wind velocity.
- Source strength equals pump capacities, etc. in some cases.

II.4.2 CONSEQUENTIAL EFFECTS

- Dispersion of gaseous material in the atmosphere as a function of source strength, relative density of the gas, weather conditions and topographical situation of the surrounding area.
- Intensity of heat radiation [in kW/ m²] due to a fire, as a function of the distance to the source.

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.

| | | | |
|---|---|--|--------------------------------------|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: MG000-HSE-000-QB-7001 |
| | | | |

- Energy of vapour cloud explosions [in bar], as a function of the distance to the distance of the exploding cloud.
- Concentration of gaseous material in the atmosphere, due to the dispersion of evaporated chemical. The latter can be either explosive or toxic.

II.5 SELECTION OF DAMAGE CRITERIA

The damage criteria give the relation between the extents of the physical effects (exposure) and the effect of consequences. For assessing the effects on human beings, consequences are expressed in terms of injuries and the effects on equipment / property in terms of monetary loss. In consequence analysis studies, in principle three types of hazardous effects are considered:

- Dispersion of vapours of hazardous substances resulting in:
 - Toxic effects, from toxic materials usually in terms of IDLH (or ERPG1 in the absence of IDLH)
 - Flammable / Explosive cloud
- Heat radiation due to fires - in this study, the concern is that of Jet fires and pool fires & Damage caused by heat radiation on material and people
- Explosions of Flammable Clouds & Damage caused by explosion on structure and people

The knowledge about these relations depends strongly on the nature of the exposure. Following are the criteria selected for damage estimation:




Dispersion of Hazardous Vapours:

Any hazardous material having tendency to vapourise would disperse in the environment due to atmospheric wind and turbulence and thus posing threat in terms of toxicity and flammability. The criteria, depending on the type of hazardous material, considered for the level of impacts are as listed in Table 1.

Table 1: Hazardous Gas exposure criteria – Threshold values

| Material | IDLH (PPM) | LFL % v/v | |
|-----------------|------------------|-----------|------|
| | | 100% | 50% |
| Anhydrous HCl | 50 | - | - |
| Cl ₂ | 10 | - | - |
| Propane | 2100 | 2.1 | 1.05 |
| VCM | 20000 [ERPG3] | 3.6 | 1.8 |
| Acetylene | - | 2.5 | 1.25 |
| Carbon Monoxide | 1200 | 12.5 | 6.25 |
| Methane | - | 5 | 2.5 |

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.

| | | | |
|---|---|--|--------------------------------------|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: MG000-HSE-000-QB-7001 |
| | | | |

Heat Radiation:

The effect of fire on a human being is in the form of burns. There are three categories of burn such as first degree, second degree and third degree burns. The consequences caused by exposure to heat radiation are a function of:

- The radiation energy onto the human body [kW/m²];
- The exposure duration [sec];
- The protection of the skin tissue (clothed or naked body);

Table 2: Effects due to incident radiation intensity

| Incident Radiation (kW/m ²) | Type of Damage |
|---|--|
| 37.5 | Significant chance of fatality for people exposed instantaneously and damage to process equipment. |
| 12.5 | Sufficient to cause third degree burn in a person if unable to reach for cover within 20 seconds. Minimum energy required for piloted ignition of wood, melting of plastic tubing. Thin steel with insulation on the side away from the fire may reach thermal stress level high enough to cause structural failure. |
| 6.3 | Pain within approximately 10 seconds; rapid escape only is possible |
| 4.0 | Maximum radiant heat intensity in areas where emergency actions lasting 2 min to 3 min can be required by personnel without shielding but with appropriate clothing. |




Reference: CCPS, Guidelines for Chemical Process Quantitative Risk Analysis

The actual results would be less severe due to the various assumptions made in the models arising out of the flame geometry, emissivity, angle of incidence, view factor and others. The radiation output of the flame would be dependent upon the fire size, extent of mixing with air and the flame temperature.

As per the guidelines of CPR 18 E Purple Book:

- The lethality of a jet fire and pool fire is assumed to be 100% for the people who are caught in the flame. Outside the flame area, the lethality depends on the heat radiation distances.
- For the flash fires lethality is taken as 100% for all the people caught outdoors and for 10% who are indoors within the flammable cloud. No fatality has been assumed outside the flash fire area.

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.




| | | | |
|---|---|--|--|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: MG000-HSE-000-QB-7001 Rev. No: 03 |

Explosions:

Table 3: Damage due to overpressures

| Overpressures | | Damage to people | Damage to Asset |
|---------------|------|--|---|
| barg | psig | | |
| 1 | 14.7 | Fatal wounds in more than 50% of the cases because of shock waves, splinters, collapse of construction Lung Burst (Lethality threshold 1% by direct effects) | <ul style="list-style-type: none"> • Very serious damage to main structures, nearing total destruction. • Rupture of vertical pressurized vessels and tank spheres. • Complete destruction of any type of building (non-blast proof). |
| 0.6 | 8.8 | Risk of lethal wounds because of splinters or debris, people being thrown by shock waves onto hard surface. Possibility of ear drum burst. | <ul style="list-style-type: none"> • Serious damage of main structures. • Rupture of horizontal pressurized vessels. • Unit moves and pipes break. Heat exchanger overturns or destroyed. • Chemical reactor destroyed. |
| 0.3 | 4.4 | Very serious wounds (Possibly fatal) caused by missile debris, people thrown by shock wave on angular surfaces. Possibility of temporary deafness | <ul style="list-style-type: none"> • Fired Heater overturns or destroyed. Pipe support deforms. Debris missile damage occurs. • Total destruction of steel frame / Metal siding pre- engineered building. Total destruction of steel or concrete frame / unreinforced masonry infill or cladding. • Grave structural damages to oil storage tanks. Light walls in industrial buildings destroyed. • Industrial steel self-framing structure collapsed. Cladding of light industry building ripped off. Cracking in empty oil storage tanks. Slight deformation of a pipe bridge |
| 0.2 | 2.9 | Possibility of a serious wounding by missile debris, broken glass, people thrown by shock waves on angular | <ul style="list-style-type: none"> • Lower limit of serious structural damage 50% destruction of brickwork of houses. • Heavy machines in industrial buildings suffer little damage: Steel frame |

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.




| | | | |
|---|---|--|--|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: MG000-HSE-000-QB-7001 Rev. No: 03 |

| Overpressures | | Damage to people | Damage to Asset |
|---------------|------|---|--|
| barg | psig | | |
| | | surfaces. Lethality threshold 5% | buildings distorted and pooled away from foundations |
| 0.14 | 2 | Possibility of serious wounding by missile debris, broken glass Lethality threshold - 1% | <ul style="list-style-type: none"> Average Damage (Roofs, doors, windows). Window and Gauges break. Control house concrete roof collapses Roof Slab collapses (steel / concrete frame/ unreinforced masonry infill and cladding. Partly collapse of roofs and walls of the building. Fibro cement plates destroyed. Connections between steel and aluminum undulated plates have failed. Partial roof failures, 25% of the walls have failed, serious damage to the remaining carrying elements. Damages to the window-frames and doors |
| 0.05 | 0.73 | Possibility of wounding by missile debris, broken glass Significant wounds threshold | <ul style="list-style-type: none"> Light Damage (Large windows) Instruments and switchgear of control house are damaged from roof collapse. Minor damage to house structures Slight structural damages to housing |

CPR 18 E guidelines on explosion say:

- Overpressure more than 0.3 bar corresponds approximately with 50% lethality.
- An overpressure above 0.2 bar would result in 10% fatalities.
- An overpressure less than 0.1 bar would not cause any fatalities to the public.
- 100% lethality is assumed for all people who are present within the flammable cloud.

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.

| | | | |
|---|---|--|--------------------------------------|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: MG000-HSE-000-QB-7001 |
| | | | |

III. CONSEQUENCE MODELING – MODEL SET UP

To meet the objective of evaluating consequences on the onsite & offsite facilities in terms of toxicity, heat radiation and impulse effects due to hazardous vapour releases, 3D simulations for dispersion were carried out using FLUIDYN tools. This model assesses the location and intensity of impacts like heat radiation, overpressure, and hazardous exposure by utilising simulation results from dispersion and fluid dynamics assessments. The model precisely defines areas of possible harm by combining empirical data, defined impact thresholds, and sensitivity factors. This makes it possible to evaluate the risks to human health, and environmental effects. The model also makes it easier to integrate scenarios with many hazards, enabling thorough risk assessments under various variables including temperature, wind speed, and release parameters. The results of the same are presented in this section.

III.1 DISPERSION SIMULATIONS

Physical model (GIS - CAD) of the site for dispersion simulations was done based on the site drawings (2D and 3D) and geo-positioning was carried out upon Google Earth. Source estimation for the release rate was done using *fluidyn* – ASSESRISK, a tool for scenario quantification and 2D risk estimates. The identified critical scenario were then subjected to detailed 3D consequence modelling using CFD based tools – PANEPR (dispersion), PANFIRE (fire radiation) & VENTEX (explosion) wherever applicable.



III.1.1 Numerical Model of Terrain:

Dispersion of gases in the atmosphere is largely influenced by the topography of the site under consideration. The terrain elements such as undulations (hills, valley), land cover (vegetation, water bodies etc..), urban canopy (heat island, roughness) and significantly the obstacles (buildings, process units, ground level tanks etc..) in the vicinity of release points. Wind flow over each of such terrain elements shall be disturbed in terms of drag (boundary layer phenomena) and turbulence (mixing). Thus the significant topographical features, in this case mainly semi-enclosed & fully opaque buildings / facilities within the site, were digitised to create numerical terrain model.

The terrain model created for MPL plant is shown in the *Figure 4*. This includes the site process units belonging to six plants (PVC, VCM, Chloro Alkali, Calcium Carbide, Acetylene and O & U). While the opaque structures (buildings, tanks, reactors) were modelled as solid obstacles, other process units with structures and pipe networks were represented with volumetric obstructions with partial porosity. Care was taken to reproduce the significantly large facilities close to the leakage sources, which would act as blockage to the wind flow and dispersion.

Keeping in view of the inventory size and also the targeted facilities, a domain of size 5500 m x 5500 m was considered for the simulations with a height of 300 m above ground level. While *Figure 3*

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.

| | | | |
|---|--|---------------------------------|-----------------------|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: | MG000-HSE-000-QB-7001 |
| | | | Rev. No: |

depicts comprehensive view of the domain features with digitized topographical elements, close up view of the site facilities are presented in *Figure 4*. An overall roughness of 0.01m was considered for the study. The selected domain size would intend to adequately cover the whole footprint of the upstream plant facilities, including operating zones, possible emission sources, and nearby locations that might be impacted by the plant's operations. The simulation records not only the direct emissions but also the dispersal patterns impacted by regional air conditions, topography, and surface roughness by making sure the domain transcends the immediate operating boundaries. The main reason a bigger domain is not taken into consideration is that it would necessitate a significant increase in time and processing resources without yielding any additional insights. Furthermore, boundary criteria may become less applicable or more difficult to establish precisely if the domain is too big, which could have an impact on the calibre of the results. Rather, the emphasis is on selecting a domain that is about the right size not too vast to hinder performance, but big enough to reduce boundary effects on the region of interest. While maximizing computational resources, proper domain sizing guarantees accurate simulations.







Figure 3: Numerical Terrain Model generated using PANEP

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.

| | | | |
|---|---|--|-------------------------------|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: MG000-HSE-000-QB-7001 |
| | | | Rev. No: 03 |







Figure 4: Zoomed Layout of Overall plant facilities with buildings

III.1.2 Weather Scenario:

Overall weather pattern over the study site at Mundra has been presented in terms of windrose as in Figure 5.

Weather frequency details were used during 2D QRA studies in evaluating scenario frequencies, whereas for 3D analysis their use is limited to subsequent stages of optimizing possible mitigation measures.

| | | | |
|---|---|--|--|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: MG000-HSE-000-QB-7001 Rev. No: 03 |




Figure 5: Windrose Pattern over the study region, Mundra, Gujarat




The critical wind directions chosen as to be blowing towards urban area were considered for flow field simulations.

The wind flow (speed and direction) influences the dispersion of vapours, two worst case weather conditions were considered in terms of wind speed and atmospheric stability, based on Standard Guidelines (IS 15656-2006). As a worst case condition, wind blowing towards Mundra Town, the nearest inhabitation, was selected which measures to a direction of 210° with reference to North. Summary of weather conditions considered for the simulations are as tabulated in Table 4.

Table 4: Weather Scenario considered for dispersion

| Scenario | Wind Direction | Wind Speed, m/s | Stability Class | Ambient Temperature, °C |
|--|----------------|-----------------|-----------------|-------------------------|
| 1 | 210° | 2.0 | F | 31 |
| 2 | 210° | 5.0 | D | 31 |
| Vertical Wind and Temperature Profiles | | | | FWG guidelines |

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.

| | | | |
|---|---|--|-------------------------------|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: MG000-HSE-000-QB-7001 |
| | | Rev. No: 03 | |

III.1.3 Source Terms:

The source terms for the release scenario were evaluated using ASSESS_RISK - FLUIDYN's scenario and source term modelling tool based on UFIP (L'Union Française des Industries Pétrolières) methodology. All the scenario identified are associated with the materials being handled under respective operating conditions, thus resulting in liquid / vapour release, pool formation (for liquids) and vapour dispersion. Table 5 shows the source characteristics in terms of outflow from a rupture (pipe / vessel), pool evaporation derived for the LOC scenario considered.

For the liquid spillage and dispersion cases, the release is assumed to be long enough to achieve steady state. Gaseous releases are limited to the isolation time or till the outflow of entire inventory – whichever is smaller. The locations of Sources viz, Anhydrous HCl and Cl₂ in Chloro Alkali Plant Unit, VCM, Propane and Anhydrous HCL in VCM plant Unit, Cl₂ in Chloro Alkali Plant Unit, Methane and CO in Calcium Carbide Unit, Acetylene in Acetylene Unit, VCM in O&U Unit and PVC Unit are shown in the *Figure 6 to Figure 10* respectively.




Figure 6: Location for Anhydrous HCl and Cl₂ transport pipeline leakage in Chloro Alkali Unit







| | | | | | |
|---|---|--|-----------------|-----------------------|--|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | | | |
|  | | | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: | MG000-HSE-000-QB-7001 | |
| | | | Rev. No: | 03 | |

Table 5: Source parameters considered for identified MCA Scenario

| No | Plant Site | Material | Outflow Kg/s | Temp °C | Type of Source | Release, Duration, s | Operating Pressure, barg | Piping Size, inch | Phase of Material Handled | Equipment/ Piping Covered | Pipeline Identification |
|----|-------------------------|--|--------------|----------|----------------|----------------------|--|-------------------|---------------------------|--------------------------------|--|
| 1 | Chloro Alkali - IS-12D | Anhydrous HCl (99.99%) | 10.42 | 40 | Point | Unsteady, 1800 s | Generation at desorption- 2 barg but at VCM-Pressure reduced to 1 barg | 32 | Vapour | Piping Scenario | Anhydrous HCl from HCl Synthesis unit, 401-U-5501 to OSBL. |
| 2 | Chloro Alkali - IS-1B | Cl ₂ -88.55% H ₂ -11.04% O ₂ -0.19% CO ₂ -0.22% (wt %) | 13.366 | 83 | Point | Unsteady, 1800 s | 0.3 | 24 | Vapour | Piping Scenario | Cl ₂ Transfer Piping from 401-SPWX-1506 to 401-XV-152602 via Headers and piping - Typical |
| 3 | VCM - IS-9A | VCM | 26.042 | 51 | Point | Unsteady, 1800 s | 9 | 16 | Vapour | Pipeline Scenario | Section Bounded by from FRACTIONATOR 601-C-0202 to FRACTIONATOR CONDENSER 601-E-0207 |
| 4 | VCM- IS-17A | Propane | 22.195 | 3 | Point | Unsteady, 1800 s | 4.9 | 9 | Vapour | Pipeline Scenario | Primary Refrigerant Gas transfer from 601-E-0221 and 601-E-0220 to PRIMARY REFRIGERANT SYTEM 601-U-0301 |
| 5 | Chloro Alkali - IS-08A | Liquid Cl ₂ | 1.8519 | -8 | Point | Unsteady, 1800 s | 16.71 | 2 | Liquid | Pipeline Scenario | Liquid chlorine piping from 400 XV -260401 to inlet of Chlorine vapourizer |
| 6 | VCM- IS-02 | Anhydrous HCl | 17.6464 | 36 | Point | Unsteady, 1800 s | 1 | 20 | Vapour | Pipeline Scenario | IS 02 - Section Bounded by the HCL is transfer from BL for Mixing |
| 7 | Calcium Carbide- IS- 02 | CO- 80% H ₂ - 12% Methane - 1.6% CO ₂ - 6.4% (Vol %) | 34.3056 | 55 | Point | Unsteady, 600 s | 0.035 | 64 | Vapour | Gasholder | CALCUIM CARBIDE FURNANCE OFF GAS section bounded by 301-MOV-510004 A to 301XV-520103 THROUGH WATER SEAL SYSTEM TO GAS HOLDER |
| 8 | Calcium Carbide- IS- 05 | Methane- 87.21% Ethane- 10.08 % Propane- 2.19% | 1.44 | Ambi ent | Point | Unsteady, 1800 s | 5 to 7 | 12 | Vapour | N ₂ and RLNG Vessel | RLNG LINE TO LIME KLIN |




This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.

| | | | | | |
|---|---|--|-----------------|-----------------------|--|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | | | |
|  | | | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: | MG000-HSE-000-QB-7001 | |
| | | | Rev. No: | 03 | |

| No | Plant Site | Material | Outflow Kg/s | Temp °C | Type of Source | Release, Duration, s | Operating Pressure, barg | Piping Size, inch | Phase of Material Handled | Equipment/ Piping Covered | Pipeline Identification |
|----|-------------------|---|--------------|---------|----------------|----------------------|--------------------------|-------------------|---------------------------|---------------------------|--|
| | | Iso-butane- 0.11% n-butane- 0.12% (Mol %) | | | | | | | | | |
| 9 | PVC - IS-03 | VCM | 65.77 | 40 | Point | Unsteady, 600 s | 15 | 8 | Liquid | VCM Charge pump | Section Bounded by VCM from 701-XV-000406 to 701-FV-001311 via VCM Charge pump 701-P-0601A/B |
| 10 | Acetylene- IS-06A | Acetylene -99.41 N2 -5.42E-01 CO2 -6.80E-03 O2 - 2.99E-02 Argon- 1.26E-03 H2O -6.45E-03 H2SO4 - 1.32E-09 Heavies -1.15E-09 (mol%) | 8.78 | 13 | Point | Unsteady, 600 s | 0.89 | 36 | Vapour | Acetylene Cooling tower | From 501-SPSV-0316 (inlet of Acetylene Cooling tower 510-C-303) upto Battery limit (500-XV-000201) and 501-XV-040304 on discharge of Acetylene Vacuum pump via Acetylene Cooling tower (510-C-0303), Acetylene Mist Filter (501-F-0301), 1st Purification Tower (501-C-0301), 2nd Purification Tower (501-C-0302), Sulphuric Acid mist filter (501-F-0302) |
| 11 | O&U- IS-12 | VCM | 108.41 | 40 | Point | Unsteady, 600 s | 12.28 | 14 | Liquid | VCM TRANSFER PUMP | Section bounded by A01XV-00702 and A01XV-802 to A01XV-00103 via VCM Transfer Pump (A01-P-0020A/B)-Train 1 - Typical to Train 2 |
| 12 | O&U- IS-14 | VCM | 13.3 | 40 | Point | Unsteady, 600 s | 5 | 10 | Liquid | VCM PRODUCT SPHERE | Section bounded by A01XV-00103 to A01XV-00102 via VCM Product Sphere (A01-S-001A/B) - Typical |

NOTE: Gaseous releases from rupture of pipeline / vessel are considered as Point source (jet) release. Vapour releases from liquid pool evaporation are considered as Area source.

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.

| | | | |
|---|---|---|-------------------------------|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: MG000-HSE-000-QB-7001 |
| | | Rev. No: 03 | |




Figure 7: Location for VCM, Propane and Anhydrous HCL transport pipeline leakage in VCM Unit







Figure 8: Location for Cl₂ transport pipeline leakage in Chloro Alkali Unit

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.

| | | | |
|---|---|--|-------------------------------|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: MG000-HSE-000-QB-7001 |
| | | Rev. No: 03 | |




Figure 9: Location for Methane and CO transport from Vessel in Calcium Carbide Unit and Acetylene transport from Cooling Tower in Acetylene Unit







Figure 10: Location for VCM transfer Pump in O&U Unit and PVC Unit

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.

| | | | | |
|---|---|--|-----------------|-----------------------|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | | |
|  | | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: | MG000-HSE-000-QB-7001 |
| | | | Rev. No: | 03 |

According to the scenario, the point source height is generally determined from the Navisworks (NWD) file by using the ground level as the baseline or datum. The height value is taken from the object's Z coordinate, representing its vertical position above the ground level.

III.1.4 Computational Grid:

Simulations using 3D models involve discretization of the computational domain into finite volumes using 3D mesh. The mesh can be either Cartesian structured or unstructured. The advantages of unstructured mesh over the structured mesh is in its ability to capture the irregular shaped topographical elements (buildings / tanks / walls etc..) properly without having to assume partial porosity due to non aligning nodes. One more advantage of the unstructured mesh lies in its ability to congregate in the regions of specific interest without being expensive during calculations. Due to its inherent advantages in complex cases, unstructured mesh is chosen for this study.

Mesh considered for the simulations are as shown in *Figure 11*. The 3D mesh from ground and close up view has shown in *Figure 12*. Mesh generator in PANEPD comply with the meshing guidelines stipulated by French Regulator INERIS hence the enlisted criteria such as mesh fineness & aspect ratio based on the problem complexity were taken into account. Though overall mesh configuration was chosen to be similar across all scenario simulations, local refinements were incorporated for specific scenario for precision as needed. Fine mesh clusters were generated by the tool for the regions of specific interest as represented by CAD model. To achieve precision in simulations and also to optimise the runs three different mesh combinations for the identified scenario were prepared and used, the details of which are as furnished in Table 6.

Table 6: Mesh elements considered for Simulation

| Plant Site | Material | Horizontal | Vertical | Total Elements |
|---|---|------------|----------|----------------|
| Chloro Alkali Unit | Anhydrous HCl | 59785 | 24 | 1434840 |
| Chloro Alkali and VCM Unit | Cl ₂ , VCM, Propane | 59991 | 27 | 1619757 |
| Chloro Alkali, VCM, PVC, O&U Acetylene and Calcium Carbide Unit | Liquid Cl ₂ , Anhydrous HCl, VCM, Acetylene, Carbon Monoxide and Methane | 63905 | 28 | 1789340 |




| | | | | |
|---|---|--|-----------------|-----------------------|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | | |
|  | | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: | MG000-HSE-000-QB-7001 |
| | | | Rev. No: | 03 |



Figure 11: 2D Mesh considered for dispersion simulations






Figure 12: Close up View of 3D Mesh considered for dispersion simulations

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.

| | | | |
|---|--|---------------------------------|--------------------------------------|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  | 3D Consequence Analysis Report for Green PVC Facilities | | Doc No: MG000-HSE-000-QB-7001 |
| | | | Rev. No: 03 |




Figure 13: Close up View of 3D Mesh at Chloro Alkali Unit- Anhydrous HCl and Cl₂






Figure 14: Close up View of 3D Mesh at VCM Unit-VCM, Propane and Anhydrous HCl

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.

| | | | |
|---|--|---------------------------------|--------------------------------------|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  | 3D Consequence Analysis Report for Green PVC Facilities | | Doc No: MG000-HSE-000-QB-7001 |
| | | | Rev. No: 03 |




Figure 15: Close up View of 3D Mesh at O&U and PVC Unit-VCM







Figure 16: Close up View of 3D Mesh at Calcium Carbide and Acetylene Unit-Methane, CO and Acetylene

III.1.5 Wind Flow simulations:

The dispersion of hazardous gases/vapours is largely influenced by the wind flow pattern over the site comprising of complex topographical features. Hence the simulations to establish wind flow patterns in the site were carried out before initiating the dispersion.

The turbulence caused due to atmospheric boundary layer phenomena as well as the mechanical obstructions within the site was modelled using two equation standard k-ε model. The buoyancy effects of liquefied gas releases from the leaks were duly taken into consideration. Entire flow and dispersion simulations were carried out using Eulerian approach.

| | | | |
|---|---|--|--|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: MG000-HSE-000-QB-7001 Rev. No: 03 |

The illustrative images of the wind flow pattern for all the selected wind conditions are presented below.







Figure 17: Simulated wind flow over the Domain (210°, 2m/s, F Stability class)

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.

| | | | |
|---|---|--|--|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: MG000-HSE-000-QB-7001 Rev. No: 03 |







Figure 18: Simulated wind flow over the Plants (210°, 2m/s, F Stability class)

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.

| | | | |
|---|---|--|-------------------------------|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: MG000-HSE-000-QB-7001 |
| | | | |







Figure 19: Simulated wind flow over the Domain (210⁰ 5m/s, D Stability class)

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.

| | | | |
|---|---|--|--------------------------------------|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: MG000-HSE-000-QB-7001 |
| | | | |







Figure 20: Simulated wind flow over the Plants (210^0 5m/s, D Stability class)

Figure 17 to Figure 20 show the wind flow pattern for the subsequent dispersion as simulated by PANEP. The velocity vectors and the associated color bar, which ranges from blue to red, give a thorough depiction of the wind direction and wind speed in this study region. Blue indicates low wind speeds, while red indicates strong wind speeds. This color gradient illustrates the magnitude of wind velocities. By showing the predominant wind flow directions, the vectors' orientation makes it possible to identify areas of airflow variability and major dispersion channels. Regions with comparatively low wind speeds are indicated by areas tinted in blue and green. This could lead to a limited dispersion of airborne elements and possible buildup of contaminants. Red, orange, and yellow zones, on the other hand, are associated with increased wind speeds, suggesting a greater ability to disperse quickly and widely. As demonstrated by the warmer hues, porous buildings allow for greater airflow penetration, which raises local wind speeds and improves dispersion. In contrast, opaque structures often block airflow, resulting in standstill zones with reduced velocities and possible pollutant buildup. Disturbance & deflections in the wind flow due to the presence of obstacles in and around the site can be seen. This locally modified wind flow shall influence the transport and dispersion of released chemicals.

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.

| | | | | |
|---|---|--|----------|-----------------------|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | | |
|  | | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: | MG000-HSE-000-QB-7001 |
| | | | Rev. No: | 03 |

IV. CONSEQUENCE MODELING RESULTS

The results of consequence modelling in terms of dispersion of released hazardous compounds to form toxic / flammable cloud are discussed in this section.

NOTE-1:

In all the plots the iso-surface / contour region is the threshold coverage (IDLH, ERPG3 or LFL) for the specified scenario

Wherever threshold values were not reached, contours / 3D surface plots are presented for local maximum / lower values for representation purposes only.

NOTE-2:

The Lower Flammable Limit (LFL) is the lowest concentration of a gas or vapor in the atmosphere, stated as a percentage by volume, at which, under certain circumstances, a mixture with air can ignite and maintain a flame.



IDLH is the concentration level that poses an immediate threat to life or would cause irreversible or delayed adverse health effects or would interfere with an individual's ability to escape from a dangerous atmosphere. IDLHs were based on effects that might occur as a consequence of a 30-min exposure.

IV.1 DISPERSION SIMULATIONS FOR TOXICITY AND FLAMMABILITY IMPACTS

IV.1.1 Chloro Alkali Unit Scenario – Anhydrous Hydrogen Chloride:

Release of Anhydrous HCl dispersion has been simulated and results are presented below.

[2F - 210° Dispersion Simulation Results: Chloro Alkali Unit - Anhydrous HCl](#)

| | | | |
|---|--|---------------------------------|-----------------------|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: | MG000-HSE-000-QB-7001 |
| | | | Rev. No: |







Figure 21: Concentration Contours at IDLH 50 ppm (Region in Red)



Figure 22: 3D plot view of IDLH @ 50 ppm

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.

| | | | |
|---|---|--|--|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: MG000-HSE-000-QB-7001 Rev. No: 03 |




Figure 23: Anhydrous HCl IDLH Contours on a Vertical Section

5D - 210° Dispersion Simulation Results: Chloro Alkali Unit - Anhydrous HCl




Figure 24: Concentration Contours at IDLH 50 ppm (Region in Red)

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.




| | | | |
|---|---|--|-------------------------------|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: MG000-HSE-000-QB-7001 |
| | | Rev. No: 03 | |



Figure 25: 3D plot view of IDLH @ 50 ppm







Figure 26: Anhydrous HCl IDLH Contours on a Vertical Section

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.


| | | | | |
|---|---|--|----------|-----------------------|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | | |
|  | | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: | MG000-HSE-000-QB-7001 |
| | | | Rev. No: | 03 |

3D dispersion analysis of Anhydrous HCl dispersion shows that the maximum impact distance of 2150m achieved after 1 hour of dispersion. It can be noted that the toxic plume shall continue to disperse and travel even after the stoppage of release, until it gets diffused to trace concentration levels.

IV.1.2 Chloro Alkali Unit Scenario – Chlorine:

Release of Cl₂ dispersion has been simulated and results are presented below.

2F - 210° Dispersion Simulation Results: Chloro Alkali Unit – Cl₂



This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.




| | | | | | | | |
|---|---|--|---|---------|-----------------------|----------|----|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | | | | | |
|  | | | | | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | <table border="1"> <tr> <td>Doc No:</td> <td>MG000-HSE-000-QB-7001</td> </tr> <tr> <td>Rev. No:</td> <td>03</td> </tr> </table> | Doc No: | MG000-HSE-000-QB-7001 | Rev. No: | 03 |
| Doc No: | MG000-HSE-000-QB-7001 | | | | | | |
| Rev. No: | 03 | | | | | | |



Figure 28: 3D plot view of IDLH @ 10 ppm







Figure 29: Cl₂ IDLH Contours on a Vertical Section

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.

| | | | |
|---|---|--|-------------------------------|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: MG000-HSE-000-QB-7001 |
| | | | |

5D - 210° Dispersion Simulation Results: Chloro Alkali Unit - Cl2




Figure 30: Concentration Contours at IDLH 10 ppm (Region in Red)

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.




| | | | |
|---|---|--|-------------------------------|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: MG000-HSE-000-QB-7001 |
| | | | |



Figure 31: 3D plot view of IDLH @ 10 ppm







Figure 32: Cl2 IDLH Contours on a Vertical Section

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.

| | | | |
|---|---|--|-------------------------------|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: MG000-HSE-000-QB-7001 |
| | | | |

3D dispersion analysis of Cl₂ dispersion shows that the maximum impact distance of 4410m achieved after 1 hour of dispersion. It can be noted that the toxic plume shall continue to disperse and travel even after the stoppage of release, until it gets diffused to trace concentration levels.

IV.1.3 Chloro Alkali Unit Scenario – Liquid Chlorine:

Release of Liquid Cl₂ dispersion has been simulated and results are presented below.

2F - 210° Dispersion Simulation Results: Chloro Alkali Unit - Liquid Cl₂




Figure 33: Concentration Contours at IDLH 10 ppm (Region in Red)

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.




| | | | |
|---|---|--|--|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: MG000-HSE-000-QB-7001 Rev. No: 03 |



Figure 34: 3D plot view of IDLH @ 10 ppm







Figure 35: Cl₂ IDLH Contours on a Vertical Section

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.

| | | | |
|---|---|--|-------------------------------|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: MG000-HSE-000-QB-7001 |
| | | Rev. No: 03 | |

5D - 210° Dispersion Simulation Results: Chloro Alkali Unit - Liquid Cl2







Figure 36: Concentration Contours at IDLH 10 ppm (Region in Red)



Figure 37: 3D plot view of IDLH @ 10 ppm

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.

| | | | |
|---|---|--|--------------------------------------|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: MG000-HSE-000-QB-7001 |
| | | | |







Figure 38: Cl₂ IDLH Contours on a Vertical Section

3D dispersion analysis of Liquid Cl₂ dispersion shows that the maximum impact distance of 4090m achieved after 1 hour of dispersion. . It can be noted that the toxic plume shall continue to disperse and travel even after the stoppage of release, until it gets diffused to trace concentration levels.

IV.1.4 VCM Unit Scenario - C₂H₃Cl:

Release of C₂H₃Cl (VCM-Vinyl Chloride Monomer) dispersion has been simulated and results are presented below.

2F - 210° Dispersion Simulation Results: VCM - C₂H₃Cl

| | | | |
|---|---|--|-------------------------------|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: MG000-HSE-000-QB-7001 |
| | | Rev. No: 03 | |






Figure 39: Concentration Contours at ERPG3 20000 ppm (not attained)



Figure 40: 3D view of ERPG3 @ 20000 ppm

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.

| | | | |
|---|--|---------------------------------|--------------------------------------|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  | 3D Consequence Analysis Report for Green PVC Facilities | | Doc No: MG000-HSE-000-QB-7001 |
| | | | Rev. No: 03 |




Figure 41: C_2H_3CL ERPG3 Plots on a Vertical Section






Figure 42: 100% LFL Cloud extent of VCM (FBR)

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.

| | | | |
|---|--|---------------------------------|--------------------------------------|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  | 3D Consequence Analysis Report for Green PVC Facilities | | Doc No: MG000-HSE-000-QB-7001 |
| | | | Rev. No: 03 |




Figure 43: 50% LFL Cloud extent of VCM (FBR)

5D - 210° Dispersion Simulation Results: VCM – C2H3Cl







Figure 44: Concentration Contours at ERPG3 20000 ppm (not attained)

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.

| | | | |
|---|---|---|-------------------------------|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: MG000-HSE-000-QB-7001 |
| | | Rev. No: 03 | |




Figure 45: 3D plot view of ERPG3 @ 20000 ppm

It can be noted that the elevated release of VCM has shown no ERPG3 concentration on ground level plot (Figure 44), while the same was observed at an elevation as shown in Figure 45.







Figure 46: C₂H₃Cl ERPG3 Plots on a Vertical Section

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.

| | | | |
|---|---|--|-------------------------------|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: MG000-HSE-000-QB-7001 |
| | | | Rev. No: 03 |




Figure 47: 100% LFL Cloud extent of VCM (FBR)







Figure 48: 50% LFL Cloud extent of VCM (FBR)

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.

| | | | |
|---|---|--|-------------------------------|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: MG000-HSE-000-QB-7001 |
| | | Rev. No: 03 | |

IV.1.5 VCM Unit Scenario - Propane:

Release of C₃H₈ dispersion has been simulated and results are presented below.

2F - 210° Dispersion Simulation Results: VCM - C₃H₈











Figure 49: Concentration Contours at IDLH 2100 ppm (Region in Red)

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.

| | | | |
|---|---|--|-------------------------------|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: MG000-HSE-000-QB-7001 |
| | | Rev. No: 03 | |



This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.

| | | | |
|---|---|--|-------------------------------|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: MG000-HSE-000-QB-7001 |
| | | | |




Figure 52: 100% LFL Cloud extent of Propane (FBR)







Figure 53: 50% LFL Cloud extent of Propane (FBR)

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.

| | | | |
|---|---|--|-------------------------------|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: MG000-HSE-000-QB-7001 |
| | | Rev. No: 03 | |

5D - 210° Dispersion Simulation Results: VCM – C3H8






Figure 54: Concentration Contours at IDLH 2100 ppm (Region in Red)

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.

| | | | |
|---|--|---------------------------------|--------------------------------------|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  | 3D Consequence Analysis Report for Green PVC Facilities | | Doc No: MG000-HSE-000-QB-7001 |
| | | | Rev. No: 03 |




Figure 55: 3D plot view of IDLH @ 2100 ppm







Figure 56: C_3H_8 IDLH Contours on a Vertical Section

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.

| | | | |
|---|---|--|--------------------------------------|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: MG000-HSE-000-QB-7001 |
| | | | Rev. No: 03 |







Figure 57: 100% LFL Cloud extent of Propane (FBR)

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.

| | | | | |
|---|---|--|-----------------|-----------------------|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | | |
|  | | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: | MG000-HSE-000-QB-7001 |
| | | | Rev. No: | 03 |




Figure 58: 100% LFL Cloud extent of Propane (FBR)




3D dispersion analysis of C_3H_8 dispersion shows that the maximum impact distance of 1040m achieved after 1 hour of dispersion.

It can be generally observed that for the elevated releases, threshold concentrations (IDLH / ERPG / LFL) were not significant on the ground but around the level of release.

IV.1.6 VCM Unit Scenario - Anhydrous Hydrogen Chloride:

Release of Anhydrous HCl dispersion has been simulated and results are presented below.

2F - 210° Dispersion Simulation Results: VCM - Anhydrous HCl

| | | | |
|---|---|--|-------------------------------|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: MG000-HSE-000-QB-7001 |
| | | | |




Figure 59: Concentration Contours at IDLH 50 ppm (Region in Red)







Figure 60: 3D plot view of IDLH @ 50 ppm

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.

| | | | |
|---|---|--|--|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: MG000-HSE-000-QB-7001 Rev. No: 03 |




Figure 61: Anhydrous HCl IDLH Contours on a Vertical Section

5D - 210° Dispersion Simulation Results: VCM - Anhydrous HCl




Figure 62: Concentration Contours at IDLH 50 ppm (Region in Red)

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.




| | | | |
|---|---|--|--|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: MG000-HSE-000-QB-7001 Rev. No: 03 |



Figure 63: 3D plot view of IDLH @ 50 ppm







Figure 64: Anhydrous HCl IDLH Contours on a Vertical Section

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.

| | | | |
|---|---|--|--------------------------------------|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: MG000-HSE-000-QB-7001 |
| | | | |

3D dispersion analysis of Anhydrous HCl dispersion shows that the maximum impact distance of 4350 m achieved after 1 hour of dispersion. It can be noted that the toxic plume shall continue to disperse and travel even after the stoppage of release, until it gets diffused to trace concentration levels.

IV.1.7 PVC Unit Scenario - C₂H₃Cl:

Release of C₂H₃Cl (VCM-Vinyl Chloride Monomer) dispersion has been simulated and results are presented below.

2F - 210° Dispersion Simulation Results: PVC - C₂H₃Cl







Figure 65: Concentration Contours at ERPG3 20000 ppm

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.

| | | | |
|---|---|--|--|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: MG000-HSE-000-QB-7001 Rev. No: 03 |




Figure 66: 3D view of ERPG3 @ 20000 ppm




Figure 67: C_2H_3Cl ERPG3 Plots on a Vertical Section

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.




| | | | |
|---|---|--|--|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: MG000-HSE-000-QB-7001 Rev. No: 03 |



Figure 68: 100% LFL Cloud extent of VCM (FBR)







Figure 69: 50% LFL Cloud extent of VCM (FBR)

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.

| | | | |
|---|---|--|-------------------------------|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: MG000-HSE-000-QB-7001 |
| | | Rev. No: 03 | |

5D - 210° Dispersion Simulation Results: PVC – C2H3Cl




Figure 70: Concentration Contours at ERPG3 20000 ppm







Figure 71: 3D plot view of ERPG3 @ 20000 ppm

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.

| | | | |
|---|---|--|-------------------------------|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: MG000-HSE-000-QB-7001 |
| | | Rev. No: 03 | |

It can be noted that the elevated release of VCM has resulted in lower threshold distances on ground, i.e. 107m for 2F; 52.2m for 5D, as can be seen in *Figure 65 & Figure 70*.




Figure 72: 100% LFL Cloud extent of VCM (FBR)







Figure 73: 50% LFL Cloud extent of VCM (FBR)

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.

| | | | |
|---|---|--|-------------------------------|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: MG000-HSE-000-QB-7001 |
| | | Rev. No: 03 | |

IV.1.8 O & U Unit Scenario - C₂H₃Cl:

Release of C₂H₃Cl (VCM-Vinyl Chloride Monomer) dispersion has been simulated and results are presented below.

2F - 210° Dispersion Simulation Results: O & U - C₂H₃Cl







Figure 74: Concentration Contours at ERPG3 20000 ppm

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.

| | | | |
|---|---|--|--|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: MG000-HSE-000-QB-7001 Rev. No: 03 |




Figure 75: 3D view of ERPG3 @ 20000 ppm




Figure 76: VCM ERPG3 Plots on a Vertical Section

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.




| | | | |
|---|---|--|--|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: MG000-HSE-000-QB-7001 Rev. No: 03 |



Figure 77: 100% LFL Cloud extent of VCM (FBR)







Figure 78: 50% LFL Cloud extent of VCM (FBR)

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.

| | | | |
|---|---|--|-------------------------------|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: MG000-HSE-000-QB-7001 |
| | | Rev. No: 03 | |

5D - 210° Dispersion Simulation Results: O & U – C2H3Cl




Figure 79: Concentration Contours at ERPG3 20000 ppm







Figure 80: 3D plot view of ERPG3 @ 20000 ppm

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.

| | | | |
|---|---|--|-------------------------------|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: MG000-HSE-000-QB-7001 |
| | | Rev. No: 03 | |

It can be noted that the elevated release of VCM has shown 267m ERPG3 concentration on ground level plot (Figure 74 & Figure 79).




Figure 81: 100% LFL Cloud extent of VCM (FBR)







Figure 82: 50% LFL Cloud extent of VCM (FBR)

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.

| | | | |
|---|---|--|-------------------------------|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: MG000-HSE-000-QB-7001 |
| | | Rev. No: 03 | |

IV.1.9 O & U Unit Scenario - C₂H₃Cl:

Release of C₂H₃Cl (VCM-Vinyl Chloride Monomer) dispersion has been simulated and results are presented below.

2F - 210° Dispersion Simulation Results: O & U - C₂H₃Cl




Figure 83: Concentration Contours at ERPG3 20000 ppm

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.




| | | | |
|---|---|---|-------------------------------|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: MG000-HSE-000-QB-7001 |
| | | Rev. No: 03 | |



Figure 84: 3D view of ERPG3 @ 20000 ppm







Figure 85: VCM ERPG3 Plots on a Vertical Section

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.

| | | | |
|---|---|--|-------------------------------|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: MG000-HSE-000-QB-7001 |
| | | | |




Figure 86: 100% LFL Cloud extent of VCM (100mm)







Figure 87: 50% LFL Cloud extent of VCM (100mm)

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.

| | | | |
|---|---|--|-------------------------------|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: MG000-HSE-000-QB-7001 |
| | | Rev. No: 03 | |

5D - 210° Dispersion Simulation Results: O & U – C2H3Cl




Figure 88: Concentration Contours at ERPG3 20000 ppm







Figure 89: 3D plot view of ERPG3 @ 20000 ppm

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.

| | | | |
|---|---|--|-------------------------------|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: MG000-HSE-000-QB-7001 |
| | | | |

It can be noted that the elevated release of VCM has shown less ERPG3 concentration around 191m on ground level plot (*Figure 83 & Figure 88*).




Figure 90: 100% LFL Cloud extent of VCM (100mm)






Figure 91: 50% LFL Cloud extent of VCM (100mm)

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.

| | | | |
|---|--|---------------------------------|--------------------------------------|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  | 3D Consequence Analysis Report for Green PVC Facilities | | Doc No: MG000-HSE-000-QB-7001 |
| | | | Rev. No: 03 |

IV.1.10 Acetylene Unit Scenario - C₂H₂:

Release of C₂H₂ (Acetylene) dispersion has been simulated and results are presented below.

2F - 210° Dispersion Simulation Results: Acetylene - C₂H₂







Figure 92: 100% LFL Cloud extent of Acetylene (FBR)

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.

| | | | |
|---|---|--|-------------------------------|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: MG000-HSE-000-QB-7001 |
| | | Rev. No: 03 | |




Figure 93: 50% LFL Cloud extent of Acetylene (FBR)

5D - 210° Dispersion Simulation Results: Acetylene - C₂H₂







Figure 94: 100% LFL Cloud extent of Acetylene (FBR)

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.

| | | | |
|---|---|--|--------------------------------------|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: MG000-HSE-000-QB-7001 |
| | | | |







Figure 95: 50% LFL Cloud extent of Acetylene (FBR)

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.

| | | | |
|---|---|--|-------------------------------|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: MG000-HSE-000-QB-7001 |
| | | Rev. No: 03 | |

IV.1.11 Calcium Carbide Unit Scenario - CH4:

Release of CH4 (Methane) dispersion has been simulated and results are presented below.

2F - 210° Dispersion Simulation Results: Calcium Carbide – CH4







Figure 96: 1% LFL Cloud extent of Methane (100mm)

5D - 210° Dispersion Simulation Results: Calcium Carbide – CH4



Figure 97: 1% LFL Cloud extent of Methane (100mm)

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.

| | | | |
|---|---|--|--------------------------------------|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: MG000-HSE-000-QB-7001 |
| | | | |

IV.1.12 Calcium Carbide Unit Scenario - CO:

Release of CO (Carbon Monoxide) dispersion has been simulated and results are presented below.

2F - 210° Dispersion Simulation Results: Calcium Carbide – CO







Figure 98: Concentration Contours at IDLH 1200 ppm (Region in Red)

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.

| | | | |
|---|---|--|-------------------------------|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: MG000-HSE-000-QB-7001 |
| | | Rev. No: 03 | |




Figure 99: Carbon Monoxide IDLH Contours on a Vertical Section







Figure 100: 1% LFL Cloud extent of Carbon Monoxide (100mm)

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.

| | | | |
|---|---|--|-------------------------------|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: MG000-HSE-000-QB-7001 |
| | | Rev. No: 03 | |

5D - 210° Dispersion Simulation Results: Calcium Carbide – CO







Figure 101: Concentration Contours at IDLH 1200 ppm – Not Attained (Region in Red)

3D dispersion analysis of Carbon Monoxide shows that the maximum impact distance of 175m achieved after 1 hour of dispersion. It can be noted that the toxic plume shall continue to disperse and travel even after the stoppage of release, until it gets diffused to trace concentration levels.

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.

| | | | |
|---|---|--|--|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: MG000-HSE-000-QB-7001 Rev. No: 03 |







Figure 102: 0.1% LFL Cloud extent of Carbon Monoxide (100mm)

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.

| | | | |
|---|---|--|--------------------------------------|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: MG000-HSE-000-QB-7001 |
| | | | |




IV.2 FIRE RADIATION IMPACTS - POOL FIRE

Fire radiation consequences were modelled for the only identified Pool Fire scenario, i.e. immediate ignition of the pool formed around VCM Sphere due to line rupture in VCM transport pipeline. Consequences in terms of different thresholds are presented in this section.



Figure 103: Mesh considered for the Plant Site pool fire scenario

Figure 103 shows the mesh considered for the pool fire scenario. Smaller domain has been considered as the heat radiation impacts do not go beyond 1000m, since the radius is around 141m. Vertical domain extent of 300m was considered to take into account the flame height and the shadow effects of adjacent buildings.

| | | | |
|---|---|--|-------------------------------|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: MG000-HSE-000-QB-7001 |
| | | Rev. No: 03 | |




Figure 104: Fire Radiation extent (region in RED) for 4KW/m²







Figure 105: Fire Radiation extent (region in RED) for 6.3KW/m²

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.

| | | | |
|---|---|--|-------------------------------|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: MG000-HSE-000-QB-7001 |
| | | Rev. No: 03 | |




Figure 106: Fire Radiation extent (region in RED) for 12.5 KW/m²







Figure 107: Fire Radiation extent (not attained outside flame area) for 37.5 KW/m²

Fire radiation of 4KW/m² which is enough to cause first degree burns for an exposure period of has been found till a distance of 409 m.

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.

| | | | |
|---|---|--|--|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: MG000-HSE-000-QB-7001 Rev. No: 03 |

IV.3 OVERPRESSURE IMPACTS – VAPOUR CLOUD EXPLOSION

Gas explosion from the three different leakage scenarios, from Acetylene Unit, PVC Unit and O&U Unit, to predict the overpressures on exploded regions and surroundings as well as in the vicinity of the reactors/equipment and to assess the ground and 3D overpressure zones were simulated using *fluidyn*-VENTEX.

IV.3.1 Scenario

Table 7 lists the scenario considered for explosion analysis.

Table 7: Maximum Credible Accident Scenario identified for CFD explosion scenario

| No | Material | Release Scenario Description |
|-----------------------|-----------|--|
| Acetylene Unit | | |
| Scenario 1 | Acetylene | Leak from Pipeline - Acetylene Cooling tower - Flange of 36 inch size at a height of 26m from the ground |
| PVC Unit | | |
| Scenario 2 | VCM | Leak from Pipeline - VCM Charge pump - Flange of 8 inch size and at a height of 1.2m from the ground |
| O & U Unit | | |
| Scenario 3 | VCM | Leak from Pipeline - VCM Transfer pump - Flange of 14 inch size at a height of 5m from the ground |







Figure 108: Scenario's Source locations for Acetylene Unit, PVC Unit and O&U Unit

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.

| | | | | |
|---|---|--|-----------------|-----------------------|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | | |
|  | | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: | MG000-HSE-000-QB-7001 |
| | | | Rev. No: | 03 |

IV.3.2 Methodology

Numerical Model: Geometry

Plant and building layout with details of all the facilities essential for 3D geometrical model & location of salient process units are considered inside explosion domain.

A simulation domain of 500 m x 500 m for Acetylene Plant and 1500 m x 1500 m for PVC Unit & O&U Unit was considered for the simulations with a height of 60 m above ground level as shown in the *Figure 109* to *Figure 111*.







Figure 109: Geometry for Explosion Study for Scenario 1 - Acetylene Unit

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.

| | | | |
|---|---|--|-------------------------------|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: MG000-HSE-000-QB-7001 |
| | | Rev. No: 03 | |




Figure 110: Geometry for Explosion Study for Scenario 2 - PVC Unit







Figure 111: Geometry for Explosion Study for Scenario 3 – O & U Unit

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.

| | | | | |
|---|---|--|-----------------|-----------------------|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | | |
|  | | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: | MG000-HSE-000-QB-7001 |
| | | | Rev. No: | 03 |

Numerical Model: Mesh

For all 3 scenarios different explosion domain with separate mesh files are created to maintain the computational mesh as much as low. Fine mesh was maintained over flammable regions. *Figure 112* to *Figure 114* show unstructured mesh on ground for the entire three scenarios. Details of mesh are furnished in Table 8 .







Figure 112: Scenario1 Unstructured Mesh on ground – Acetylene Unit

| | | | |
|---|---|--|--|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: MG000-HSE-000-QB-7001 Rev. No: 03 |




Figure 113: Scenario2 Unstructured Mesh on ground – PVC Unit




Figure 114: Scenario3 Unstructured Mesh on ground – O & U Unit

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.




| | | | | |
|---|---|--|-----------------|-----------------------|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | | |
|  | | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: | MG000-HSE-000-QB-7001 |
| | | | Rev. No: | 03 |

Table 8: Mesh details

| Case Information | Scenario1 | Scenario2 | Scenario3 |
|------------------|-----------|-----------|-----------|
| No.of Elements | 1456180 | 4861920 | 5031334 |
| Smallest size(m) | 0.010028 | 0.023785 | 0.02378 |
| Type | WEDGE | WEDGE | WEDGE |

Explosive cloud

Flammable cloud extent for each of the scenario considered was mapped from dispersion results from *fluidyn*-PANEP. Scenario description and flammable cloud details are furnished in Table 9.

Table 9: Summary for Explosion study Scenario




| No | Material | Release Scenario | Weather Scenario | Source Height | Release Rate, Kg/s | Cloud Mass (in Kgs) |
|-----------------------|--------------------|------------------|------------------|---------------|--------------------|---------------------|
| Acetylene Unit | | | | | | |
| Scenario 1 | Acetylene (IS-06A) | 36 inch leak | 2F_210Deg | 26 m | 8.13 | 1.7341e+03 |
| PVC Unit | | | | | | |
| Scenario 2 | VCM (IS-03) | 8 inch leak | 2F_210Deg | 1.2 m | 65.84 | 9.8471e+04 |
| O & U Unit | | | | | | |
| Scenario 3 | VCM (IS-12) | 14 inch leak | 2F_210Deg | 5 m | 108.86 | 2.0296e+05 |

Fully dispersed vapour cloud fuel-air mixture with turbulence field results were consider as initial condition for explosion simulations.

Atmospheric conditions are considered as the external initial conditions:

- $P_{atm}=100000$ Pa
- $T=30^{\circ}C$
- Dispersed cloud and turbulence field

Flammable clouds for each scenario, being considered as initial conditions, are presented in *Figure 115 to Figure 117*.

| | | | |
|---|---|--|-------------------------------|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: MG000-HSE-000-QB-7001 |
| | | Rev. No: 03 | |




Figure 115: Scenario1 Gas Leakage – Acetylene Unit







Figure 116: Scenario2 Gas Leakage – PVC Unit

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.

| | | | |
|---|---|--|--|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: MG000-HSE-000-QB-7001 Rev. No: 03 |




Figure 117: Scenario3 Gas Leakage – O & U Unit




Combustion reaction

Table 10: Combustion reaction details

| | Scenario1 | Scenario 2 | Scenario 3 |
|-----------------------------------|---|--|--|
| Chemical name | C ₂ H ₂ | C ₂ H ₃ CL | C ₂ H ₃ CL |
| Laminar flame speed (m/s) | 1.38 | 0.44 | 0.44 |
| Heat of formation (J/gmol) | 228200 | 22000 | 22000 |
| Chemical reaction | C ₂ H ₂ + 2.5O ₂ = 2CO ₂ + 1H ₂ O | C ₂ H ₃ CL + 2.75O ₂ = 2CO ₂ + 1.5H ₂ O+0.5CL ₂ | C ₂ H ₃ CL + 2.75O ₂ = 2CO ₂ + 1.5H ₂ O+0.5CL ₂ |
| LFL (%v/v) | 2.5 | 3 | 3 |
| UFL (%v/v) | 82 | 33 | 33 |

The combustion model used for deflagration is the Modified Bray-Moss-Libby model (MBML). The reaction rates and constants are detailed in Table 10.

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.

| | | | | |
|---|---|--|-----------------|-----------------------|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | | |
|  | | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: | MG000-HSE-000-QB-7001 |
| | | | Rev. No: | 03 |




Numerical models

The flow is viscous and unsteady. The thermodynamic properties of the fluid calculated based on mixture properties of species. The density of the fluid calculated based on the pressure, temperature and the overall molecular weight of the gas mixture. The variation of specific heat with temperature is considered. The variation of viscosity, thermal conductivity and mass diffusivity with respect to the temperature are considered. MBML turbulent Combustion model used for this study and considered single step reactions to represent fuel oxidation. Turbulence is modeled using standard k-epsilon turbulence model.

In summary, the following simulation parameters are:

- Unsteady Compressible flow
- Turbulence model : k-ε
- No gravity effect
- Model of combustion : MBML
- Pressure based fully implicit
- SIMPLEC (velocity-Pressure coupling) numerical scheme

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.

| | | | |
|---|---|--|--------------------------------------|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: MG000-HSE-000-QB-7001 |
| | | | |

IV.3.3 Results and analysis

Results of explosion simulations are presented in this section. The thresholds considered for overpressure plots are furnished in *Table 11*.

Table 11: Overpressure thresholds for consequences on structures

| Impact Criteria | Overpressure Thresholds |
|---|-------------------------|
| Significant destructions of glass windows | 20 mbar |
| Light damages | 50 mbar |
| Heavy damages | 140 mbar |
| Domino effects | 200 mbar |
| Structural destruction (except concrete) | 300 mbar |

NOTE : For few scenario where the threshold overpressures (and distances) were not significantly observed, contour plots have been presented for lower overpressure values, only for interpretation purpose.



Explosion overpressure results are presented (at ground level) as:


- Contours of Overpressure propagation with time
- Contours of Maximum overpressure attained at any location over the study region

2F - 210° Weather Condition Scenario 1: Acetylene Unit


The scenario1 explosion observed very weak deflagration because of very small flammable cloud region due to very small leakage size. The maximum explosion overpressure generated during explosion is less than equal to 123mbar. Hence the plots are presented for lower overpressure values (not for thresholds) just for interpretation.

Figure 118 shows the scenario1 evolution of overpressure on ground with respect to different computational time.


| | | | |
|---|--|---------------------------------|--------------------------------------|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  | 3D Consequence Analysis Report for Green PVC Facilities | | Doc No: MG000-HSE-000-QB-7001 |
| | | | Rev. No: 03 |




(a) 0.1s




(b) 0.2s



(c) 0.4s





(d) 0.6s



(e) 0.8s

Figure 118: Overpressure on ground (z=0) for range 0 to 2mbar

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.

| | | | | |
|---|--|---------------------------------|-----------------|-----------------------|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | | |
|  | | | | |
|  | 3D Consequence Analysis Report for Green PVC Facilities | | Doc No: | MG000-HSE-000-QB-7001 |
| | | | Rev. No: | 03 |

Similarly, Figure 120 show the maximum overpressure at release plane (26m agl).




Figure 120: Maximum overpressure at release plane (z=26m)



Table 12 shows the max incident overpressure threshold distances from the leakage location.

Table 12: Results Summary for Explosion study of Scenario 1

| Acetylene Unit | | | | | | |
|-------------------|-----------|------------------|------------------|---|---------|---------|
| No | Material | Release Scenario | Weather Scenario | Distance to Max Incident Over Pressure, m | | |
| | | | | 140 mbar | 50 mbar | 20 mbar |
| Scenario 1 | Acetylene | 36 inch leak | 2F_210Deg | NA | NA | NA |

*NA-Not Attained


This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.

| | | | |
|---|--|---------------------------------|--------------------------------------|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  | 3D Consequence Analysis Report for Green PVC Facilities | | Doc No: MG000-HSE-000-QB-7001 |
| | | | Rev. No: 03 |



2F - 210° Weather Condition Scenario 2: PVC Unit


The scenario2 explosion is relatively stronger than Scenario1 but a weak deflagration because of very thin dispersed cloud region spread very close to ground level. The maximum explosion overpressure generated during explosion 128mbar.

Figure 121 shows the scenario1 evolution of overpressure on ground with respect to different computational time in the user range of 0 to 10mbar.




This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.

| | | | |
|---|--|---------------------------------|--------------------------------------|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  | 3D Consequence Analysis Report for Green PVC Facilities | | Doc No: MG000-HSE-000-QB-7001 |
| | | | Rev. No: 03 |




(e) 2.04s




(f) 2.62s

Figure 121: Overpressure on ground (z=0) for the range 0 to 10mbar

Figure 122 show the maximum overpressure on ground for ranges: 50mbar & 20mbar.






(a) 50mbar




(b) 20mbar

Figure 122: Maximum overpressure on ground (z=0)

Similarly, Figure 123 show the maximum overpressure at release height for ranges – 50mbar, 20mbar.

| | | | | |
|---|---|--|-----------------|-----------------------|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | | |
|  | | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: | MG000-HSE-000-QB-7001 |
| | | | Rev. No: | 03 |



(a) 50mbar

(b) 20mbar

Figure 123: Maximum overpressure at release plane (z=0.75m)

Table 13 shows Scenario2 max incident overpressure threshold distances from the leakage location.

Table 13: Results Summary for Explosion study of Scenario 2



| PVC Unit | | | | | | |
|-------------------|----------|------------------|------------------|---|---------|---------|
| No | Material | Release Scenario | Weather Scenario | Distance to Max Incident Over Pressure, m | | |
| | | | | 140 mbar | 50 mbar | 20 mbar |
| Scenario 2 | VCM | 8 inch leak | 2F_210Deg | NA | 150 | 200 |


*NA-Not Attained

2F - 210° Weather Condition Scenario 3: O & U Unit


The scenario3 explosion is relatively stronger due to larger flammable cloud and confinements. Flame acceleration was not significant due to the thin dispersed cloud close to ground level. The maximum explosion overpressure generated during explosion is 177mbar.

Figure 124 shows the Scenario3 overpressure propagation on ground with time with 0 to 10mbar range.


| | | | |
|---|--|---------------------------------|-------------------------------|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  | 3D Consequence Analysis Report for Green PVC Facilities | | Doc No: MG000-HSE-000-QB-7001 |
| | | | Rev. No: 03 |




(a) 0.06s




(b) 0.3s




(c) 0.6s



(d) 0.9s







(e) 1.2s




(f) 1.5s

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.


| | | | |
|---|---|--|--|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: MG000-HSE-000-QB-7001 Rev. No: 03 |




(g) 2.11s



(h) 2.56s



(i) 3.09s



(j) 3.519s

Figure 124: Overpressure on ground (z=0) for user range (0 to 10mbar)

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.





| | | | |
|---|--|---------------------------------|--------------------------------------|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  | 3D Consequence Analysis Report for Green PVC Facilities | | Doc No: MG000-HSE-000-QB-7001 |
| | | | Rev. No: 03 |

Figure 125 show the maximum overpressure on ground for ranges: 140mbar, 50mbar and 20mbar.



(a) 140mbar



(b) 50mbar



(c) 20mbar

Figure 125: Maximum overpressure on ground (z=0)

Figure 126 show the maximum overpressure at release plane (level).

| | | | | |
|---|--|---------------------------------|-----------------|-----------------------|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | | |
|  | | | | |
|  | 3D Consequence Analysis Report for Green PVC Facilities | | Doc No: | MG000-HSE-000-QB-7001 |
| | | | Rev. No: | 03 |







Figure 126: Maximum overpressure at release plane

Table 14 shows the summary of scenario3 different max incident overpressure threshold limits distance from the leakage location.

Table 14: Results Summary for Explosion study of Scenario 3

| O & U Unit | | | | | | |
|------------|----------|------------------|------------------|---|---------|---------|
| No | Material | Release Scenario | Weather Scenario | Distance to Max Incident Over Pressure, m | | |
| | | | | 140 mbar | 50 mbar | 20 mbar |
| Scenario 3 | VCM | 14 inch leak | 2F_210Deg | 171 | 265 | 405 |

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.

| | | | | |
|---|---|--|-----------------|-----------------------|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | | |
|  | | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: | MG000-HSE-000-QB-7001 |
| | | | Rev. No: | 03 |

V. DISCUSSIONS ON THE RESULTS

Results of release and dispersion simulations for the identified scenario are discussed in this section. Toxicity impact distances for the toxic materials, observed from the simulation results are tabulated in Table 15.

Table 15: Results Summary for toxicity impact distances

| Chloro Alkali Unit | | | | | |
|------------------------|-----------------|-------------------|------------------|------------------|------------------------|
| Plant Site | Material | Release Height, m | Release Scenario | Weather Scenario | Max Impact Distance |
| | | | | | IDLH, m |
| Chloro Alkali - IS-12D | Anhydrous HCl | 1.5 | FBR (32 inch) | 2F_210Deg | 1920 |
| | | | | 5D_210Deg | 2150 |
| Chloro Alkali - IS-1B | Cl ₂ | 15 | FBR (24 inch) | 2F_210Deg | 3730 |
| | | | | 5D_210Deg | 4410 |
| Chloro Alkali - IS-08A | Cl ₂ | 1 | FBR (2 inch) | 2F_210Deg | 4090 |
| | | | | 5D_210Deg | 2560 |
| VCM Unit | | | | | |
| Plant Site | Material | Release Height, m | Release Scenario | Weather Scenario | Max Impact Distance, m |
| | | | | | IDLH / ERPG3, m |
| VCM - IS-9A | VCM | 26.5 | FBR (16 inch) | 2F_210Deg | 23.5 |
| | | | | 5D_210Deg | 16.4 |
| VCM - IS-17A | Propane | 30 | FBR (9 inch) | 2F_210Deg | 1040 |
| | | | | 5D_210Deg | 143 |
| VCM - IS-02 | Anhydrous HCl | 13 | FBR (20 inch) | 2F_210Deg | 2820 |
| | | | | 5D_210Deg | 4350 |
| PVC Unit | | | | | |
| Plant Site | Material | Release Height, m | Release Scenario | Weather Scenario | Max Impact Distance |
| | | | | | IDLH / ERPG3, m |
| PVC - IS-03 | VCM | 1.2 | FBR (8 inch) | 2F_210Deg | 107 |
| | | | | 5D_210Deg | 52.2 |
| O & U Unit | | | | | |
| Plant Site | Material | Release Height, m | Release Scenario | Weather Scenario | Max Impact Distance, m |
| | | | | | IDLH / ERPG3, m |
| O & U - IS-12 | VCM | 6 | FBR (14 inch) | 2F_210Deg | 267 |
| | | | | 5D_210Deg | 78.2 |
| O & U - IS-14 | VCM | 6 | 100mm (10 inch) | 2F_210Deg | 191 |
| | | | | 5D_210Deg | 74.1 |
| Calcium Carbide Unit | | | | | |
| Plant Site | Material | Release Height, m | Release Scenario | Weather Scenario | Max Impact Distance |
| | | | | | IDLH, m |
| Calcium Carbide- IS-02 | Carbon Monoxide | 7 | 100mm (64 inch) | 2F_210Deg | 175 |
| | | | | 5D_210Deg | NA |

*NA-Not Attained

Table 16 furnishes the scenario wise summary of consequence distances in terms of flammable cloud (LFL) for vapour dispersion impacts.

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.




| | | | | |
|---|---|--|-----------------|-----------------------|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | | |
|  | | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: | MG000-HSE-000-QB-7001 |
| | | | Rev. No: | 03 |

Table 16: Results Summary for Flammability Impact distances

| Plant Site | Material | Flammability | Scen_210Deg | |
|-------------------------|-----------------|--|-------------|--------|
| | | | 2F | 5D |
| VCM – IS-9A | VCM | 100% LFL of C ₂ H ₃ Cl | 9.52 m | 10.7 m |
| | VCM | 50% LFL of C ₂ H ₃ Cl | 33.5 m | 21.5 m |
| VCM – IS-17A | Propane | 100% LFL of C ₃ H ₈ | 26.6 m | 24.6 m |
| | Propane | 50% LFL of C ₃ H ₈ | 51.6 m | 35.3 m |
| PVC - IS-03 | VCM | 100% LFL of C ₂ H ₃ Cl | 396 m | 195 m |
| | VCM | 50% LFL of C ₂ H ₃ Cl | 486 m | 272 m |
| O & U – IS-12 | VCM | 100% LFL of C ₂ H ₃ Cl | 586 m | 294 m |
| | VCM | 50% LFL of C ₂ H ₃ Cl | 765 m | 378 m |
| O & U – IS-14 | VCM | 100% LFL of C ₂ H ₃ Cl | 467 m | 263 m |
| | VCM | 50% LFL of C ₂ H ₃ Cl | 607 m | 289 m |
| Acetylene –IS-06A | Acetylene | 100% LFL of C ₂ H ₂ | 31.6 m | 10.3 m |
| | Acetylene | 50% LFL of v/v C ₂ H ₂ | 58.8 m | 21.5 m |
| Calcium Carbide – IS-02 | Carbon Monoxide | 100% LFL of v/v CO | NA | NA |
| | Carbon Monoxide | 50% LFL of v/v CO | NA | NA |
| Calcium Carbide – IS-05 | Methane | 100% LFL of CH ₄ | NA | NA |
| | Methane | 50% LFL of CH ₄ | NA | NA |

*NA-Not Attained

Table 17: Pool Fire Threshold distances




| Plant Site | Material | Distances for Heat Radiation, m | | | |
|---------------|----------|---------------------------------|-----------------------|------------------------|------------------------|
| | | 4 KW/m ² | 6.3 KW/m ² | 12.5 KW/m ² | 37.5 KW/m ² |
| O & U – IS-12 | VCM | 409.0 | 315.0 | 226.0 | NA |

*NA-Not Attained

3D Simulation outputs show that the IDLH plume for the highly toxic chemicals modelled, viz. Cl₂ and Anhydrous HCl have reached upto ~4.5 Km in the downwind direction under scenario ChloroAlkali IS-1B & VCM IS-02 respectively. This shows the extent of care to be taken into account while handling these materials within the plant. It may be noted that these impact distances were obtained without consideration of any inherent mitigation measures in the plant design, as to simulate worst case scenario. These mitigation systems are intended to reduce the impact distances thus ensuring the safety of inhabitants in the downwind town of Mundra.

However, for the VCM and Propane, which are less toxic, the toxic threshold distances were upto 1Km. For the VCM release scenario considered, it can be seen that the ERPG3 levels were not observed on the ground level, implying that the VCM got dispersed to below toxicity limits before it

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.

| | | | | |
|---|---|--|-----------------|-----------------------|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | | |
|  | | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: | MG000-HSE-000-QB-7001 |
| | | | Rev. No: | 03 |

reached ground. Whereas in case of PVC and O&U Unit, ERPG levels are too low, implying VCM has less toxicity at the ground level.




Similarly, LFL clouds for the flammable materials considered, VCM and Propane, have also not reached ground level. LFL is not attained for Carbon Monoxide and Methane, implies that the gas concentrations are too low to ignite or blow out. The cloud extents at the release elevation, as shown in the plots presented earlier, guide the plant engineers to avoid any ignition source within the cloud as to prevent explosion hazards, in case of an eventual release.

Among the critical scenario considered, only one is considered to be significant in terms of pool formation and subsequent fire event, i.e. O&U IS-12. The results, as tabulated in Table 17, showed that the maximum distance for the threshold of 4 KW/m² is 409m. Occupants within this region are to be evacuated before 2-3 minutes to safety, though some more time would be available for the pool to spread to its maximum.

Table 18: Results Summary for Explosion study

| Acetylene Unit | | | | | | |
|-----------------------|-----------|------------------|------------------|---|---------|---------|
| No | Material | Release Scenario | Weather Scenario | Distance to Max Incident Over Pressure, m | | |
| | | | | 140 mbar | 50 mbar | 20 mbar |
| Scenario 1 | Acetylene | 36 inch leak | 2F_210Deg | NA | NA | NA |
| PVC Unit | | | | | | |
| Scenario 2 | VCM | 8 inch leak | 2F_210Deg | NA | 150 | 200 |
| O & U Unit | | | | | | |
| Scenario 3 | VCM | 14 inch leak | 2F_210Deg | 171 | 265 | 405 |

3D Numerical explosion study results have revealed that Scenario3 explosion is relatively stronger than Scenario2 and Scenario1. The scenario1 explosion observed very weak deflagration because of very small flammable cloud region due to very small leakage size and cloud position is far away from ground and totally free from confinement from machineries and buildings. Even though scenario2 and scenario3 having well dispersed cloud partially inside the confinement from machineries and buildings but it failed in flame acceleration due to very thin dispersed cloud region spread very close to ground level. In all three scenarios the maximum explosion overpressure generated during explosion is less than equal to 177mbar. From Table 18, 3D numerical results shows scenario1, scenario2 and scenario3 observed 50mbar overpressure range of radial distance from leakage location are 19m, 150m and 265m respectively.




| | | | |
|---|---|--|--------------------------------------|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: MG000-HSE-000-QB-7001 |
| | | | |

VI. RECOMMENDATIONS FOR ONSITE EMERGENCY PLAN

It is suggested to follow below emergency response guidelines during eventual accidents:

1. Ensuring appropriate mitigation measures in the zones handling highly toxic materials, viz. Anhydrous HCl and Cl₂, which could include suction hoods, water sprinklers / curtains, sensors for early detection and alarm for faster isolation / containment etc..
2. Possible ignition sources are to be isolated / prevented in the flammable cloud region.
3. Common assembly area to be identified in one or more locations within the plant as to be accessible as quickly as possible.
4. Regular Mock drills and emergency preparedness training should be carried out
5. Wind sock shall be provided in one or more locations as to be visible from any point within the plant.
6. Escape routes / evacuation plans should be based on the prevailing (at the time of accident) wind direction (referred from the wind sock) – should be planned as to be laterally away from the cloud.
7. Fresh air intake systems (HVAC) into all the manned process and non-process buildings should be stopped in case of any release events.
8. Provide fire equipment protection and Passive Fire Protection (PFP) for VCM storage Sphere.
9. Provide perimeter flammable gas detectors wherever flammable inventories are handled in process areas.
10. It is recommended that effective gas detection system together with appropriate emergency response action like providing hooter in the shop floor area to raise the siren in case of confirmed gas release which can reduce the risk associated with gas release scenario.
11. Develop an Emergency Response Plan (ERP) which details out the actions and requirements. Also, ERP should include notification to the adjoining industrial facilities (if any) / offsite area to take appropriate action in order to minimize the impact on third party personnel in the event of a major accident.

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.

| | | | |
|---|---|--|--------------------------------------|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: MG000-HSE-000-QB-7001 |
| | | | Rev. No: 03 |

ANNEXURE-I: **FLUIDYN**-STATE OF THE ART TOOLS ON RISK MODELING

FLUIDYN's 3D-CFD based tools for Risk Consequence modelling have been developed in-house and matured over a considerable period of time with technical inputs, evaluation and validations from various experts in research and academic fraternity. Among the vast range of engineering design & analysis tools, the ones that are significantly customised and tuned for Risk Assessment are:

fluidyn – **PANEPR** for Accidental dispersions (3D fluid dynamics tool)

- Heavy gases: gravity phenomena, stratification, heat exchange with ground;
- Multiple sources: stacks, point, road, surface and volume sources;
- Near field modelling of **local phenomena (obstacles, buildings...)** using embedded mesh;
- Droplets formation, transport, aerosol and pool evaporation;
- Dispersion of combustion products due to fire;
- Large and small scale dispersion;
- Effects of complex 3D topography;
- Effects of buildings and obstacles;
- Apt consideration of flow over porous regions such as pipe networks, semi-enclosed process units;
- Effects of different types of land cover;
- Weather conditions (including low winds);
- Atmospheric turbulence and mechanical turbulence around obstacles;
- Transient or chronic releases with any kind of pollutant (heavy gases, hot gases, light gases, particles...).

fluidyn – **ASSESS-RISK** Risk analysis

Basic (2D analytical tools for LOC estimation)

- Database of 13 petrochemical equipments
- 45 possible accidental scenarios (including BLEVE, boilover, UVCE etc)
- Single step simulation
- Monitor points for sensitive zones (accurate values obtained)
- Accidental scenarios based on current regulations
- Analysis of domino effects

In its full version, fluidyn – **ASSESS-RISK** integrates modules listed below along with a 3D real-time dispersion modelling for the emergency response.

fluidyn – **PANFIRE** for Pool and Jet fires (3D analytical tool)

- Thermal flux due to solid and liquid fire
- Radiation from a flame surface based on NFPA methodology




fluidyn – **VENTFIRE** for Pool and Jet fires (3D fluid dynamics tool)

- Thermal flux due to solid and liquid fire
- Simulation of combustion in transient flow field

fluidyn – **VENTEX** for detonations and deflagrations (3D fluid dynamics tool)

- Explosion simulations in confined & semi-confined regions
- Advanced combustion models and quenching effects due to local turbulence

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.

| | | | |
|---|---|--|--|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: MG000-HSE-000-QB-7001 Rev. No: 03 |




***fluidyn* – PANWAVE** for tank rupture consequences (3D fluid dynamics tool)

- Simulation of the consequences of any loss of containment on liquid storage tanks
- Overpressure on retention walls
- Overtopping and subsequent spreading on the petrochemical site

Besides the basic CFD modelling approaches, some of the specific areas where FLUIDYN tools have been fine tuned to take into account the scenario complexities and customization of physics to derive more reliable consequence quantification are as detailed in the below table.

| Feature | <i>fluidyn</i>– PANACHE | Contemporary CFD Tools |
|--|---|--|
| Atmospheric Boundary Layer flow for heavy gas in urban / industrial congested topography | Uses French and now EU defined 3D modelling protocol released in September 2015 as DRA-15-18997-06852A (Guide_Bonnes_Pratiques.pdf) | Use general CFD simulation procedure. Results quality defer depending on the user knowledge, input parameters quality (e.g. meshing, Boundary conditions, chosen) |
| Effect of buildings and obstacles on air flow, especially in low wind conditions when the risk is higher | Uses unstructured mesh for exact representation of buildings and obstacles, capturing wake effect- low pressure recirculation zones- of buildings and obstacles | Use structured (Cartesian) mesh. Obstacles are represented by their general obstruction (porosity) mesh. Wake of buildings is not captured as porosity distribution is general over the whole domain. Air flow is in general wind direction without local obstacles flow recirculation effect. |
| Flow velocity and pollutants | Flow and pollutant concentration do not depend on X or Y direction. For the same mesh, they will give similar results whatever wind direction is chosen. | Flow velocity and pollutants extent in directions other than X or Y will be much smaller as numerical diffusivity (not real) will be higher. Often mesh is also built such that flow direction is along X or Y to keep mesh size smaller in the flow direction, though results are wrong. |
| Effect of ground temperature (solar heating), varying surface drag in low wind conditions | Varying effect of solar heating on water/ ground/ vegetation, etc. is considered automatically accounted for as soon as the time, latitude and vegetation are given in input data | Though major consequences are most likely in low wind conditions and ground temperature driven thermal convection is important factor, they are ignored. |
| Air flow boundary conditions for source size air flow precision | Uses multi embedded zones starting from large domains (>20 sq. km) to small domains (<100m). Each smaller domain has finer mesh and allow for capturing even a centimetre size leak | Mesh is Cartesian. Any local fine mesh usage penalises and gives non-uniform results everywhere else. |

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.

| | | | |
|---|---|--|--|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | |
|  | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: MG000-HSE-000-QB-7001 Rev. No: 03 |

| | | |
|--|--|--|
| | for flow velocity accuracy | |
| Pollution plume structure | Pollution accumulation in the wake regions of obstacles is accurately simulated and breaks up in pockets behind obstacles | Pollution plume develops in general wind direction almost as a Gaussian plume (as porosity is same and obstacle contours are not clearly identified) |
| Pollution residence time and mitigation measures | While the pollutants may be washed from the open domain, they will still persist behind the obstacles in wake regions due to flow recirculation. Any muster points or evacuation strategy has to be derived based on these high concentration areas | As concentration of pollutants behind obstacles is not seen clearly, such that any emergency response mitigation can be derived. |
| Flammable cloud explosivity | As the accuracy of the flammable cloud size is an important factor, the time dependent concentration variation behind the obstacles is accurately modelled. | As the wake region gas cloud concentration is uncertain, there is no way of ascertaining the explosivity. |
| Sensor mapping | <ol style="list-style-type: none"> 1. Optimised Sensor mapping 2. Real time leak source detection and 3. Dispersion forecast in real time available integrally 4. Rough empirical assessment of risk scenarios (with coupled Assess Risk). | As the pollutant concentration is approximate, so reliable sensor mapping is impossible. |




IN-HOUSE VALIDATION OF FLUIDYN-PANACHE:

PANACHE was validated against the below dense gas field experiment results:

Desert Tortoise:

Desert Tortoise was conducted at the Frenchmans Flat site in Nevada, and here the liquefied gas was emitted through an orifice plate. The pressure drop from the exit to the atmosphere caused part of the material to evaporate instantaneously, and the heat required for this phase transition was supplied as to compensate for the temperature drop of the released material.

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.

| | | | | |
|---|---|--|-----------------|-----------------------|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | | |
|  | | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: | MG000-HSE-000-QB-7001 |
| | | | Rev. No: | 03 |

Burro:

These LNG experiments were made at the US Naval Weapon Center (NWC) test site at China Lake, California, where liquefied natural gas was poured into a water basin. A steel plate was placed below the exit of the pipeline and the LNG was directed radially outwards on the water surface.

| Case | Product | Windspeed | Source | Mass flow rate |
|-----------------|-----------------|-----------------|-----------------------|-----------------------------|
| Desert Tortoise | Ammonia | 4.5 - 7.4 m/sec | Jet | 81-133 kg.sec ⁻¹ |
| Burro | LNG | 5.4 - 7.4 m/sec | Pool | 11 to 18m ³ /min |
| CO2PIPETRANS | CO ₂ | 5.5 - 6.0 m/sec | Jet | 4 - 40 kg.sec ⁻¹ |
| Porton Down | Freon | 4 - 4.7 m/sec | Instantaneous release | 40 m ³ |




CO2Pipetrans:

To investigate and fill the identified knowledge gaps and to validate computer dispersion models for liquid and supercritical CO₂ releases, BP set up a research project in 2006. The experiments are characterized by both high-pressure cold release and high-pressure supercritical release. Experiments were carried out by BP and Shell around the Carbon Sequestration system.

Porton Down:

Forty two moderate scale (40 m³) Freon (CCl₂F₂) dispersion experiments "PortonDown Series" were conducted in 1976 at the Chemical Defence Establishment in Porton Down (Picknett Report, 1978).




FLUIDYN's modelling tools have evolved by the rigorous usage and improvisation by the Chemical, Petrochemical and Nuclear Industrial experts. Some of the salient works carried out have already been [published](#) by FLUIDYN users.

| | | | | |
|---|---|--|-----------------|-----------------------|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | | |
|  | | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: | MG000-HSE-000-QB-7001 |
| | | | Rev. No: | 03 |

PUBLICATIONS:

1. Hill R., Arnott A., Parker T., Hayden P., Lawton T., Robins A., 2007: Field and wind tunnel evaluation of CFD model predictions of local dispersion from an area source on a complex industrial site, Proceedings of the 11th International Conference on Harmonisation within Atmospheric dispersion models for regulatory purposes.
2. Libre J.-M., Tripathi A., Le Guellec M., Mailliard T., Guérin S., Souprayen C., Castellari A., 2009 : Real Time Simulation of the Dispersion of Accidental Emission Release of Hazardous Substance on Industrial Site Using 3D Modelling. Proceedings of the International Petroleum Technology Conference.
3. Libre J.-M., Le Guellec M., Tripathi A., Mailliard T., Guérin S., Souprayen C., Castellari A., 2010: Source determination in congested environment through Bayesian inference. Proceedings of the 13th International Conference on "Harmonisation within Atmospheric Dispersion Modelling for Regulatory Purposes.
4. Mazzoldi A., Hill T. Colls J., 2008 : CFD and Gaussian atmospheric dispersion models: A comparison for leak from carbon dioxide transportation and storage facilities, Atmospheric Environment.
5. Mori S., Miyata E. et.al., 2014 : Optimization of Gas Detectors' Location by Application of Atmospheric Dispersion Modeling Tools, The 5th World Conference of Safety of Oil and Gas Industry (<http://www.pac.ne.jp/2014WCOGI/>)
6. Chen L., Le Guellec M., 2016: Validation of PANACHE CFD Pollution Dispersion Modeling with Dense Gas experiments, 17th International Conference on Harmonisation within Atmospheric Dispersion Modeling for Regulatory Purposes (Budapest, Hungary)
7. Kumar P., Singh S., Ngae P., Feiz A., Turbelin G., 2017 : Assessment of a CFD model for short-range plume dispersion: Applications to the Fusion Field Trial 2007 (FFT-07) diffusion experiment, Atmospheric Research, Elsevier, 2017, 197, pp.84-93
8. Madala S., Sathyanarayana A.N.V, Krishnaprasad U, 2012 : Micro-Scale Dispersion of Air Pollutants over an Urban Setup in a coastal Region, OJAP, 2012, 1,51-58

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.

| | | | | |
|---|---|--|-----------------|-----------------------|
| Green PVC Project | | MUNDRA PETROCHEM LIMITED | | |
|  | | | | |
|  |  | 3D Consequence Analysis Report for Green PVC Facilities | Doc No: | MG000-HSE-000-QB-7001 |
| | | | Rev. No: | 03 |

REFERENCES:

1. *"Guide de Bonnes Pratiques pour la réalisation de modélisations 3D pour des scénarios de dispersion atmosphérique en situation accidentelle "* – a practical guide for the 3D modeling of accidental release scenario ; compiled based on deliberations by FWG (French Working Group) under the aegis of INERIS
2. *IS 15656- 2006 : Hazard Identification and Risk Analysis – Code of Practice ;* by BIS
3. *Guide méthodologique UFIP pour la réalisation des études de dangers en raffineries, stockages et dépôts de produits liquides et liquéfies;* Methodology for the Hazard Studies; by UFIP
4. *fluidyn-PANACHE – Technical Manual; a document with model formulations and approaches;* by FLUIDYN
5. *Guidelines for Quantitative Risk Assessment – CPR-18E, the Purple Book;* by TNO
6. *Chemical Datasheet* by Cameo Chemicals
7. *The Properties of Gases and Liquids, 5th Edition* By Bruce E. Poling (University of Toledo), John M. Prausnitz (University of California at Berkeley), and John P. O'Connell (University of Virginia). McGraw-Hill: New York. 2001. 768 pp. \$115.00. ISBN 0-07-011682-2

This document is exclusive property of Mundra Petrochem Limited. It is to be used only for the purpose which it is lent and must not be copied or used in any way detrimental to the interest of this company and subject to return on demand.



Adani Enterprises Limited
Environment Policy

Updated on – 29.10.24

Version – 1.1

At Adani Enterprises Ltd. (AEL), we are committed to continuously improve our environmental performance by implementing a robust environmental management system across our businesses, to eliminate or minimize any adverse environmental impacts. Further, we aspire to achieve environmental excellence and leadership when compared with our peers.

The policy is applicable to all business operations, facilities, offices, manufacturing units and related activities, under AEL, its subsidiaries and joint ventures.

Objectives of the Policy:

- Comply with all the applicable national, regional, and local environmental regulations and statutory obligations and strive to go beyond compliance.
- Continuously improve our environmental performance and tackle climate change by undertaking appropriate mitigation & adaptation measures.
- Set Goals and Targets to reduce our environmental impact, focusing on reduction of greenhouse gases (GHG) & other air emissions, efficient use of energy and raw materials, waste management through circular-economy principles, water conservation, pollution prevention and product stewardship.
- Aim to achieve Net Zero emissions in line with India's climate change commitments under the Paris Agreement and strive to meet 100% of our electricity requirements from renewable sources.
- Conserve and protect biodiversity and ecosystems in and around our operational sites in collaboration with relevant stakeholders.
- Aim to achieve No-Net Loss to biodiversity and strive for Net Positive Impact in our operations through the implementation of the mitigation hierarchy by avoiding, minimizing, and restoring the direct impacts and offsetting the residual impacts.
- Conduct training and capacity-building sessions for all employees to increase understanding about the environmental impacts of their activities and encourage responsible practices.
- Continually engage with internal and external stakeholders to raise awareness about environmental impacts and adopt principles and practices in alignment with this policy and industry best practices.
- Commit against any form of lobbying against climate regulations.
- Monitor, measure and report the progress on our environmental performance in alignment with national and international protocols and communicate our approach and achievements to relevant stakeholders.
- Conduct environmental due diligence and impact assessment for new or expansion of existing projects, current plant operations, and mergers & acquisitions.
- Undertake internal and third-party audits at regular intervals to assess the environmental performance and implement impact mitigation strategies, as required.

Oversight and Responsibility:

AEL's Board of Directors has oversight into the implementation of this policy. The AEL Sustainability Head along with the Sustainability Leads of individual AEL businesses are responsible for its effective implementation.

Policy Approval:

The updated version of this policy was placed before the Board-level ESG Committee (CRC) at its meeting held on 29th October 2024 and reviewed/approved thereat.

This policy shall be reviewed periodically for its appropriateness and updated, as necessary.

This Policy must be viewed in conjunction with other policies implemented by AEL, including – but not limited to – [Energy Management Policy](#), [Biodiversity Policy](#), [Water Stewardship Policy](#), [Waste Management Policy](#), [Resource Conservation Policy](#), [Climate Change Policy](#), [ESG Policy](#).

Annexure - XI



Ref: AEL/MPL/ENV/MoEF&CC/2022 – September/11

Date: 30/09/2022

To,
Shri Shrawan Kumar Verma, IFS (Addl. Charge)
Deputy Director General of Forests (C)
Integrated Regional Office, Gandhinagar,
Ministry of Environment, Forest and Climate Change,
A-Wing-407 & 409, Aranya Bhawan, Near CH-3 Circle,
Sector-10A, Gandhinagar – 382010

Subject: Environmental Clearance (EC) for proposed project activities "**Semi Coke-2030 KTPA, Calcium Carbide-2900 KTPA, Cement-6 MTPA; Clinker-4 MTPA near village Vandh & Tunda, Taluka Mundra, District Kachchh, Gujarat** by M/s Adani Enterprises Ltd.

Reference: EC Identification no EC22A009GJ154137, File no. IA-J-11011/423/2021-IA-II(IND-I) Dated 26/09/2022

Respected Sir,


With reference to above subject, this is to inform that Ministry of Environment Forest and Climate Change has granted Environment Clearance for our project "Semi Coke-2030 KTPA, Calcium Carbide-2900 KTPA, Cement-6 MTPA; Clinker-4 MTPA (as a part of Proposed Coal to Poly-Vinyl Chloride (PVC) Project of AEL in land notified as Industrial area of APSEZ, Ta-Mundra, Dist-Kutch, Gujarat" comprising of IND-I projects i.e. Semi Coke-2030 KTPA, Cement-6 MTPA; Clinker-4 MTPA, IND-II projects i.e. VCM- 2002 KTPA, PVC-2000 KTPA, Ethylene Glycol- 400 KTPA and IND-III projects i.e. Acetylene-860 KTPA & Caustic Soda-1310 KTPA) and Calcium Carbide-2900 KTPA (Not Specified in Any EIA Notification) by M/s Adani Enterprises Ltd" vide EC Identification no EC22A009GJ154137, File no. IA-J-11011/423/2021-IA-II(IND-I) Dated 26/09/2022.

Accordingly, in compliance of Miscellaneous condition no. (i) & (ii) of Environmental clearance, we are submitting herewith copy of environmental clearance as **Annexure - A** along with copies of newspaper publications (**Annexure - B**) stating "the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB (GPCB) and may also be seen at Website of the Ministry at <https://parivesh.nic.in/> as well as on Company website at <https://www.adanienterprises.com/-/media/4BAE7363F8C843B8B659F4AC21587F8A.ashx>" for your reference and record please.

Adani Enterprises Ltd
"Adani Corporate House",
Shantigram, Near Vaishno Devi Circle,
S. G. Highway, Khodiyar
Ahmedabad 382 421
Gujarat, India
CIN: L51100GJ1993PLC019067

Tel. + 91 79 2656 5555
Fax + 91 79 2555 5500
info@adani.com
www.adani.com

Registered Office: "Adani Corporate House", Shantigram, Near Vaishno Devi Circle, S. G. Highway, Khodiyar, Ahmedabad - 382421


Integrated Regional Office, Gandhinagar
परिवेश, वन एवं जलवायु परिवर्तन मंत्रालय,
Ministry of Environment, Forest & Climate Change,
Govt. of India / भारत सरकार
कक्ष क्र. 407 व 409 ए विंग अरुण्य भवन
Room No.407 & 409, A wing Aranya Bhawan
गान्धिनगर (गुजरात) / Gandhinagar(Gujarat)



The details of the newspaper publication are given below:

| Sr. no. | Name of News Paper | Language | Date of Publication |
|---------|--------------------|----------|---------------------|
| 1 | Kutch Mitra | Gujarati | 30/09/2022 |
| 2 | Gujarat Samachar | Gujarati | 30/09/2022 |
| 3 | The Times of India | English | 30/09/2022 |

Thanking You,
Yours Faithfully,

Authorized Signatory for Adani Enterprises Ltd,

Pradyut Maji (Project - Head)

Encl: As Above

Copy to:

1). **The Member Secretary,**
Gujarat Pollution Control Board,
Paryavarar: Bhavan, Sector - 10
A, Gandhinagar 382 010

2). **The Regional Officer,**
Gujarat Pollution Control Board
(Kuchchh East),
Room no.215,216 & 217, Second floor,
Administration Office Building,
Jeendayal Port Trust, Sector - 08,
Gandhidham - Kuchchh, 370 201



અદાણી એન્ટરપ્રાઇઝીસ લિમિટેડ

શાંતિગ્રામ, એસ. જી. ઠાઈવે, અમદાવાદ - ૩૮૨૪૨૧. (ગુજરાત)

જાહેર નોટિસ

મેં. અદાણી એન્ટરપ્રાઇઝીસ લિમિટેડ, APSEZ ઔદ્યોગિક જમીન, વાંટ ઇ ટૂંડા ગામ નજીક, તા: મુન્દ્રા, જી: કચ્છ, ગુજરાત ખાતે પ્રસ્તાવિત "એક્ટીવીટી જેવીકે સેમી કોક -૨૦૩૦ કે.ટી.પી.એ.; કેલ્સિયમ કાલ્સિડ - ૨૯૦૦ કે.ટી.પી.એ; સિમેન્ટ - ૬ એમ.ટી.પી.એ; ક્લિનકર - ૪ એમ.ટી.પી.એ. (જે સુચિત કોલ ટુ પોલી-વિનાયલ (પી.વી.સી.) પ્રોજેક્ટ ના ભાગ રૂપે મેં. અદાણી એન્ટરપ્રાઇઝીસ લિમિટેડ દ્વારા પ્રસ્તાવિત, APSEZ ઔદ્યોગિક જમીન, વાંટ ઇ ટૂંડા ગામ નજીક, તા: મુન્દ્રા, જી: કચ્છ, ગુજરાત, જેમાં ઇન્ડસ્ટ્રી-૧ પ્રોજેક્ટ-સેમી કોક-૨૦૩૦ કે.ટી.પી.એ.; સિમેન્ટ-૬ એમ.ટી.પી.એ; ક્લિનકર-૪ એમ.ટી.પી.એ; ઇન્ડસ્ટ્રી-૨ પ્રોજેક્ટ-વી.સી.એમ-૨૦૦૨ કે.ટી.પી.એ., પી.વી.સી.-૨૦૦૦ કે.ટી.પી.એ., ઇથીલીન ગ્લાયકોલ-૪૦૦ કે.ટી.પી.એ, અને ઇન્ડસ્ટ્રી-૩ પ્રોજેક્ટ-એસિટિલિન-૮૬૦ કે.ટી.પી.એ. અને કોસ્ટિક સોડા-૧૩૧૦ કે.ટી.પી.એ અને કેલ્સિયમ કાલ્સિડ-૨૯૦૦ કે.ટી.પી.એ. (EIA નોટિફિકેશન માં દર્શાવેલ નથી) ના ભાગ રૂપે સમાવેશ થાય છે.)" માટે ની પર્યાવરણીય મંજૂરી મિનિસ્ટ્રી ઓફ એન્વિરોમેન્ટ, ફોરેસ્ટ અને ક્લાઇમેટ ચેન્જ, નવી દિલ્લી ના પત્ર ક્રમાંક : EC Identification No. - EC22A009GJ154137, File No. - IA-J-11011/423/2021-IA-II(IND-I) dated 26/09/2022 ના રોજ પ્રાપ્ત થયેલ છે. સદરુ માન્યતા અંગેનો પત્ર ગુજરાત પ્રદુષણ નિયંત્રણ બોર્ડ ની ઓફિસ માં તેમજ મિનિસ્ટ્રી ઓફ એન્વિરોમેન્ટ, ફોરેસ્ટ અને ક્લાઇમેટ ચેન્જ ની વેબ સાઈટ <https://parivesh.nic.in> પરથી પણ જોઈ શકાશે. તદ્ ઉપરાંત એન્વિરોમેન્ટ ફલીયરન્સ ની કોપી કંપનનીની વેબસાઈટ <https://www.adanienterprises.com/-/media/4BAE7363F8CB43888659F4AC21587F8A.ashx> પણ જોઈ શકાશે.

sd-

પ્રોદ્યુત માજી (પ્રોજેક્ટ હેડ)

મેં. અદાણી એન્ટરપ્રાઇઝીસ લિમિટેડ

અદાણી એન્ટરપ્રાઇઝીસ લિમિટેડ

શાંતિગ્રામ, એસ. જી. ઠાઇવે, અમદાવાદ - ૩૮૨૪૨૧. (ગુજરાત)

જાહેર નોટિસ

મેં. અદાણી એન્ટરપ્રાઇઝીસ લિમિટેડ, APSEZ ઔદ્યોગિક જમીન, વાંટ ૯ ટૂંડા ગામ નજીક, તા: મુન્દ્રા, જી: કચ્છ, ગુજરાત ખાતે પ્રસ્તાવિત "એકટીવીટી જેવીકે સેમી કોક -૨૦૩૦ કે.ટી.પી.એ.; કેલ્શિયમ કાર્બાઇડ - ૨૯૦૦ કે.ટી.પી.એ; સિમેન્ટ - ૬ એમ.ટી.પી.એ; ક્લિનકર - ૪ એમ.ટી.પી.એ. (જે સૂચિત કોલ ટુ પોલી-વિનાયલ (પી.વી.સી.) પ્રોજેક્ટ ના ભાગ રૂપે મેં. અદાણી એન્ટરપ્રાઇઝીસ લિમિટેડ દ્વારા પ્રસ્તાવિત, APSEZ ઔદ્યોગિક જમીન, વાંટ ૯ ટૂંડા ગામ નજીક, તા: મુન્દ્રા, જી: કચ્છ, ગુજરાત, જેમાં ઇન્ડસ્ટ્રી-૧ પ્રોજેક્ટ-સેમી કોક-૨૦૩૦ કે.ટી.પી.એ.; સિમેન્ટ-૬ એમ.ટી.પી.એ.; ક્લિનકર-૪ એમ.ટી.પી.એ.; ઇન્ડસ્ટ્રી-૨ પ્રોજેક્ટ-વી.સી.એમ-૨૦૦૨ કે.ટી.પી.એ., પી.વી.સી.-૨૦૦૦ કે.ટી.પી.એ., ઈથીલીન ગ્લાયકોલ-૪૦૦ કે.ટી.પી.એ, અને ઇન્ડસ્ટ્રી-૩ પ્રોજેક્ટ-એસિટિલિન-૮૬૦ કે.ટી.પી.એ. અને કોસ્ટિક સોડા-૧૩૧૦ કે.ટી.પી.એ અને કેલ્શિયમ કાર્બાઇડ-૨૯૦૦ કે.ટી.પી.એ. (EIA નોટિફિકેશન માં દર્શાવેલ નથી) ના ભાગ રૂપે સમાવેશ થાય છે.)" માટે ની પર્યાવરણીય મંજૂરી મિનિસ્ટ્રી ઓફ એન્વિરોમેન્ટ, ફોરેસ્ટ અને ક્લાઇમેટ ચેન્જ, નવી દિલ્લી ના પત્ર ક્રમાંક : EC Identification No. - EC22A009GJ154137, File No. - IA-J-11011/423/2021-IA-II(IND-I) dated 26/09/2022 ના રોજ પ્રાપ્ત થયેલ છે. સદરહુ માન્યતા અંગેનો પત્ર ગુજરાત પ્રદુષણ નિયંત્રણ બોર્ડ ની ઓફિસ માં તેમજ મિનિસ્ટ્રી ઓફ એન્વિરોમેન્ટ, ફોરેસ્ટ અને ક્લાઇમેટ ચેન્જ ની વેબ સાઇટ <https://parivesh.nic.in> પરથી પણ જોઈ શકાશે. તદ્ ઉપરાંત એન્વિરોમેન્ટ ક્લીયરન્સ ની કોપી કંપનનીની વેબસાઇટ <https://www.adanienterprises.com/-/media/4BAE7363F8C843B8B659F4AC21587F8A.ashx> પણ જોઈ શકાશે.

sd-

પ્રોદ્યુત માજી (પ્રોજેક્ટ હેડ)

મેં. અદાણી એન્ટરપ્રાઇઝીસ લિમિટેડ

Adani Enterprises Limited

Shantigram, S.G. Highway, Ahmedabad-382421. (Gujarat)

PUBLIC NOTICE

M/s Adani Enterprises Limited, APSEZ Industrial Land, Near Village Vandh & Tunda, Taluka Mundra, District - Kachchh, Gujarat has been accorded Environmental Clearance (EC) for project "**Semi Coke-2030 KTPA, Calcium Carbide-2900 KTPA, Cement-6 MTPA; Clinker-4 MTPA** (as a part of Proposed Coal to Poly-Vinyl Chloride (PVC) Project of AEL in land notified as Industrial area of APSEZ, Ta.-Mundra, Dist-Kachchh, Gujarat" comprising of IND-I projects i.e. Semi Coke-2030 KTPA, Cement-6 MTPA; Clinker-4 MTPA, IND-II projects i.e. VCM- 2002 KTPA, PVC-2000 KTPA, Ethylene Glycol-400 KTPA and IND-III projects i.e. Acetylene-860 KTPA & Caustic Soda-1310 KTPA and Calcium Carbide-2900 KTPA (Not Specified in EIA Notification)) by M/s Adani Enterprises Ltd." by Ministry of Environment, Forest and Climate Change, Government of India vide **EC Identification No. - EC22A009GJ154137, File No. - IA-J-11011/423/2021-IA-II(IND-I) dated 26/09/2022.** The said clearance letter is available at website of the Ministry of Environment, Forest and Climate Change at <https://parivesh.nic.in> and also available at office of the Gujarat Pollution Control Board (GPCB). Copy of EC is also kept at website of the company at <https://www.adanienterprises.com/-/media/48AE7363F8CB4388B659F4AC21587F8A.ashx>

sd-

Prodyut Maji (Project Head)
M/s Adani Enterprises Limited

**News Paper: The Times of India, Page no:13, Date:30/09/2022,
Language: English**

adani

o/c

Ref: AEL/MPL/ENV/MoEF&CC/2022 - September/08

Date: 28/09/2022

To,

Ms. Praveena D.K. (IAS),
Collector & DM,
Collector Office, Jilla Seva Sadan,
Bhuj - Kuchchh, 370 001

Subject: Environmental Clearance (EC) for proposed project activities "**Semi Coke-2030 KTPA, Calcium Carbide-2900 KTPA, Cement-6 MTPA; Clinker-4 MTPA near village Vandh & Tunda, Taluka Mundra, District Kachchh, Gujarat** by M/s Adani Enterprises Ltd.

Reference: EC Identification no. EC22A009GJ154137 File No. IA-J-11011/423/2021-IA-II(IND-I)
Dated 26/09/2022

Respected Ma'am,


With reference to above subject, this is to inform that Ministry of Environment, Forest and Climate Change has granted Environment Clearance (EC) for our project "**Semi Coke-2030 KTPA; Calcium Carbide-2900 KTPA; Cement-6 MTPA; Clinker-4 MTPA** (as a part of Proposed Coal to Poly-Vinyl Chloride (PVC) Project of AEL in land notified as Industrial area of APSEZ, Ta-Mundra, Dist-Kachchh, Gujarat, comprising of IND-I projects i.e. Semi Coke-2030 KTPA, Cement-6 MTPA; Clinker-4 MTPA, IND-II projects i.e. VCM- 2002 KTPA, PVC-2000 KTPA, Ethylene Glycol- 400 KTPA and IND-III projects i.e. Acetylene-860 KTPA & Caustic Soda-1310 KTPA) and Calcium Carbide-2900 KTPA (Not Specified in EIA Notification)) by M/s Adani Enterprises Ltd." Vide EC Identification no. EC22A009GJ154137, File No. IA-J-11011/423/2021-IA-II(IND-I) Dated 26/09/2022.

Accordingly, as required under Miscellaneous condition No. ii of EC, we are submitting herewith copy of Environment Clearance for the said project for your reference and further necessary action, please.

Thanking You.

Yours Faithfully,

Authorized Signatory for Adani Enterprises Ltd,



Prodyut Maji (Project - Head)

Encl: As Above

Copy to:

- 1). **The District Development Officer,**
Jilla Pachayat, Opposite Surmandir Multiplex,
Bhuj - Kuchchh, 370 001
- 2). **The Taluka Development Officer,**
Taluka Panchayat, Mundra
Ta: Mundra Dist: Kuchchh, 370 421
- 3). **The General Manager,**
District Industries Center, Near New Green
Hospital, Bhuj - Kuchchh, 370 001
- 4). **The Regional Officer,**
Gujarat Pollution Control Board (Kuchchh East),
Room no.215,216 & 217, 2nd Floor, Administration
Office Building, Deendayal Port Trust, Sector - 08,
Gandhidham - Kuchchh, 370 201

Adani Enterprises Ltd
"Adani Corporate House",
Shantigram, Near Vaishno Devi Circle,
S. G. Highway, Khodiyar
Ahmedabad 382 421
Gujarat, India
CIN: L51100GJ1993PLCO19067

Tel. + 91 79 2656 5555
Fax + 91 79 2555 5500
info@adani.com
www.adani.com

Registered Office: "Adani Corporate House", Shantigram, Near Vaishno Devi Circle, S. G. Highway, Khodiyar, Ahmedabad - 382421

31/09/22
આવક કારકુન
જિલ્લા પંચાયત, કચ્છ-ભુજ

31/09/22
ઇન્ડિયા કોર્પોરેશન
જિલ્લા ઉદ્યોગ કેન્દ્ર
ભુજ-કચ્છ

To,

Ms. Praveena D.K. (IAS),
Collector & DM,
Collector Office, Jilla Seva Sadan,
Bhuj - Kuchchh, 370 001

Subject: Environmental Clearance (EC) for proposed project activities "**Semi Coke-2030 KTPA, Calcium Carbide-2900 KTPA, Cement-6 MTPA; Clinker-4 MTPA** near village Vandh & Tunda, Taluka Mundra, District Kachchh, Gujarat by M/s Adani Enterprises Ltd.

Reference: EC Identification no. EC22A009GJ154137 File No. IA-J-11011/423/2021-IA-II(IND-I) Dated 26/09/2022

Respected Ma'am,

With reference to above subject, this is to inform that Ministry of Environment, Forest and Climate Change has granted Environment Clearance (EC) for our project "**Semi Coke-2030 KTPA; Calcium Carbide-2900 KTPA; Cement-6 MTPA; Clinker-4 MTPA** (as a part of Proposed Coal to Poly-Vinyl Chloride (PVC) Project of AEL in land notified as Industrial area of APSEZ, Ta-Mundra, Dist-Kachchh, Gujarat, comprising of IND-I projects i.e. Semi Coke-2030 KTPA, Cement-6 MTPA; Clinker-4 MTPA, IND-II projects i.e. VCM- 2002 KTPA, PVC-2000 KTPA, Ethylene Glycol- 400 KTPA and IND-III projects i.e. Acetylene-860 KTPA & Caustic Soda-1310 KTPA) and Calcium Carbide-2900 KTPA (Not Specified in EIA Notification)) by M/s Adani Enterprises Ltd." Vide EC Identification no. EC22A009GJ154137, File No. IA-J-11011/423/2021-IA-II(IND-I) Dated 26/09/2022.

Accordingly, as required under Miscellaneous condition No. II of EC, we are submitting herewith copy of Environment Clearance for the said project for your reference and further necessary action, please.

Thanking You.

Yours Faithfully,

Authorized Signatory for Adani Enterprises Ltd.

Prodyut Maji (Project - Head)

Encl: As Above

Copy to:

1). **The District Development Officer,**
Jilla Pachayat, Opposite Surmandir Multiplex,
Bhuj - Kuchchh, 370 001

2). **The Taluka Development Officer,**
Taluka Panchayat, Mundra
Ta: Mundra Dist: Kuchchh, 370 421

3). **The General Manager,**
District Industries Center, Near New Green
Hospital, Bhuj - Kuchchh, 370 001

4). **The Regional Officer,**
Gujarat Pollution Control Board (Kuchchh East),
Room no.215,216 & 217, 2nd Floor, Administration
Office Building, Deendayal Port Trust, Sector - 08,
Gandhidham - Kuchchh, 370 201

Adani Enterprises Ltd
"Adani Corporate House",
Shantigram, Near Vaishno Devi Circle,
S. G. Highway, Khodiyar
Ahmedabad 382 421
Gujarat, India
CIN: L51100GJ1993PLC019067

Tel. + 91 79 2656 5555
Fax + 91 79 2555 5500
info@adani.com
www.adani.com

To,
The Sarpanch, Shri / Talati Cum Mantri, Shri
Gram Panchayat,
Village: _____
Ta: _____, Dist: Kachchh (List Attached)

Subject: Environment Clearance (EC) for proposed Project "**Semi Coke-2030 KTPA, Calcium Carbide-2900 KTPA, Cement-6 MTPA; Clinker-4 MTPA near village Vandh & Tunda, Taluka Mundra, District Kachchh, Gujarat** by M/s Adani Enterprises Ltd.

Reference: EC Identification no. EC22A009GJ154137 File No. IA-J-11011/423/2021-IA-II(IND-I) Dated 26/09/2022

Respected Sir / Ma'am,

With reference to above subject, this is to inform that Ministry of Environment, Forest and Climate Change has granted Environment Clearance (EC) for our project "**Semi Coke-2030 KTPA; Calcium Carbide-2900 KTPA; Cement-6 MTPA; Clinker-4 MTPA** (as a part of Proposed Coal to Poly-Vinyl Chloride (PVC) Project of AEL in land notified as Industrial area of APSEZ, Ta-Mundra, Dist-Kachchh, Gujarat, comprising of IND-I projects i.e. Semi Coke-2030 KTPA, Cement-6 MTPA; Clinker-4 MTPA, IND-II projects i.e. VCM- 2002 KTPA, PVC-2000 KTPA, Ethylene Glycol- 400 KTPA and IND-III projects i.e. Acetylene-860 KTPA & Caustic Soda-1310 KTPA) and Calcium Carbide-2900 KTPA (Not Specified in EIA Notification)) by M/s Adani Enterprises Ltd." Vide EC Identification no. EC22A009GJ154137 File No. IA-J-11011/423/2022-IA-II(IND-I) Dated 26/09/2022.

Accordingly, we are submitting herewith copy of Environment Clearance for the said project for your reference, please.

Thanking You,
Yours Faithfully,

Authorized Signatory for Adani Enterprises Ltd.




Prodyut Maji (Project - Head)

Encl: As Above
Copy to:

1). **The Taluka Development Officer,**
Taluka Panchayat, Mundra
Ta: Mundra Dist: Kachchh, 370 421

2). **The Regional Officer,**
Gujarat Pollution Control Board (Kachchh East),
Room no.215,216 & 217, 2nd Floor, Administration
Office Building, Deendayal Port Trust,
Sector - 08, Gandhidham - Kachchh, 370 201



To,
Shri Shrawan Kumar Verma, IFS (Addl. Charge)
Deputy Director General of Forests (C)
Integrated Regional Office, Gandhinagar,
Ministry of Environment, Forest and Climate Change,
A-Wing-407 & 409, Aranya Bhawan, Near CH-3 Circle,
Sector-10A, Gandhinagar – 382010

Subject: Environmental Clearance (EC) for proposed project activities "**Semi Coke-2030 KTPA, Calcium Carbide-2900 KTPA, Cement-6 MTPA; Clinker-4 MTPA near village Vandh & Tunda, Taluka Mundra, District Kachchh, Gujarat** by M/s Adani Enterprises Ltd.

Reference: EC Identification no EC22A009GJ154137, File no. IA-J-11011/423/2021-IA-II(IND-I) Dated 26/09/2022

Respected Sir,


With reference to above subject, this is to inform that Ministry of Environment Forest and Climate Change has granted Environment Clearance for our project "Semi Coke-2030 KTPA, Calcium Carbide-2900 KTPA, Cement-6 MTPA; Clinker-4 MTPA (as a part of Proposed Coal to Poly-Vinyl Chloride (PVC) Project of AEL in land notified as Industrial area of APSEZ, Ta-Mundra, Dist-Kutch, Gujarat" comprising of IND-I projects i.e. Semi Coke-2030 KTPA, Cement-6 MTPA; Clinker-4 MTPA, IND-II projects i.e. VCM- 2002 KTPA, PVC-2000 KTPA, Ethylene Glycol- 400 KTPA and IND-III projects i.e. Acetylene-860 KTPA & Caustic Soda-1310 KTPA) and Calcium Carbide-2900 KTPA (Not Specified in Any EIA Notification) by M/s Adani Enterprises Ltd" vide EC Identification no EC22A009GJ154137, File no. IA-J-11011/423/2021-IA-II(IND-I) Dated 26/09/2022.

Accordingly, in compliance of Miscellaneous condition no. (i) & (ii) of Environmental clearance, we are submitting herewith copy of environmental clearance as **Annexure - A** along with copies of newspaper publications (**Annexure - B**) stating "the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB (GPCB) and may also be seen at Website of the Ministry at <https://parivesh.nic.in/> as well as on Company website at <https://www.adanienterprises.com/-/media/4BAE7363F8C843B8B659F4AC21587F8A.ashx>" for your reference and record please.

Adani Enterprises Ltd
"Adani Corporate House",
Shantigram, Near Vaishno Devi Circle,
S. G. Highway, Khodiyar
Ahmedabad 382 421
Gujarat, India
CIN: L51100GJ1993PLC019067

Tel. + 91 79 2656 5555
Fax + 91 79 2555 5500
info@adani.com
www.adani.com

Registered Office: "Adani Corporate House", Shantigram, Near Vaishno Devi Circle, S. G. Highway, Khodiyar, Ahmedabad - 382421


Integrated Regional Office, Gandhinagar
परिवेश, वन एवं जलवायु परिवर्तन मंत्रालय,
Ministry of Environment, Forest & Climate Change,
Govt. of India / भारत सरकार
कक्ष क्र. 407 व 409 ए विंग अरुण्य भवन
Room No.407 & 409, A wing Aranya Bhawan
गान्धिनगर (गुजरात) / Gandhinagar(Gujarat)



The details of the newspaper publication are given below:

| Sr. no. | Name of News Paper | Language | Date of Publication |
|---------|--------------------|----------|---------------------|
| 1 | Kutch Mitra | Gujarati | 30/09/2022 |
| 2 | Gujarat Samachar | Gujarati | 30/09/2022 |
| 3 | The Times of India | English | 30/09/2022 |

Thanking You,
Yours Faithfully,

Authorized Signatory for Adani Enterprises Ltd,

Pradyut Maji (Project - Head)

Encl: As Above

Copy to:

1). **The Member Secretary,**
Gujarat Pollution Control Board,
Paryavarar: Bhavan, Sector - 10
A, Gandhinagar 382 010

2). **The Regional Officer,**
Gujarat Pollution Control Board
(Kuchchh East),
Room no.215,216 & 217, Second floor,
Administration Office Building,
Jeendayal Port Trust, Sector - 08,
Gandhidham - Kuchchh, 370 201

Annexure - XIII

Vinay Kumar Singh

From: Vinay Kumar Singh
Sent: Monday, May 12, 2025 4:30 PM
To: uh-gpcb-kute@gujarat.gov.in
Cc: ms-gpcb; ro-gpcb-kute@gujarat.gov.in; IRO Gandhinagar
Subject: Environment Statement (Form – V) for the FY 2024-25 for the Project “Poly-vinyl Chloride (PVC)” near Village Vandh & Tunda, Taluka Mundra, District Kachchh, Gujarat by M/s Mundra Petrochem Limited – Reg.
Attachments: 02. Form V PVC Project 2024-25.pdf

Ref: MPL/ENV/GPCB – Form – V/2025 –May/02

Date:12/05/2025

To,

PCB ID:86184

The Unit Head, (Kutch District)
Gujarat Pollution Control Board,
Paryavaran Bhavan, Sector-10A,
Gandhinagar – 382 010
E-mail : uh-gpcb-kute@gujarat.gov.in

Subject: Environment Statement (Form – V) for the FY 2024-25 for the Project “Poly-vinyl Chloride (PVC)” near Village Vandh & Tunda, Taluka Mundra, District Kachchh, Gujarat by M/s Mundra Petrochem Limited – Reg.

Reference : 1) CTE no. 59301 granted by GPCB vide letter no. GPCB/ (PCB ID: 86184)/ 16246 dated 13/12/2022.

2) Amended CTE letter no. PC/CCA-KUTCH-2104/GPCB ID 86184/738939 Dated 12/04/2023.

3) MPL/ENV/GPCB – Form – V/2024 – May/02 Dated 18/05/2024.

Respected Sir,

With reference to the Consent to Establish issued by GPCB vide above refer letter dated 13/12/2022, amended vide letter dated 12/04/2023 for the project “Poly-vinyl Chloride (PVC)” near Village Vandh & Tunda, Taluka Mundra, District Kachchh, Gujarat by M/s Mundra Petrochem Limited.

The PVC project is currently in the final design, detailed engineering, and procurement stages, with construction activities also underway at the site. Enclosed is the soft copy of the Environment Statement (Form – V) for the fiscal year 2024–25 for your reference and records.

We hope you will find the above in order.

Thanking you,

Vinay Kumar Singh
CSO & BU Environment Head

Encl: As Above

Copy to : 1. Member Secretary, GPCB : ms-gpcb@gujarat.gov.in
2. Regional Office, GPCB (Kutch East): ro-gpcb-kute@gujarat.gov.in
3. Integrated Regional Office, MoEF&CC, Gandhinagar: iro.gandhingr-mefcc@gov.in



Government of India
Ministry of Environment, Forest and Climate Change



Date: 19/11/2025

ACKNOWLEDGEMENT

This is to acknowledge that MUNDRA PETROCHEM LIMITED has provided the information on PARIVESH Portal in respect of No change in production capacity and No increase in pollution load for the project proposal NIPL for Coal to Poly - vinyl Chloride (PVC) near village Vandh & Tunda, Taluka: Mundra, District Kuchchh, Gujarat in the format attached herewith under the provisions of para 7(ii) c of EIA Notification and its subsequent amendment S.O.980-(E), dated 2nd March 2021.

To claim exemption from obtaining prior Environment Clearance in respect of the provisions mentioned in para 7(ii)c of EIA notification 2006 and its subsequent amendment S.O.980-(E), dated 2nd March 2021, project proponent / SPCB or UTPCC shall follow the following process:

1.The project proponent shall inform the SPCB or UTPCC, as the case may be, in specified format along with:

- (i) 'no increase in pollution load' certificate from the Environmental Auditor or reputed institutions empanelled by the SPCB or UTPCC or CPCB or Ministry;
- (ii) last Consent to Operate certificate for the project or activity; and
- (iii) online system generated acknowledgement of uploading of intimation and 'no increase in pollution load' certificate on PARIVESH Portal;

2.Based on the submission of above information, the project proponent may carry on the proposed activity as per the submitted details. However, if on verification the SPCB or UTPCC, as the case may be, holds that the change in configuration of plant or activity from environmental conditions will result or has resulted in change of production capacity and / or increase in pollution load, the exemption claimed under this clause shall not be valid and it shall be deemed that the project proponent was liable to obtain Prior Environmental Clearance before under taking such changes or increase, as per the clause (a) of sub-paragraph (ii) of paragraph 7 of EIA Notification, 2006 and the provisions of Environment (Protection) Act, 1986 shall apply accordingly.

Encl: Attached the Information provided by the project proponent.

Common Application Form

Project Details

1. Details of Project

| | |
|---|---|
| 1.1. Name of the Project | NIPL for Coal to Poly - vinyl Chloride (PVC) near village Vandh & Tunda, Taluka: Mundra, District Kuchchh, Gujarat |
| 1.2. Project Proposal For | Expansion |
| 1.3. Whether proposal expansion is made under 7 (ii) (a)? | NO |
| 1.4. Project ID (Single Window Number) | SW/265935/2025 |
| 1.5. Description of Project | Application for No Increase in Pollution Load under Para 7(ii) (c) for change in configuration of an integrated Coal to Poly Vinyl Chloride (PVC) complex comprising of semi Coke Unit (2030 KTPA), cement Plant (6.0 MTPA), Clinker(4 MTPA), Calcium Carbide (2900 KTPA), VCM (2002 KTPA), PVC (2000 KTPA), Ethylene Glycol (400 KTPA), Acetylene (860 KTPA) & Caustic Soda (1310 KTPA). |

2. Details of the Company/Organization/User Agency making application

| | |
|---|--------------------------|
| 2.1. Legal Status of the Company/Organization/User Agency | Company |
| 2.2. Name of the Company/ Organization/User agency | MUNDRA PETROCHEM LIMITED |

Registered address

| | |
|---------------------|--|
| 2.3. Address | Adani Corporate House, Shantigram, Near VaishnoDevi Circle, SG Highway, Khodiyar, Ahmedabad, Gujarat, India 382421 |
| 2.4. State | GUJARAT |
| 2.5. District | AHMADABAD |
| 2.6. Pin Code | 382421 |
| 2.7. E-mail address | vishnu.patidar@adani.com |
| 2.8. Mobile number | xxxxxx6033 |

3. Details of the person making application

| | |
|------------------|--------------|
| 3.1. Name | Mayukh Sinha |
| 3.2. Designation | Director |

Correspondence address

| | |
|---------------|--|
| 3.3. Address | Adani Corporate House, Shantigram, Near VaishnoDevi Circle, SG Highway, Khodiyar, Ahmedabad, Gujarat, India 382421 |
| 3.4. State | GUJARAT |
| 3.5. District | AHMADABAD |

| | |
|---------------------|--------------------------|
| 3.6. Pin Code | 382421 |
| 3.7. E-mail address | vishnu.patidar@adani.com |
| 3.8. Mobile number | xxxxxx3051 |

Project Location

1. Location of the Project or Activity

| | |
|--|----------------------------|
| 1.1. Upload KML | 03. kml adani mpl site.kml |
| 1.2. Whether the project/activity falling in the state/UT sharing international borders | NO |
| 1.3. Shape of the Project | Non - Linear |

Location Details

| Toposheet No | State/UT | District | Sub District | Village | Plot/Survey/Khasra No. |
|-----------------------|----------|----------|--------------|---------|------------------------|
| F42J5 | GUJARAT | Kachchh | Mandvi | NA | |
| F42J5 | GUJARAT | Kachchh | Mundra | NA | |
| F42J9 | GUJARAT | Kachchh | Mandvi | NA | |
| F42J9 | GUJARAT | Kachchh | Mundra | NA | |
| Remarks | | | | | |
| F42J5, F42J9 & F42J10 | | | | | |

2. Land Requirement (in Ha) of the project or activity

| Nature of Land involved in (Ha) | Area Existing in Ha [X] | Additional Area Proposed in Ha [Y] | Total Area required after expansion in Ha [X+Y] |
|---------------------------------|-------------------------|------------------------------------|---|
| Non-Forest Land [A] | 323.69 | 0 | 323.69 |
| Forest Land [B] | 0 | 0 | 0 |
| Total [A+B] | 323.69 | 0 | 323.69 |

Project Activity Cost

1. Project/Activity Cost

| | |
|---|---------|
| 1.1. Cost of the Existing Project at current price level (in Lakhs) [A] | 3490000 |
| 1.2. Cost of the proposed expansion/ modernization of Project at current price level (in Lakhs) [B] | 0 |
| 1.3. Total Cost of the project/ Activity (in lakhs) [A+B] | 3490000 |

2. Employment likely to be generated

2.1. During construction phase

Permanent employment

Temporary employment

| | |
|---|---------|
| 2.1.1. No. of permanent employment (No.s) [A] | 5000 |
| 2.1.2. Period of employment (No. of days) [B] | 365 |
| 2.1.3. No. of man-days [X]=[A]*[B] | 1825000 |
| 2.1.4. Temporary / Contractual employment (No. of Man days) [Y] | 2555000 |
| 2.1.5. Total [X] +[Y] | 4380000 |

2.2. During operational phase

Permanent employment

| | Existing | Proposed | Total |
|--|----------|----------|---------|
| 2.2.1. No. of permanent employment (No.s) [A] | 3600 | 0 | 3600 |
| 2.2.2. Period of employment (No. of days) [B] | 365 | 0 | 365 |
| 2.2.3. No. of man-days [X]=[A]*[B] | 1314000 | 0 | 1314000 |

Temporary employment

| | | | |
|---|---------|---|---------|
| 2.2.4. Temporary / Contractual employment (No. of Man days) [Y] | 2920000 | 0 | 2920000 |
| 2.2.5. Total [X] +[Y] | 4234000 | 0 | 4234000 |

Others

| | |
|---|--|
| 1. Whether Rehabilitation and Resettlement (R&R) involved? | NO |
| 2. Whether project area involves shifting of watercourse/road/rail/Transmission line/water pipeline, etc. required? | NO |
| 3. Whether any alternative site(s) examined or part thereof for the non-site-specific component? | Not applicable as the project or activity is site specific |
| 4. Whether there is any Government Order or Policy/ Court order relevant or restricting to the site? | NO |

| | |
|--|------------|
| <p>5.</p> <p>Whether there is any litigation pending against the project and/or land in which the project is proposed to be set up?</p> | <p>YES</p> |
|--|------------|

| Court Name | Bench | Case Category | Status | Description of Court | Next Hearing Date | Order Copy |
|------------|--------------------|---------------|---------|---|-------------------|------------|
| High Court | Gujarat High Court | WP (Civil) | Pending | <p>This PIL NO. 36/2022 was filed by the petitioner (the Kheti Vikas Seva Trust) against Union of India (along with 6 respondents where AEL is one of the party) in Hon'ble Gujarat High Court with a prayer to stay the public hearing for the interlinked project of M/s Adani Enterprises Ltd. (transferred to Mundra Petrochem Ltd) scheduled for 30th April 2022. In the first hearing on the matter held on 26th April 2022, the Hon'ble court waived notice against AEL and did not order any stay to conduct the public hearing on the scheduled date. The public hearing was successfully completed by the Gujarat Pollution Control Board (GPCB) on 30th April 2022 with respect to all the provisions of EIA Notification and applicable office memorandums of MoEF&CC. Subsequently, the project was appraised by MoEF&CC and accorded Environmental Clearance (EC) for the above referred PVC project (interlinked project). The PIL matter was last posted for hearing on 7th February 2023. Presently the matter is still pending for hearing. Moreover, all processes related to EIA studies & public hearing for grant of Environment clearance complied with all the provisions of EIA Notification and applicable office memorandums of MoEF&CC.</p> | 21/11/2025 | N/A |

| | |
|--|-----------|
| <p>6.</p> <p>Whether the proposal involves violation of Act/Rule/Regulation/Notification of Central/State Government?</p> | <p>NO</p> |
|--|-----------|